R3550-1.14-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

PED LENGTH OF STAY



BY DIAGNOSIS BY OPERATION

UNITED STATES

Pediatric

1984

Pediatric Length of Stay by Diagnosis and Operation, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 6
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 15
  Summary of All Patients in Diagnosis Groups 16
  Summary of All Patients Except Newborn 17
  Diagnosis Groups 1-398 18
  Summary of All Patients in Operation Groups. 218
  Operation Groups 501-764 219
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	 Number in Books (3)	 Percent in Books (4)	Short-Term Nonfederal Hospital Beds U.S. Total[2] (5)	 Number in Books (6)	 Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

   a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

   b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	**3**		**17**
broncho-, organism not specified	**3**		**179**
chronic, interstitial	**3**		**186**
lobar	**3**		**179**
organism or type not specified	**3**		**179**
pneumococcal	**3**		**179**
viral	**3**		**179**
Criteria for admission (for above 7)			
1. ***Respiratory distress (cyanosis, dyspnea at rest, tachypnea $>$ 40 resp/min, $PO_2 < 50$)***			
2. ***Complicating respiratory disease e.g., emphysema, COPD, asthma***			
3. ***Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease***			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.



DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia INDEX TO DISEASES

Pleurodynia — *continued*
  epidemic 074.1
  viral 074.1
Pleurohepatitis 573.8
Pleuropericarditis *(see also* Pericarditis) 423.9
  acute 420.90
Pleuropneumonia (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  chronic *(see also* Fibrosis, lung) 515
Pleurorrhea *(see also* Hydrothorax) 511.8
Plexitis, brachial 353.0
Plica
  polonica 132.0
  tonsil 474.8
Plicae dysphonia ventricularis 784.49
Plicated tongue 529.5
  congenital 750.13
Plug
  bronchus NEC 519.1
  meconium (newborn) NEC 777.1
  mucus — *see* Mucus, plug
Plumbism 984.9
  specified type of lead — *see* Table of drugs and chemicals
Plummer's disease (toxic nodular goiter) 242.3
Plummer-Vinson syndrome (sideropenic dysphagia) 280.8
Pluricarential syndrome of infancy 260
Plurideficiency syndrome of infancy 260
Plus (and minus) hand (intrinsic) 736.09
Pneumathemia — *see* Air, embolism, by type
Pneumatic drill or hammer disease 994.9
Pneumatocele (lung) 518.8
  intracranial 348.8
  tension 492.0
Pneumatosis
  cystoides intestinalis 569.89
  peritonei 568.89
  pulmonum 492.8
Pneumaturia 599.8
Pneumoblastoma (M8981/3) — *see* Neoplasm, lung, malignant
Pneumocephalus 348.8
Pneumococcemia 038.2
  with pneumonia 481
Pneumococcus, pneumococcal — *see* condition
Pneumoconiosis (due to) (inhalation of) 505
  aluminum 503
  asbestos 501
  bagasse 495.1
  bauxite 503
  beryllium 503
  carbon electrode makers' 503
  coal
    miners' (simple) 500
    workers' (simple) 500
  cotton dust 504

Pneumoconiosis (due to) (inhalation of) — *continued*
  diatomite fibrosis 502
  dust NEC 504
    inorganic 503
    lime 502
    marble 502
    organic NEC 504
  fumes or vapors (from silo) 506.9
  graphite 503
  hard metal 503
  mica 502
  moldy hay 495.0
  rheumatoid 714.81
  silica NEC 502
    and carbon 500
  silicate NEC 502
  talc 502
Pneumocystis carinii pneumonia 136.3
Pneumocystosis 136.3
  with pneumonia 136.3
Pneumoenteritis 025
Pneumohemopericardium *(see also* Pericarditis) 423.9
Pneumohemothorax *(see also* Hemothorax) 511.8
  traumatic 860.4
    with open wound into thorax 860.5
Pneumohydropericardium *(see also* Pericarditis) 423.9
Pneumohydrothorax *(see also* Hydrothorax) 511.8
Pneumomediastinum 518.1
  congenital 770.2
  fetus or newborn 770.2
Pneumomycosis 117.9
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
  with influenza, flu, or grippe 487.0
  adenoviral 480.0
  adynamic 514
  alba 090.0
  allergic 518.3
  alveolar — *see* Pneumonia, lobar
  anthrax 022.1 *[484.5]*
  apex, apical — *see* Pneumonia, lobar
  ascaris 127.0
  aspiration 507.0

588

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. *Operated*										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32232	4.7	8	2	2	4	6	8	10	14
B. *Operated*	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	27446	5.5	15	2	2	5	7	10	12	19
B. *Operated*	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	469311	2.8	2	1	1	3	3	4	5	7
1-11 MOS	40331	3.6	9	1	1	3	4	6	8	14
1-5 YRS	86262	3.1	9	1	1	2	4	6	7	15
6-12 YRS	55822	3.5	27	1	1	2	4	6	8	28
13-19 YRS	134194	3.7	39	<1	1	2	4	6	9	37
B. *Operated*										
0-27 DYS	1738	4.7	30	1	1	3	5	9	13	26
1-11 MOS	13276	3.5	17	<1	<1	2	4	7	10	20
1-5 YRS	53970	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	68611	2.7	12	<1	<1	2	3	5	8	17
13-19 YRS	156614	3.0	8	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	292321	4.3	22	1	2	3	5	6	9	24
1-11 MOS	68512	4.5	17	1	1	3	5	8	11	20
1-5 YRS	128184	3.8	15	1	1	3	4	7	9	18
6-12 YRS	63017	4.5	54	1	1	3	5	8	12	52
13-19 YRS	123641	6.0	98	1	1	3	5	12	26	62
B. *Operated*										
0-27 DYS	12174	17.5	397	2	3	10	25	54	79	99+
1-11 MOS	13142	7.6	109	<1	1	4	9	18	28	68
1-5 YRS	51199	4.0	44	<1	<1	2	4	9	15	35
6-12 YRS	46100	4.3	48	<1	1	2	4	10	16	38
13-19 YRS	118113	5.0	47	1	1	3	5	9	15	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785920	3.1	11	1	1	3	3	5	6	14
B. *Operated*	294209	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	675675	4.5	37	1	1	3	5	7	11	36
B. *Operated*	240728	5.5	76	<1	1	3	6	11	20	54
1. SINGLE DX	1080129	3.0	11	<1	1	2	3	5	6	14
2. MULTIPLE DX	916403	4.8	48	1	1	3	5	8	14	42
A. NOT OPERATED	1461595	3.7	24	1	1	3	4	6	8	26
B. OPERATED	534937	4.0	41	<1	1	2	4	8	12	36
TOTAL 0-27 DYS	775544	3.6	19	1	1	3	4	5	7	21
1-11 MOS	135261	4.4	25	1	1	3	5	8	11	25
1-5 YRS	319615	3.4	18	<1	1	2	4	7	9	21
6-12 YRS	233550	3.7	34	<1	1	2	4	7	11	32
13-19 YRS	532562	4.3	47	<1	1	3	4	8	12	42
GRAND TOTAL	**1996532**	**3.8**	**29**	**1**	**1**	**3**	**4**	**6**	**9**	**29**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12759	3.3	11	1	1	2	4	6	8	17
1-11 MOS	40331	3.6	9	1	1	3	4	6	8	14
1-5 YRS	86262	3.1	9	1	1	2	4	6	7	15
6-12 YRS	55822	3.5	27	1	1	2	4	6	8	28
13-19 YRS	134194	3.7	39	<1	1	2	4	6	9	37
B. *Operated*										
0-27 DYS	1531	4.5	23	1	1	3	5	9	12	23
1-11 MOS	13276	3.5	17	<1	<1	2	4	7	10	20
1-5 YRS	53970	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	68611	2.7	12	<1	<1	2	3	5	8	17
13-19 YRS	156614	3.0	8	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10229	6.1	61	1	2	4	7	13	20	43
1-11 MOS	68512	4.5	17	1	1	3	5	8	11	20
1-5 YRS	128184	3.8	15	1	1	3	4	7	9	18
6-12 YRS	63017	4.5	54	1	1	3	5	8	12	52
13-19 YRS	123641	6.0	98	1	1	3	5	12	26	62
B. *Operated*										
0-27 DYS	1791	12.9	241	1	2	7	15	32	56	99+
1-11 MOS	13142	7.6	109	<1	1	4	9	18	28	68
1-5 YRS	51199	4.0	44	<1	<1	2	4	9	15	35
6-12 YRS	46100	4.3	48	<1	1	2	4	10	16	38
13-19 YRS	118113	5.0	47	1	1	3	5	9	15	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329368	3.5	25	1	1	2	4	6	8	25
B. *Operated*	294002	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	393583	4.8	50	1	1	3	5	8	13	43
B. *Operated*	230345	4.9	53	<1	1	3	5	10	16	41
1. SINGLE DX	623370	3.2	18	<1	1	2	4	6	8	20
2. MULTIPLE DX	623928	4.8	51	1	1	3	5	9	14	43
A. NOT OPERATED	722951	4.2	39	1	1	3	4	7	11	36
B. OPERATED	524347	3.7	30	<1	1	2	4	7	11	28
TOTAL 0-27 DYS	26310	5.1	53	1	1	3	5	10	16	41
1-11 MOS	135261	4.4	25	1	1	3	5	8	11	25
1-5 YRS	319615	3.4	18	<1	1	2	4	7	9	21
6-12 YRS	233550	3.7	34	<1	1	2	4	7	11	32
13-19 YRS	532562	4.3	47	<1	1	3	4	8	12	42
GRAND TOTAL	**1247298**	**4.0**	**35**	**<1**	**1**	**3**	**4**	**7**	**11**	**33**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	202	3.6	5	1	1	3	4	5	8	15
1-11 MOS	1685	3.6	8	1	2	3	4	6	8	14
1-5 YRS	2452	3.0	3	1	1	3	4	5	6	10
6-12 YRS	1412	2.5	3	1	1	2	3	4	6	9
13-19 YRS	1455	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	5	5.8	11	3	3	4	8	11	11	11
1-11 MOS	16	6.7	43	1	2	5	7	14	23	27
1-5 YRS	17	4.6	14	1	1	4	6	8	13	16
6-12 YRS	32	3.9	8	2	2	3	4	6	7	17
13-19 YRS	61	4.5	6	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	194	4.6	11	1	2	4	5	8	10	19
1-11 MOS	3504	4.0	8	1	2	3	5	7	9	14
1-5 YRS	5632	3.4	6	1	1	3	4	6	7	12
6-12 YRS	1859	3.0	4	1	1	3	4	5	7	10
13-19 YRS	1580	3.1	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	5	15.0	202	3	3	7	27	35	35	35
1-11 MOS	87	11.2	139	3	3	6	15	26	33	66
1-5 YRS	101	9.1	113	2	2	5	10	23	32	57
6-12 YRS	37	6.6	88	1	1	5	7	12	15	58
13-19 YRS	71	5.0	9	2	2	4	7	10	11	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7206	3.0	5	1	1	3	4	5	7	10
B. *Operated*	131	4.7	12	1	2	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	12769	3.5	6	1	1	3	4	6	8	13
B. *Operated*	301	8.5	99	2	2	5	9	21	30	59
1. SINGLE DX	7337	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX	13070	3.6	9	1	1	3	4	6	8	14
A. NOT OPERATED	19975	3.3	6	1	1	3	4	6	7	12
B. OPERATED	432	7.4	76	2	2	5	7	16	26	56
TOTAL 0-27 DYS	406	4.2	11	1	2	4	5	7	9	22
1-11 MOS	5292	4.0	11	1	2	3	5	7	9	16
1-5 YRS	8202	3.3	7	1	1	3	4	6	7	12
6-12 YRS	3340	2.8	5	1	1	2	3	5	6	10
13-19 YRS	3167	3.0	5	1	1	2	4	5	7	11
GRAND TOTAL	**20407**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.9	49	1	1	5	7	19	22	22
1-5 YRS	43	5.5	14	1	2	4	7	10	12	20
6-12 YRS	14	7.9	88	2	2	5	7	21	33	37
13-19 YRS	26	12.8	126	2	2	9	17	33	39	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	6	1	1	3	6	7	7	7
6-12 YRS										
13-19 YRS	6	10.8	29	5	5	10	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	6.4	16	3	3	5	10	12	12	12
1-5 YRS	16	10.4	166	1	1	4	16	24	42	50
6-12 YRS	4	12.8	172	4	4	7	21	32	32	32
13-19 YRS	21	10.7	51	1	3	10	15	18	24	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	9.2	40	2	2	9	12	18	19	19
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	6	19.8	133	6	6	20	30	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	8.1	68	1	2	5	8	18	24	40
B. *Operated*	12	7.3	30	1	1	6	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	46	10.3	93	1	3	7	15	19	31	50
B. *Operated*	13	14.2	102	2	4	12	20	31	34	35
1. SINGLE DX	102	8.0	63	1	2	5	9	17	23	40
2. MULTIPLE DX	59	11.1	96	1	3	8	16	23	32	49
A. NOT OPERATED	136	8.8	77	1	2	6	11	19	29	43
B. OPERATED	25	10.8	77	1	2	8	16	21	31	35
TOTAL 0-27 DYS										
1-11 MOS	12	6.7	33	1	2	5	8	15	21	22
1-5 YRS	71	6.7	52	1	2	4	7	14	19	45
6-12 YRS	19	9.0	96	2	3	5	9	27	35	37
13-19 YRS	59	12.6	93	2	3	10	17	28	35	42
GRAND TOTAL	**161**	**9.1**	**77**	**1**	**2**	**6**	**12**	**19**	**30**	**42**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	11.8	202	3	3	5	19	33	33	33
6-12 YRS	3	16.7	482	3	3	5	33	42	42	42
13-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	3.5	11	<1	<1	2	4	8	11	13
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	4	5.0	9	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	6	18.3	351	2	2	14	25	48	51	51
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	6	7.2	39	2	2	6	11	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	2	55.0	1250	30	30	55	80	80	80	80
1-5 YRS	9	14.9	265	1	2	10	17	43	53	53
6-12 YRS	4	8.3	32	2	2	9	13	13	13	13
13-19 YRS	6	7.5	98	1	1	4	8	25	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	12.0	220	<1	1	5	16	38	42	42
B. *Operated*	22	3.9	10	<1	1	3	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	16	10.9	167	2	2	7	14	25	43	51
B. *Operated*	21	15.3	384	1	1	8	17	39	65	80
1. SINGLE DX	31	6.2	80	<1	1	4	7	11	32	42
2. MULTIPLE DX	37	13.4	288	1	2	7	15	30	52	80
A. NOT OPERATED	25	11.3	178	1	2	6	12	33	44	51
B. OPERATED	43	9.5	221	<1	1	4	10	27	38	80
TOTAL 0-27 DYS										
1-11 MOS	4	30.3	1235	4	4	18	55	80	80	80
1-5 YRS	35	9.9	176	<1	1	4	11	28	46	53
6-12 YRS	11	9.3	133	2	2	5	11	25	41	42
13-19 YRS	18	6.6	45	<1	1	4	9	15	23	27
GRAND TOTAL	**68**	**10.1**	**203**	**1**	**1**	**5**	**10**	**28**	**43**	**75**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	11	1	1	2	5	8	8	8
1-11 MOS	31	3.6	3	1	2	3	5	6	7	8
1-5 YRS	247	2.5	2	1	1	2	3	5	5	6
6-12 YRS	282	2.5	2	1	1	2	3	4	5	7
13-19 YRS	212	3.1	2	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	1.6		1	1	2	2	3	3	3
6-12 YRS	39	1.5		1	1	2	2	2	2	2
13-19 YRS	29	1.9	3	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.7	2	2	2	4	5	6	6	6
1-11 MOS	63	3.4	3	1	2	3	4	6	7	11
1-5 YRS	678	3.1	5	1	1	3	4	5	6	11
6-12 YRS	762	2.8	4	1	1	2	3	5	6	9
13-19 YRS	538	3.3	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	32	2.0	2	1	1	2	2	4	6	7
6-12 YRS	44	2.1	2	1	1	2	2	4	5	6
13-19 YRS	25	2.9	4	1	1	2	4	6	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	776	2.7	2	1	1	2	3	5	5	7
B. *Operated*	85	1.7	1	1	1	2	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*	2048	3.1	4	1	1	3	4	5	6	10
B. *Operated*	102	2.3	3	1	1	2	3	5	6	8
1. SINGLE DX	861	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2150	3.0	4	1	1	3	4	5	6	9
A. NOT OPERATED	2824	3.0	4	1	1	3	4	5	6	9
B. OPERATED	187	2.0	2	1	1	2	2	4	5	8
TOTAL 0-27 DYS	11	3.5	5	1	1	3	5	7	8	8
1-11 MOS	95	3.5	3	1	2	3	4	6	7	10
1-5 YRS	974	2.9	4	1	1	2	4	5	6	9
6-12 YRS	1127	2.6	3	1	1	2	3	4	5	8
13-19 YRS	804	3.2	3	1	1	3	4	5	6	10
GRAND TOTAL	**3011**	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	234	5.5	13	1	2	4	8	11	12	15
1-11 MOS	554	4.5	9	1	2	4	6	9	11	15
1-5 YRS	498	4.5	8	1	2	4	6	9	10	13
6-12 YRS	46	5.4	23	1	2	4	7	11	13	29
13-19 YRS	35	6.0	19	2	2	5	7	11	14	23
B. *Operated*										
0-27 DYS	6	4.7	12	2	2	3	6	10	11	11
1-11 MOS	13	10.2	111	2	3	6	12	26	37	40
1-5 YRS	12	8.3	23	2	3	8	11	16	17	17
6-12 YRS	3	12.3	4	10	10	13	14	14	14	14
13-19 YRS	2	11.5	25	8	8	11	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	240	6.6	19	2	2	5	9	12	14	18
1-11 MOS	867	5.8	20	2	2	4	8	11	13	24
1-5 YRS	884	5.9	17	2	2	5	7	11	13	21
6-12 YRS	176	6.9	32	2	2	5	9	13	15	32
13-19 YRS	216	7.7	52	2	2	6	9	14	17	34
B. *Operated*										
0-27 DYS	13	11.8	38	4	4	11	15	20	24	25
1-11 MOS	69	14.0	229	2	3	10	14	26	55	82
1-5 YRS	61	13.2	90	3	4	11	18	25	36	94
6-12 YRS	20	13.3	415	1	3	8	12	23	61	96
13-19 YRS	53	15.1	153	3	4	12	20	33	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	4.8	10	1	2	4	6	10	11	15
B. *Operated*	36	8.9	53	2	2	7	11	15	20	40
2. MULTIPLE DX										
A. *Not Operated*	2383	6.2	23	2	2	5	8	12	14	23
B. *Operated*	216	13.9	174	3	4	10	17	28	42	97
1. SINGLE DX	1403	4.9	12	1	2	4	6	10	11	15
2. MULTIPLE DX	2599	6.8	40	2	2	5	9	12	16	32
A. NOT OPERATED	3750	5.7	19	1	2	4	7	11	13	20
B. OPERATED	252	13.2	160	3	4	10	15	26	36	96
TOTAL 0-27 DYS	493	6.2	17	2	2	5	9	11	14	18
1-11 MOS	1503	5.7	30	1	2	4	7	11	13	27
1-5 YRS	1455	5.8	20	2	2	5	7	11	13	22
6-12 YRS	245	7.2	63	2	2	5	9	13	16	35
13-19 YRS	306	8.8	74	2	3	7	10	17	24	54
GRAND TOTAL	**4002**	**6.1**	**31**	**1**	**2**	**5**	**8**	**11**	**14**	**27**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	38	10.2	40	2	3	10	15	19	23	23
1-11 MOS	288	6.9	25	1	2	6	10	13	16	24
1-5 YRS	235	7.5	15	2	2	7	11	12	14	16
6-12 YRS	85	6.6	20	2	2	5	10	12	13	21
13-19 YRS	135	6.2	16	1	2	5	10	12	13	16
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	12.0	6	8	9	12	13	15	16	16
1-5 YRS	23	6.7	26	<1	1	6	11	13	16	17
6-12 YRS	8	10.1	36	2	3	10	13	19	21	21
13-19 YRS	6	5.7	19	1	1	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	9.9	52	2	2	7	15	21	25	27
1-11 MOS	280	8.2	51	2	2	7	11	14	17	38
1-5 YRS	292	6.9	20	2	2	6	10	12	14	21
6-12 YRS	112	5.8	22	2	2	4	7	11	13	25
13-19 YRS	180	7.7	36	2	3	6	10	14	17	29
B. *Operated*										
0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	36	19.8	205	6	7	15	25	36	47	74
1-5 YRS	35	13.6	59	1	2	12	19	27	32	99+
6-12 YRS	19	11.1	87	2	4	7	15	28	34	35
13-19 YRS	23	9.8	108	3	4	6	11	16	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	7.1	21	2	2	6	10	13	15	22
B. *Operated*	46	8.1	27	1	1	9	11	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	886	7.4	35	2	2	6	10	14	16	28
B. *Operated*	115	14.2	131	2	4	11	19	29	36	83
1. SINGLE DX	827	7.2	21	2	2	7	11	13	15	22
2. MULTIPLE DX	1001	8.2	50	2	2	6	11	15	20	36
A. NOT OPERATED	1667	7.3	28	2	2	6	10	13	15	25
B. OPERATED	161	12.5	109	1	2	11	15	25	35	71
TOTAL 0-27 DYS	63	10.0	42	2	3	9	15	20	23	27
1-11 MOS	612	8.3	56	2	2	7	11	15	20	37
1-5 YRS	585	7.5	22	2	2	7	11	13	15	23
6-12 YRS	224	6.7	29	2	2	5	10	12	16	31
13-19 YRS	344	7.2	33	2	2	6	10	13	15	29
GRAND TOTAL	**1828**	**7.7**	**38**	**2**	**2**	**7**	**11**	**14**	**17**	**31**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	245	4.6	6	2	2	4	5	7	10	15
1-11 MOS	696	3.7	3	2	2	3	4	6	7	10
1-5 YRS	396	4.0	8	1	2	3	5	8	11	15
6-12 YRS	468	3.1	5	1	1	3	4	6	7	13
13-19 YRS	518	3.4	6	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS	11	4.6	3	2	2	4	6	7	8	8
1-11 MOS	11	4.3	4	3	3	3	5	7	10	10
1-5 YRS	8	5.6	7	2	2	5	8	9	9	9
6-12 YRS										
13-19 YRS	5	7.4	35	3	3	5	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	94	4.9	9	2	3	4	6	7	9	20
1-11 MOS	424	4.7	11	1	2	4	5	9	11	18
1-5 YRS	255	4.6	12	1	2	4	5	9	12	19
6-12 YRS	175	3.6	6	1	2	3	4	7	8	13
13-19 YRS	173	3.9	9	1	1	3	4	7	9	19
B. *Operated*										
0-27 DYS	3	13.7	90	4	4	14	21	23	23	23
1-11 MOS	21	7.1	18	2	2	6	10	13	15	16
1-5 YRS	8	16.4	183	3	3	12	22	38	45	45
6-12 YRS	4	7.5	26	4	4	5	10	15	15	15
13-19 YRS	8	23.3	1092	2	3	7	31	81	98	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2323	3.7	5	1	1	3	4	6	8	13
B. *Operated*	35	5.1	9	2	3	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	1121	4.4	10	1	2	4	5	8	11	19
B. *Operated*	44	12.2	263	2	3	7	13	22	44	98
1. SINGLE DX	2358	3.7	6	1	2	3	4	6	8	13
2. MULTIPLE DX	1165	4.7	22	1	2	4	5	9	11	20
A. NOT OPERATED	3444	3.9	7	1	2	3	5	7	9	15
B. OPERATED	79	9.1	161	2	3	5	10	17	23	83
TOTAL 0-27 DYS	353	4.8	8	2	2	4	5	7	10	15
1-11 MOS	1152	4.1	7	1	2	4	5	7	9	15
1-5 YRS	667	4.4	13	1	2	3	5	9	11	19
6-12 YRS	647	3.3	5	1	1	3	4	6	7	13
13-19 YRS	704	3.7	22	1	1	3	4	7	8	19
GRAND TOTAL	**3523**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	27	5.4	24	1	2	4	6	11	19	22
1-11 MOS	267	2.8	1	1	1	3	3	4	5	7
1-5 YRS	452	3.1	5	1	1	3	4	5	6	9
6-12 YRS	140	3.3	6	1	1	3	4	6	8	15
13-19 YRS	172	4.1	6	1	1	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	9	9.3	130	1	1	4	14	29	30	30
6-12 YRS	4	5.5	6	4	4	5	7	9	9	9
13-19 YRS	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	10.2	64	2	2	8	15	23	27	27
1-11 MOS	450	3.4	8	1	2	3	4	5	6	15
1-5 YRS	1195	3.7	6	1	1	3	5	6	8	13
6-12 YRS	457	4.1	9	1	1	3	5	8	10	15
13-19 YRS	346	4.7	10	1	2	4	6	8	10	17
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	9.9	95	3	3	5	12	27	30	30
1-5 YRS	19	7.5	29	2	3	6	9	16	19	22
6-12 YRS	15	16.5	261	2	2	12	30	51	86	99+
13-19 YRS	15	7.0	25	1	1	6	11	18	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	3.3	5	1	1	3	4	6	7	11
B. *Operated*	20	6.5	63	1	2	4	5	19	29	30
2. MULTIPLE DX										
A. *Not Operated*	2468	3.9	8	1	2	3	5	7	9	15
B. *Operated*	57	10.1	107	2	2	6	13	29	50	99+
1. SINGLE DX	1078	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	2525	4.1	11	1	2	3	5	7	9	17
A. NOT OPERATED	3526	3.7	8	1	1	3	5	7	8	14
B. OPERATED	77	9.1	97	2	2	6	12	28	41	99+
TOTAL 0-27 DYS	48	7.5	45	2	2	4	11	19	22	27
1-11 MOS	728	3.3	7	1	2	3	4	5	6	12
1-5 YRS	1675	3.6	7	1	1	3	4	6	8	13
6-12 YRS	616	4.2	18	1	1	3	5	8	10	22
13-19 YRS	536	4.6	10	1	2	4	6	8	10	17
GRAND TOTAL	**3603**	**3.8**	**10**	**1**	**1**	**3**	**5**	**7**	**8**	**16**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	5.2	7	2	2	4	8	9	10	10
1-5 YRS	45	4.6	7	2	2	4	6	8	10	14
6-12 YRS	133	4.5	7	1	1	4	6	8	10	12
13-19 YRS	278	6.0	23	2	2	5	7	10	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	9.7	83	1	2	6	14	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.7	7	1	1	4	7	8	8	8
1-5 YRS	36	8.2	232	2	2	4	6	9	30	90
6-12 YRS	64	4.0	6	1	2	4	5	7	8	15
13-19 YRS	169	6.0	22	2	2	5	7	10	14	31
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	14.8	299	2	2	6	24	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	5.4	17	2	2	5	7	9	11	21
B. *Operated*	10	7.6	67	1	1	5	7	22	27	27
2. MULTIPLE DX										
A. *Not Operated*	276	5.8	46	2	2	4	6	9	13	33
B. *Operated*	8	15.1	206	2	2	11	22	38	44	44
1. SINGLE DX	475	5.4	18	1	2	5	7	9	11	22
2. MULTIPLE DX	284	6.1	52	2	2	4	7	10	15	35
A. NOT OPERATED	741	5.5	28	2	2	5	7	9	12	23
B. OPERATED	18	10.9	135	1	1	6	17	26	37	44
TOTAL 0-27 DYS										
1-11 MOS	18	5.8	21	1	2	4	8	9	17	21
1-5 YRS	83	6.4	109	2	2	4	6	9	17	71
6-12 YRS	199	4.3	7	1	2	4	6	8	9	13
13-19 YRS	459	6.1	27	2	2	5	7	10	13	28
GRAND TOTAL	**759**	**5.7**	**31**	**2**	**2**	**5**	**7**	**9**	**12**	**27**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	119	3.2	4	1	1	3	4	5	6	12
6-12 YRS	221	3.7	5	1	1	3	4	7	8	12
13-19 YRS	1328	4.0	7	1	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	13	<1	<1	6	7	8	8	8
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	11	4.8	10	2	2	4	6	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	5.1	6	2	2	4	8	8	8	8
1-5 YRS	207	4.1	5	1	2	4	5	7	8	11
6-12 YRS	363	3.7	5	1	2	3	5	6	7	12
13-19 YRS	2128	4.2	6	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	5.6	9	2	2	5	9	10	10	10
6-12 YRS	10	5.8	16	2	2	4	8	12	14	14
13-19 YRS	56	6.6	21	2	2	5	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1669	3.9	6	1	2	3	5	7	8	12
B. *Operated*	17	4.4	10	<1	1	4	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	2705	4.2	6	1	2	4	5	7	9	12
B. *Operated*	76	6.4	19	2	2	5	9	12	15	23
1. SINGLE DX	1686	3.9	6	1	2	3	5	7	8	12
2. MULTIPLE DX	2781	4.2	6	1	2	4	5	7	9	13
A. NOT OPERATED	4374	4.1	6	1	2	4	5	7	8	12
B. OPERATED	93	6.0	18	1	2	5	8	11	14	22
TOTAL 0-27 DYS										
1-11 MOS	8	4.8	7	2	2	4	7	8	8	8
1-5 YRS	339	3.8	5	1	1	3	5	7	8	11
6-12 YRS	597	3.7	6	1	1	3	5	6	8	12
13-19 YRS	3523	4.2	7	1	2	4	5	7	9	12
GRAND TOTAL	**4467**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**9**	**12**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	10	7.9	390	<1	<1	1	3	34	64	64
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	61	1.6	2	<1	<1	1	2	3	4	10
6-12 YRS	61	1.3		<1	<1	1	1	2	3	3
13-19 YRS	375	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.8	16	1	1	8	9	10	10	10
6-12 YRS	2	7.0	2	6	6	7	8	8	8	8
13-19 YRS	10	2.1	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	3.3	9	<1	<1	2	5	8	9	9
6-12 YRS	8	3.1	32	<1	<1	1	2	12	17	17
13-19 YRS	129	2.4	2	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	324	<1	<1	1	3	22	58	64
B. *Operated*	498	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.9	11	<1	<1	2	7	8	9	10
B. *Operated*	148	2.5	4	<1	<1	2	3	5	6	9
1. SINGLE DX	510	1.8	9	<1	<1	1	2	3	4	6
2. MULTIPLE DX	164	2.7	5	<1	<1	2	3	6	7	10
A. NOT OPERATED	28	5.2	140	<1	<1	2	5	8	15	64
B. OPERATED	646	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	78	2.1	5	<1	<1	1	2	4	8	11
6-12 YRS	71	1.6	5	<1	<1	1	1	3	3	15
13-19 YRS	524	2.1	9	<1	<1	2	2	4	4	7
GRAND TOTAL	**674**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	595	3.2	2	1	2	3	4	5	5	8
1-11 MOS	1664	2.8	2	1	1	3	3	4	5	8
1-5 YRS	1815	2.7	3	1	1	2	3	5	6	9
6-12 YRS	983	2.6	5	1	1	2	3	4	5	10
13-19 YRS	800	2.8	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	15	3.5	2	2	2	3	4	5	7	8
1-11 MOS	20	3.3	2	1	2	3	4	5	6	7
1-5 YRS	46	2.7	5	<1	<1	2	4	6	6	13
6-12 YRS	40	3.6	28	<1	<1	2	4	7	8	34
13-19 YRS	46	3.8	20	<1	<1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	384	3.7	5	2	2	3	4	6	7	13
1-11 MOS	1794	3.2	4	1	1	3	4	5	6	11
1-5 YRS	2799	3.1	5	1	1	3	4	5	6	10
6-12 YRS	1441	3.1	4	1	1	3	4	5	7	10
13-19 YRS	1277	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	18	6.1	62	1	2	4	5	11	26	36
1-11 MOS	44	5.5	44	1	1	3	6	10	16	41
1-5 YRS	53	4.7	22	1	1	4	6	8	14	25
6-12 YRS	48	5.0	19	1	1	4	7	10	12	23
13-19 YRS	89	6.8	67	1	1	4	7	16	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5857	2.8	3	1	1	3	3	5	5	9
B. *Operated*	167	3.4	14	<1	<1	3	4	6	7	24
2. MULTIPLE DX										
A. *Not Operated*	7695	3.2	5	1	1	3	4	5	7	11
B. *Operated*	252	5.7	44	1	1	4	6	11	18	36
1. SINGLE DX	6024	2.8	3	1	1	3	3	5	6	9
2. MULTIPLE DX	7947	3.2	6	1	1	3	4	5	7	12
A. NOT OPERATED	13552	3.0	4	1	1	3	4	5	6	10
B. OPERATED	419	4.8	33	<1	1	3	5	9	15	33
TOTAL 0-27 DYS	1012	3.5	4	2	2	3	4	5	6	11
1-11 MOS	3522	3.0	4	1	1	3	4	5	6	10
1-5 YRS	4713	2.9	5	1	1	2	4	5	6	10
6-12 YRS	2512	2.9	5	1	1	2	4	5	7	10
13-19 YRS	2212	3.3	9	1	1	3	4	6	7	15
GRAND TOTAL	**13971**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	64	4.2	5	1	2	4	6	7	8	10
6-12 YRS	98	4.0	5	1	2	4	5	7	8	12
13-19 YRS	69	4.0	4	2	2	4	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	41	1	1	5	10	10	10	10
6-12 YRS										
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.8	6	2	2	2	6	7	7	7
1-5 YRS	33	5.2	7	2	2	5	6	9	11	13
6-12 YRS	35	4.5	8	2	2	4	6	9	9	14
13-19 YRS	23	4.1	7	1	1	4	6	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	7	2	2	5	7	7	7	7
6-12 YRS	5	29.4	1094	4	4	10	56	79	79	79
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.0	5	1	2	4	5	7	8	10
B. *Operated*	5	5.0	15	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	97	4.6	7	1	2	4	6	8	10	14
B. *Operated*	10	16.9	662	2	2	6	10	63	79	79
1. SINGLE DX	239	4.0	5	1	2	4	5	7	8	10
2. MULTIPLE DX	107	5.7	76	2	2	4	6	9	11	61
A. NOT OPERATED	331	4.2	6	1	2	4	6	7	9	12
B. OPERATED	15	12.9	464	1	2	6	9	48	71	79
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.3	4	2	2	2	4	7	7	7
1-5 YRS	103	4.6	6	1	2	4	6	8	9	12
6-12 YRS	138	5.0	60	1	2	4	6	8	10	52
13-19 YRS	96	4.0	4	2	2	4	5	7	8	11
GRAND TOTAL	**346**	**4.6**	**27**	**1**	**2**	**4**	**6**	**8**	**9**	**13**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	7.3	8	2	3	7	9	11	11	12
1-11 MOS	10	4.4	10	2	2	3	6	9	12	12
1-5 YRS	31	5.2	12	1	1	4	7	10	13	14
6-12 YRS	6	6.3	18	2	2	6	10	12	12	12
13-19 YRS	254	4.7	7	2	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.9	1	<1	<1	2	3	4	4	4
6-12 YRS	4	3.5	10	<1	<1	2	5	8	8	8
13-19 YRS	46	3.5	6	<1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	8.3	19	1	3	8	10	13	18	19
1-11 MOS	5	13.2	231	2	2	11	19	39	39	39
1-5 YRS	30	5.9	19	2	2	5	9	12	16	16
6-12 YRS	17	5.6	10	1	2	6	9	10	10	10
13-19 YRS	253	5.2	16	2	2	4	6	9	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	7.6	63	<1	<1	5	11	21	21	21
13-19 YRS	42	5.7	13	2	2	5	8	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	5.0	8	2	2	4	6	9	11	14
B. *Operated*	58	3.3	6	<1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	318	5.6	20	2	2	5	7	10	12	20
B. *Operated*	47	5.9	18	2	2	5	8	10	16	21
1. SINGLE DX	389	4.8	8	1	2	4	6	9	11	14
2. MULTIPLE DX	365	5.6	20	2	2	5	7	10	12	21
A. NOT OPERATED	649	5.3	14	2	2	4	7	10	11	16
B. OPERATED	105	4.5	13	1	1	3	6	8	10	20
TOTAL 0-27 DYS	43	7.6	11	2	3	7	9	11	12	19
1-11 MOS	15	7.3	91	2	2	3	10	12	32	39
1-5 YRS	69	5.1	15	1	1	3	7	10	14	16
6-12 YRS	32	5.8	18	<1	1	5	9	10	12	21
13-19 YRS	595	4.9	11	2	2	4	6	8	10	16
GRAND TOTAL	**754**	**5.2**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**16**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	2.2	1	1	1	2	3	4	4	4
1-11 MOS	24	3.5	8	1	1	2	5	6	9	13
1-5 YRS	19	7.9	176	<1	1	4	7	12	39	61
6-12 YRS	22	4.9	18	<1	1	4	6	10	15	20
13-19 YRS	17	4.1	5	1	2	3	5	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	46.0		46	46	46	46	46	46	46
1-5 YRS	10	8.4	120	<1	<1	4	5	29	29	29
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	10	8.8	106	1	1	6	11	24	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.3	4	1	1	3	5	6	7	7
1-11 MOS	88	5.5	41	1	1	4	6	10	15	41
1-5 YRS	114	3.7	17	<1	<1	2	5	8	12	21
6-12 YRS	29	4.6	9	1	1	4	7	9	10	11
13-19 YRS	46	4.0	13	<1	<1	3	5	8	13	17
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	23.7	352	7	7	20	38	44	44	44
1-5 YRS	10	25.3	387	2	3	23	46	53	59	59
6-12 YRS	6	11.3	107	3	3	9	12	29	31	31
13-19 YRS	15	26.6	586	3	4	13	48	63	70	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	4.8	47	1	1	3	6	8	11	45
B. *Operated*	24	9.4	153	<1	1	4	9	30	39	46
2. MULTIPLE DX										
A. *Not Operated*	291	4.4	23	<1	<1	3	6	9	12	25
B. *Operated*	35	22.9	416	3	3	12	41	57	62	72
1. SINGLE DX	112	5.8	72	1	1	4	6	11	19	52
2. MULTIPLE DX	326	6.4	97	<1	<1	4	7	12	22	57
A. NOT OPERATED	379	4.5	28	<1	<1	3	6	9	12	26
B. OPERATED	59	17.4	349	1	2	9	29	47	58	71
TOTAL 0-27 DYS	21	3.3	6	1	1	3	4	7	8	10
1-11 MOS	116	5.9	63	1	1	4	6	10	20	46
1-5 YRS	153	6.0	93	<1	<1	3	6	12	27	59
6-12 YRS	60	5.3	24	1	1	4	7	10	12	30
13-19 YRS	88	8.4	184	<1	<1	4	7	16	47	69
GRAND TOTAL	**438**	**6.2**	**90**	**<1**	**<1**	**4**	**6**	**11**	**22**	**57**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	13	2.4	2	1	1	2	3	4	5	5
6-12 YRS	22	3.6	12	<1	1	2	4	8	12	16
13-19 YRS	8	6.5	59	1	2	4	6	19	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	11	4.2	2	3	3	4	5	6	7	7
13-19 YRS	8	6.4	33	2	2	5	6	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.2	7	2	2	3	7	7	7	7
1-5 YRS	20	5.9	44	1	1	4	5	19	22	23
6-12 YRS	22	3.3	7	1	1	2	4	6	10	13
13-19 YRS	12	5.0	3	2	2	5	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	18	3.8	3	1	2	3	5	6	7	8
13-19 YRS	7	7.3	46	2	2	6	7	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.8	18	1	1	3	4	6	11	25
B. *Operated*	20	5.0	14	2	3	4	5	7	14	20
2. MULTIPLE DX										
A. *Not Operated*	59	4.6	19	1	1	3	5	8	15	23
B. *Operated*	27	4.9	15	2	2	4	6	8	10	22
1. SINGLE DX	64	4.2	17	1	1	3	5	7	11	24
2. MULTIPLE DX	86	4.7	18	1	2	4	5	8	14	23
A. NOT OPERATED	103	4.2	19	1	1	3	5	8	14	24
B. OPERATED	47	4.9	15	2	2	4	6	7	10	22
TOTAL 0-27 DYS										
1-11 MOS	7	4.3	5	2	2	4	6	7	7	7
1-5 YRS	35	4.6	29	1	1	3	4	10	20	23
6-12 YRS	73	3.6	7	1	2	3	4	6	8	15
13-19 YRS	35	6.1	29	2	2	5	6	8	21	25
GRAND TOTAL	**150**	**4.5**	**17**	**1**	**1**	**3**	**5**	**8**	**13**	**23**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	6.7	10	1	3	6	9	12	12	12
1-5 YRS	16	3.8	9	1	1	3	5	7	11	12
6-12 YRS	12	4.8	4	2	2	5	6	7	8	8
13-19 YRS	24	4.0	6	1	1	3	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	16	1	1	5	8	9	9	9
6-12 YRS	6	7.7	81	1	1	5	9	23	25	25
13-19 YRS	24	3.8	5	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	38	7.1	20	1	2	7	11	13	15	18
1-5 YRS	70	7.3	99	1	1	6	9	12	16	69
6-12 YRS	40	4.9	9	1	1	4	7	9	11	12
13-19 YRS	63	5.0	13	1	2	4	6	9	12	20
B. *Operated*										
0-27 DYS										
1-11 MOS	3	22.0	700	2	2	12	42	52	52	52
1-5 YRS	7	8.7	49	2	2	8	14	19	20	20
6-12 YRS	7	13.1	148	2	2	9	20	33	36	36
13-19 YRS	21	7.8	28	1	2	7	10	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.7	8	1	1	4	6	9	11	12
B. *Operated*	33	4.6	20	1	1	4	6	9	10	25
2. MULTIPLE DX										
A. *Not Operated*	212	6.1	43	1	1	5	8	11	13	21
B. *Operated*	38	10.1	101	2	2	8	12	19	31	52
1. SINGLE DX	100	4.7	12	1	1	4	6	9	10	19
2. MULTIPLE DX	250	6.7	53	1	1	5	9	12	16	36
A. NOT OPERATED	279	5.8	35	1	1	5	8	11	12	20
B. OPERATED	71	7.5	70	1	1	5	9	18	23	49
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	56	7.8	53	1	2	6	11	12	15	50
1-5 YRS	96	6.8	78	1	1	5	9	12	16	53
6-12 YRS	65	6.0	34	1	1	5	8	10	15	34
13-19 YRS	132	5.0	14	1	2	4	6	9	12	19
GRAND TOTAL	**350**	**6.1**	**42**	**1**	**1**	**5**	**8**	**11**	**15**	**25**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	16.3	180	1	1	22	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	11.0	243	2	2	2	22	29	29	29
13-19 YRS	2	6.5	25	3	3	6	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	16.3	180	1	1	22	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	6	7.8	118	1	1	3	10	27	29	29
B. *Operated*	4	4.3	5	2	2	4	6	7	7	7
1. SINGLE DX	4	13.3	158	1	1	13	24	26	26	26
2. MULTIPLE DX	10	6.4	71	1	1	3	7	19	29	29
A. NOT OPERATED	7	7.3	101	1	1	3	8	25	29	29
B. OPERATED	7	9.4	104	1	1	5	18	25	26	26
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	4	9.0	178	2	2	3	16	29	29	29
13-19 YRS	7	10.6	94	1	1	7	19	25	26	26
GRAND TOTAL	**14**	**8.4**	**96**	**1**	**1**	**4**	**10**	**26**	**28**	**29**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	3	9.0	19	6	6	7	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	7.8	119	<1	<1	3	14	24	24	24
6-12 YRS	10	12.0	69	1	1	13	16	24	25	25
13-19 YRS	8	3.1	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	12	7.3	157	1	1	3	6	21	42	46
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	10	11.7	66	1	1	10	16	23	28	28
6-12 YRS	4	23.3	1343	1	1	7	43	78	78	78
13-19 YRS	14	7.4	36	1	2	5	9	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	13	1	1	3	6	9	13	14
B. *Operated*	23	7.7	63	<1	1	4	14	23	24	25
2. MULTIPLE DX										
A. *Not Operated*	15	7.1	127	1	1	4	8	11	37	46
B. *Operated*	30	10.8	205	1	1	7	15	19	28	78
1. SINGLE DX	35	6.6	48	1	1	4	7	16	24	25
2. MULTIPLE DX	45	9.6	179	1	1	6	10	18	32	78
A. NOT OPERATED	27	5.9	76	1	1	4	7	11	19	46
B. OPERATED	53	9.5	144	1	1	5	15	20	25	76
TOTAL 0-27 DYS										
1-11 MOS	5	5.0	7	2	2	4	7	9	9	9
1-5 YRS	19	8.3	71	<1	1	4	14	22	26	28
6-12 YRS	19	12.3	306	1	1	7	15	24	54	78
13-19 YRS	37	6.6	67	1	1	4	7	16	18	46
GRAND TOTAL	**80**	**8.3**	**122**	**1**	**1**	**5**	**10**	**18**	**24**	**68**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	11.5	85	5	5	11	18	18	18	18
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	2	11.5	85	5	5	11	18	18	18	18
A. NOT OPERATED										
B. OPERATED	3	8.3	72	2	2	5	15	18	18	18
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
GRAND TOTAL	**3**	**8.3**	**72**	**2**	**2**	**5**	**15**	**18**	**18**	**18**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.7	6	3	3	6	7	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS										
13-19 YRS	3	7.7	30	4	4	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.8	5	3	3	4	6	8	8	8
B. *Operated*	5	11.6	65	4	4	11	16	24	24	24
1. SINGLE DX	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX	10	8.2	44	3	3	5	11	19	24	24
A. NOT OPERATED	5	4.8	5	3	3	4	6	8	8	8
B. OPERATED	6	11.0	54	4	4	9	14	23	24	24
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	4	6.3	6	3	3	7	8	8	8	8
13-19 YRS	4	6.5	26	3	3	4	9	14	14	14
GRAND TOTAL	11	8.2	40	3	3	6	10	18	23	24

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS	3	16.0	43	9	9	17	21	22	22	22
1-11 MOS	6	19.3	99	8	9	18	18	36	38	38
1-5 YRS	3	11.7	2	10	10	12	13	13	13	13
6-12 YRS	4	10.5	44	3	3	11	16	17	17	17
13-19 YRS	13	9.4	29	2	3	10	12	16	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	5	6.8	13	3	3	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	6	4.2	3	2	2	4	5	7	7	7
B. *Operated*	29	12.5	54	3	4	12	17	20	23	38
1. SINGLE DX	6	6.5	11	3	3	6	10	10	10	10
2. MULTIPLE DX	35	11.1	55	2	3	10	16	18	22	38
A. NOT OPERATED	7	4.3	3	2	2	4	5	7	7	7
B. OPERATED	34	11.7	52	3	3	10	16	19	22	38
TOTAL 0-27 DYS	3	16.0	43	9	9	17	21	22	22	22
1-11 MOS	11	13.2	103	2	3	10	18	26	37	38
1-5 YRS	6	7.8	19	3	3	7	12	13	13	13
6-12 YRS	6	8.0	41	3	3	5	15	17	17	17
13-19 YRS	15	9.3	25	2	4	10	12	14	20	22
GRAND TOTAL	**41**	**10.4**	**51**	**2**	**3**	**10**	**14**	**18**	**22**	**38**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	3	9.3	94	1	1	7	17	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	4	9.8	135	2	2	5	16	27	27	27
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	5	12.4	41	2	2	14	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.3	68	1	1	6	13	20	20	20
B. *Operated*	3	10.3	30	4	4	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	5	9.6	101	2	2	6	13	27	27	27
B. *Operated*	8	11.6	25	2	4	11	15	18	18	18
1. SINGLE DX	7	9.1	45	1	2	7	14	19	20	20
2. MULTIPLE DX	13	10.8	50	2	2	10	15	20	26	27
A. NOT OPERATED	9	9.0	77	1	1	6	12	24	27	27
B. OPERATED	11	11.3	24	2	3	12	14	17	18	18
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	7	4	4	5	8	9	9	9
1-5 YRS	3	11.0	7	9	9	10	13	14	14	14
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	13	10.9	66	1	2	11	17	21	26	27
GRAND TOTAL	**20**	**10.3**	**46**	**1**	**2**	**10**	**14**	**19**	**23**	**27**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	18	1.9	1	<1	<1	2	2	2	4	5
6-12 YRS	7	4.0	21	<1	<1	2	4	12	14	14
13-19 YRS	7	4.7	4	3	3	4	5	8	9	9
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	2	11.5	113	4	4	11	19	19	19	19
1-5 YRS	24	10.1	74	2	2	7	13	24	29	36
6-12 YRS	3	7.3	32	1	1	9	11	12	12	12
13-19 YRS	8	10.0	46	2	3	8	14	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	41	4.1	12	1	1	3	5	10	11	17
6-12 YRS	10	3.5	5	<1	1	3	4	7	9	9
13-19 YRS	7	5.9	19	2	2	5	7	13	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	7	23.7	502	1	3	15	46	56	56	56
1-5 YRS	36	18.0	137	5	7	15	22	36	45	49
6-12 YRS	4	6.5	3	5	5	6	8	8	8	8
13-19 YRS	8	19.5	801	2	2	11	17	67	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.8	6	<1	<1	2	3	5	8	14
B. *Operated*	38	10.1	61	2	2	8	13	22	25	36
2. MULTIPLE DX										
A. *Not Operated*	61	4.0	12	1	1	3	5	9	11	17
B. *Operated*	55	18.1	263	3	5	12	21	36	54	86
1. SINGLE DX	74	6.6	47	<1	1	4	9	15	22	34
2. MULTIPLE DX	116	10.7	179	1	1	6	12	22	36	67
A. NOT OPERATED	97	3.6	10	<1	1	3	4	7	11	16
B. OPERATED	93	14.8	195	2	3	11	18	33	47	74
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	16	12.5	323	1	1	3	17	51	56	56
1-5 YRS	119	9.2	101	1	1	6	12	22	34	49
6-12 YRS	24	4.6	13	<1	1	4	7	10	13	14
13-19 YRS	30	10.3	245	2	2	6	11	17	23	88
GRAND TOTAL	**190**	**9.1**	**132**	**1**	**1**	**5**	**12**	**20**	**33**	**56**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	33.0	288	21	21	33	45	45	45	45
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	15.5	85	9	9	15	22	22	22	22
6-12 YRS	2	21.0	8	19	19	21	23	23	23	23
13-19 YRS	4	24.5	212	10	10	22	35	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	5	18.8	243	7	7	12	27	45	45	45
B. *Operated*	9	19.8	127	7	8	19	24	37	44	44
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	14	19.4	154	7	7	18	23	44	45	45
A. NOT OPERATED	5	18.8	243	7	7	12	27	45	45	45
B. OPERATED	10	18.8	123	7	8	18	23	35	44	44
TOTAL 0-27 DYS										
1-11 MOS	3	24.3	369	7	7	21	39	45	45	45
1-5 YRS	3	12.7	66	7	7	9	19	22	22	22
6-12 YRS	2	21.0	8	19	19	21	23	23	23	23
13-19 YRS	7	18.4	164	9	9	12	24	40	44	44
GRAND TOTAL	**15**	**18.8**	**148**	**7**	**7**	**18**	**23**	**44**	**45**	**45**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.0	18	12	12	15	18	18	18	18
1-5 YRS	2	9.5	1	9	9	9	10	10	10	10
6-12 YRS	3	6.3	12	3	3	6	9	10	10	10
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	8	7.1	15	1	2	7	9	12	13	13
1-5 YRS	3	10.7	112	1	1	9	19	22	22	22
6-12 YRS	2	10.5	85	4	4	10	17	17	17	17
13-19 YRS										
B. *Operated*										
0-27 DYS	3	11.0	61	2	2	15	16	16	16	16
1-11 MOS	8	5.4	28	2	2	4	5	14	18	18
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	4	18.8	301	1	1	16	31	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	9.7	22	3	4	10	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	16	7.9	33	1	1	7	10	17	20	22
B. *Operated*	17	9.5	109	1	2	4	15	20	34	42
1. SINGLE DX	7	9.7	22	3	4	10	12	17	18	18
2. MULTIPLE DX	33	8.8	70	1	2	7	12	18	22	42
A. NOT OPERATED	16	7.9	33	1	1	7	10	17	20	22
B. OPERATED	24	9.6	81	1	2	7	14	18	27	42
TOTAL 0-27 DYS	6	8.3	37	2	2	7	15	16	16	16
1-11 MOS	18	7.2	27	1	2	6	10	16	18	18
1-5 YRS	6	9.2	52	1	1	9	10	21	22	22
6-12 YRS	6	7.8	26	3	3	6	10	16	17	17
13-19 YRS	4	18.8	301	1	1	16	31	42	42	42
GRAND TOTAL	**40**	**8.9**	**61**	**1**	**2**	**7**	**12**	**18**	**21**	**42**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	11	6.3	34	1	1	5	8	15	20	21
6-12 YRS	3	8.0	57	1	1	7	14	16	16	16
13-19 YRS	7	8.7	72	1	1	8	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	9	5.1	5	1	2	5	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	8	8.4	65	2	2	5	11	22	26	26
1-5 YRS	7	9.0	57	<1	1	8	11	22	24	24
6-12 YRS	4	22.5	804	1	1	13	42	63	63	63
13-19 YRS	12	9.8	45	3	3	8	14	19	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	27	6.8	40	1	1	5	10	16	22	25
2. MULTIPLE DX										
A. *Not Operated*	15	4.5	7	1	1	5	7	8	9	9
B. *Operated*	31	10.9	144	1	2	8	14	25	26	63
1. SINGLE DX	35	5.6	36	1	1	3	8	14	20	25
2. MULTIPLE DX	46	8.8	108	1	1	5	9	20	26	63
A. NOT OPERATED	23	3.4	7	<1	1	3	5	7	8	9
B. OPERATED	58	9.0	98	1	1	7	11	21	25	60
TOTAL 0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	16	5.1	42	1	1	2	5	13	22	26
1-5 YRS	24	5.9	37	<1	1	4	8	13	22	24
6-12 YRS	10	13.0	351	1	1	6	16	42	63	63
13-19 YRS	29	7.8	40	1	2	7	8	15	25	26
GRAND TOTAL	**81**	**7.4**	**78**	**1**	**1**	**5**	**9**	**16**	**24**	**52**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	25	1	1	4	8	8	8	8
1-5 YRS	26	4.2	21	<1	<1	3	4	8	18	19
6-12 YRS	43	4.0	12	<1	1	3	5	6	11	19
13-19 YRS	76	3.4	8	1	1	3	4	5	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS	7	6.4	13	<1	1	6	10	11	11	11
1-5 YRS	50	6.2	25	1	1	5	9	13	15	24
6-12 YRS	80	6.5	35	1	1	5	9	13	14	36
13-19 YRS	126	7.3	53	1	2	5	10	14	18	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	4.5	4	2	2	4	6	7	7	7
1-5 YRS	57	4.2	11	1	1	3	5	8	11	18
6-12 YRS	127	4.8	39	1	1	3	5	9	13	38
13-19 YRS	187	4.5	24	1	1	3	5	10	13	29
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	9.7	63	<1	<1	10	16	21	22	22
1-5 YRS	29	14.3	193	1	2	10	17	30	47	66
6-12 YRS	49	12.5	93	2	3	10	18	25	27	47
13-19 YRS	77	11.4	136	2	2	8	14	24	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.8	12	1	1	3	4	6	8	19
B. *Operated*	263	6.8	41	1	1	5	10	13	16	33
2. MULTIPLE DX										
A. *Not Operated*	378	4.6	26	1	1	3	5	9	13	30
B. *Operated*	163	12.2	128	2	2	9	16	24	33	63
1. SINGLE DX	410	5.7	33	1	1	4	7	12	16	23
2. MULTIPLE DX	541	6.9	69	1	1	4	8	16	22	46
A. NOT OPERATED	525	4.3	22	1	1	3	5	8	12	23
B. OPERATED	426	8.9	81	1	2	6	11	18	24	50
TOTAL 0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	22	6.8	28	<1	1	6	10	13	20	22
1-5 YRS	162	6.6	62	1	1	4	8	14	18	44
6-12 YRS	299	6.4	51	1	1	4	7	14	20	41
13-19 YRS	466	6.2	54	1	2	4	7	13	19	37
GRAND TOTAL	**951**	**6.4**	**54**	**1**	**1**	**4**	**8**	**13**	**19**	**39**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	7	4.0	7	2	2	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	2	7.0	32	3	3	7	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS										
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	9	4.1	5	1	2	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	3.4	6	2	2	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	5.0	28	<1	<1	3	9	11	11	11
B. *Operated*	13	4.8	11	1	2	3	7	9	12	13
1. SINGLE DX	10	3.4	6	2	2	2	4	7	9	9
2. MULTIPLE DX	16	4.8	13	<1	1	3	7	11	12	13
A. NOT OPERATED	3	5.0	28	<1	<1	3	9	11	11	11
B. OPERATED	23	4.2	9	1	2	3	6	8	10	13
TOTAL 0-27 DYS										
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	3.0	8	<1	<1	2	4	8	8	8
13-19 YRS	18	4.4	8	1	2	3	6	9	10	11
GRAND TOTAL	**26**	**4.3**	**10**	**1**	**2**	**3**	**6**	**9**	**11**	**13**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.4	2	<1	<1	2	4	5	5	5
1-5 YRS	4	3.0	2	1	1	3	4	4	4	4
6-12 YRS	10	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	15	2.6	5	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS	2	12.5	113	5	5	12	20	20	20	20
1-11 MOS	5	6.8	23	1	1	6	9	14	14	14
1-5 YRS	5	13.4	175	4	4	8	19	36	36	36
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	5.5	34	2	2	3	6	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	13.0		13	13	13	13	13	13	13
B. *Operated*	36	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	19	8.5	74	1	2	5	12	19	29	36
1. SINGLE DX	37	2.6	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	21	8.0	69	1	2	5	10	18	27	36
A. NOT OPERATED	3	7.0	28	3	3	5	11	13	13	13
B. OPERATED	55	4.4	35	<1	<1	2	5	8	16	35
TOTAL 0-27 DYS	2	12.5	113	5	5	12	20	20	20	20
1-11 MOS	12	4.3	15	<1	<1	3	6	10	13	14
1-5 YRS	9	8.8	118	1	2	4	9	27	36	36
6-12 YRS	14	2.7	10	<1	<1	1	3	6	11	13
13-19 YRS	21	3.4	14	<1	<1	2	4	7	12	17
GRAND TOTAL	**58**	**4.6**	**35**	**<1**	**<1**	**2**	**5**	**12**	**16**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	5.4	2	3	3	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.3	72	2	2	5	15	18	18	18
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	11	8.8	59	2	3	7	10	19	29	30
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	10.4	61	2	2	7	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.5	4	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	5	7.0	40	2	2	5	9	18	18	18
B. *Operated*	20	8.8	50	2	2	7	11	18	25	30
1. SINGLE DX	11	4.5	4	1	2	5	6	7	7	7
2. MULTIPLE DX	25	8.4	47	2	2	6	11	18	23	30
A. NOT OPERATED	5	7.0	40	2	2	5	9	18	18	18
B. OPERATED	31	7.3	37	2	2	6	8	15	21	30
TOTAL 0-27 DYS	3	7.7	32	3	3	6	12	14	14	14
1-11 MOS	21	7.6	40	2	3	6	8	14	23	30
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	10	6.8	43	1	1	5	7	18	21	21
GRAND TOTAL	**36**	**7.3**	**36**	**2**	**2**	**6**	**8**	**16**	**20**	**30**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	19.5	113	12	12	19	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.2	13	2	2	6	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	3	4.7	14	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	8	9.5	64	2	2	8	11	22	27	27
1. SINGLE DX	4	4.3	10	2	2	3	6	9	9	9
2. MULTIPLE DX	9	8.7	62	2	2	8	11	21	27	27
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	11	8.2	53	2	2	8	11	18	26	27
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	14.0	147	3	3	12	23	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.7	13	2	2	4	9	10	11	11
GRAND TOTAL	**13**	**7.3**	**48**	**2**	**2**	**4**	**10**	**15**	**25**	**27**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	3	5.7	17	1	1	7	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	10.0	8	8	8	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	4	5.5	12	1	1	6	8	9	9	9
B. *Operated*	7	9.3	4	7	7	10	11	12	12	12
1. SINGLE DX	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX	11	7.9	10	1	3	8	10	11	12	12
A. NOT OPERATED	4	5.5	12	1	1	6	8	9	9	9
B. OPERATED	8	9.4	3	7	7	10	11	12	12	12
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	3	7.3	6	5	5	7	9	10	10	10
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	6	7.8	14	1	2	8	10	12	12	12
GRAND TOTAL	**12**	**8.1**	**9**	**1**	**4**	**8**	**10**	**11**	**12**	**12**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	6	2.0		1	1	2	2	3	3	3
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	13	6.5	7	3	4	6	8	10	12	13
13-19 YRS	15	6.9	10	2	4	7	8	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	5	8.8	131	2	2	3	12	29	29	29
13-19 YRS	6	6.5	61	2	2	4	6	20	22	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	3	14.3	20	10	10	14	18	19	19	19
6-12 YRS	7	11.3	46	4	4	9	17	21	21	21
13-19 YRS	30	9.4	28	4	5	8	12	15	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.1	1	1	1	2	2	4	5	5
B. *Operated*	30	6.5	9	3	3	6	7	9	13	16
2. MULTIPLE DX										
A. *Not Operated*	12	7.1	79	2	2	3	6	24	28	29
B. *Operated*	41	10.2	30	4	5	9	13	19	20	28
1. SINGLE DX	40	5.4	11	1	1	5	7	9	11	16
2. MULTIPLE DX	53	9.5	42	2	2	8	13	19	22	29
A. NOT OPERATED	22	4.8	49	1	1	2	5	11	25	29
B. OPERATED	71	8.6	24	3	4	7	10	15	19	27
TOTAL 0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS	8	6.9	46	1	1	4	12	17	19	19
6-12 YRS	31	7.1	40	2	2	5	9	16	21	29
13-19 YRS	52	8.3	27	2	3	7	10	14	20	28
GRAND TOTAL	**93**	**7.7**	**32**	**1**	**2**	**7**	**9**	**15**	**20**	**29**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.8	4	1	1	2	5	5	5	5
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	9.7	30	6	6	7	14	16	16	16
6-12 YRS										
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	13.0		13	13	13	13	13	13	13
B. *Operated*	2	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	6	3.2	4	1	1	3	5	5	5	5
B. *Operated*	5	8.6	18	6	6	7	10	16	16	16
1. SINGLE DX	3	11.0	3	10	10	10	12	13	13	13
2. MULTIPLE DX	11	5.6	17	1	1	5	7	11	16	16
A. NOT OPERATED	7	4.6	17	1	1	5	5	11	13	13
B. OPERATED	7	9.0	12	6	6	8	10	15	16	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	10	6.3	22	1	1	6	10	13	16	16
6-12 YRS										
13-19 YRS	4	8.0	13	5	5	7	10	13	13	13
GRAND TOTAL	**14**	**6.8**	**19**	**1**	**1**	**6**	**10**	**13**	**15**	**16**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	41	<1	<1	5	10	10	10	10
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.7	17	3	3	9	10	11	11	11
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.4	7	1	1	6	6	7	7	7
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	5.7	16	2	2	5	9	10	10	10
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	7.7	18	2	3	6	12	14	14	14
1-5 YRS	8	12.8	213	3	3	7	14	38	47	47
6-12 YRS	3	8.3	76	1	1	6	15	18	18	18
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	19	<1	<1	1	6	10	10	10
B. *Operated*	6	6.5	16	2	2	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	10	4.5	8	1	1	4	6	8	10	10
B. *Operated*	22	9.3	94	2	3	6	12	18	30	47
1. SINGLE DX	10	5.3	17	<1	<1	3	10	11	11	11
2. MULTIPLE DX	32	7.8	71	1	2	6	9	15	18	47
A. NOT OPERATED	14	4.2	10	<1	1	3	6	10	10	10
B. OPERATED	28	8.7	77	2	2	6	11	17	21	47
TOTAL 0-27 DYS	3	5.0	21	<1	<1	4	8	10	10	10
1-11 MOS	18	6.4	16	1	2	6	9	13	14	14
1-5 YRS	11	10.1	170	2	2	6	9	30	46	47
6-12 YRS	8	6.6	34	1	1	5	10	16	18	18
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	**42**	**7.2**	**59**	**1**	**2**	**6**	**10**	**13**	**18**	**47**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	8	3.1	3	1	1	3	4	5	5	5
6-12 YRS										
13-19 YRS	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	6	3.2	12	<1	<1	2	3	9	10	10
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	54	4.5	14	1	1	4	6	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	15	3.9	3	1	2	4	5	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	9.5	113	2	2	9	17	17	17	17
13-19 YRS	30	7.8	29	1	2	7	10	13	18	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.9	2	1	1	3	4	5	5	5
B. *Operated*	65	4.2	13	1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	16	4.0	2	1	2	4	5	5	7	7
B. *Operated*	34	7.6	31	1	1	7	10	14	18	25
1. SINGLE DX	79	4.0	11	1	1	3	5	8	11	19
2. MULTIPLE DX	50	6.4	24	1	1	5	9	13	17	25
A. NOT OPERATED	30	3.5	2	1	1	3	5	5	5	7
B. OPERATED	99	5.4	21	1	1	4	7	12	13	23
TOTAL 0-27 DYS										
1-11 MOS	6	2.3	1	1	1	2	3	4	4	4
1-5 YRS	17	3.1	5	<1	1	3	4	5	8	10
6-12 YRS	3	7.3	70	2	2	3	13	17	17	17
13-19 YRS	103	5.3	18	1	1	4	7	11	13	23
GRAND TOTAL	**129**	**4.9**	**17**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	7	<1	<1	3	5	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.4	43	1	1	2	9	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	5	7.6	30	2	2	5	11	16	16	16
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	8	6.8	45	2	2	4	8	18	22	22
1-5 YRS	3	11.7	12	8	8	12	14	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	5.7	16	1	1	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	7	<1	<1	3	5	7	7	7
B. *Operated*	10	4.8	30	<1	<1	2	5	14	18	18
2. MULTIPLE DX										
A. *Not Operated*	7	6.4	25	2	2	5	9	15	16	16
B. *Operated*	17	6.9	30	1	2	5	9	14	20	22
1. SINGLE DX	14	4.4	23	<1	<1	2	5	12	17	18
2. MULTIPLE DX	24	6.8	27	1	2	5	9	15	18	22
A. NOT OPERATED	11	5.4	19	<1	1	5	7	12	16	16
B. OPERATED	27	6.1	30	1	1	4	8	14	19	22
TOTAL 0-27 DYS	3	3.3	4	<1	<1	4	5	5	5	5
1-11 MOS	12	5.8	31	2	2	4	7	13	21	22
1-5 YRS	12	7.3	26	<1	1	6	11	15	16	16
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	5.5	32	1	1	2	8	14	18	18
GRAND TOTAL	**38**	**5.9**	**26**	**<1**	**1**	**4**	**8**	**14**	**17**	**22**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	21	<1	<1	1	7	9	9	9
1-5 YRS	19	2.6	4	<1	1	1	4	6	7	8
6-12 YRS	12	2.3	2	1	1	2	3	4	5	5
13-19 YRS	3	5.7	20	1	1	6	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	10	11.0	20	5	6	10	13	18	21	21
1-5 YRS	57	8.9	18	3	5	8	10	13	18	26
6-12 YRS	11	9.5	17	2	4	9	13	15	16	16
13-19 YRS	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	3.8	4	1	1	4	5	6	6	6
1-5 YRS	37	5.4	18	<1	1	4	6	11	13	21
6-12 YRS	30	6.2	48	1	1	3	7	14	23	31
13-19 YRS	3	10.3	33	7	7	7	15	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	15	14.2	237	4	5	10	11	24	56	67
1-5 YRS	55	12.7	99	4	6	10	14	25	39	48
6-12 YRS	23	12.1	74	1	3	11	13	20	31	43
13-19 YRS	7	9.6	14	6	6	9	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.8	6	<1	1	2	4	6	9	10
B. *Operated*	80	9.3	18	3	5	9	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	76	5.8	29	1	1	4	7	13	16	29
B. *Operated*	100	12.6	106	3	5	10	13	22	37	57
1. SINGLE DX	117	7.3	23	1	1	8	10	13	15	23
2. MULTIPLE DX	176	9.7	84	1	2	8	11	18	25	48
A. NOT OPERATED	113	4.9	24	1	1	4	6	11	14	26
B. OPERATED	180	11.1	69	3	5	9	12	19	25	48
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	33	10.7	129	1	3	9	11	19	24	67
1-5 YRS	168	8.7	54	1	2	8	10	14	21	46
6-12 YRS	76	7.9	55	1	1	6	11	15	22	40
13-19 YRS	15	9.1	18	2	6	8	13	15	16	17
GRAND TOTAL	**293**	**8.7**	**61**	**1**	**1**	**8**	**10**	**15**	**21**	**45**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	16.0	392	2	2	16	30	30	30	30
1-5 YRS	22	1.2		<1	<1	1	1	2	2	2
6-12 YRS	7	2.4	2	<1	<1	2	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	12	2.9	3	1	1	3	4	5	6	6
1-5 YRS	29	2.4	5	<1	<1	2	3	4	5	13
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	6.3	235	<1	<1	1	2	14	48	62
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.7	4	2	2	3	5	6	6	6
1-5 YRS	22	7.3	192	<1	<1	3	6	17	37	65
6-12 YRS	4	7.3	51	1	1	5	12	17	17	17
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.4	27	<1	<1	1	2	3	4	30
B. *Operated*	44	2.6	4	<1	<1	2	4	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	18	5.9	208	<1	<1	1	3	13	43	62
B. *Operated*	29	6.9	151	<1	<1	3	7	17	20	65
1. SINGLE DX	75	2.5	14	<1	<1	2	3	4	5	26
2. MULTIPLE DX	47	6.5	169	<1	<1	2	6	16	25	65
A. NOT OPERATED	49	3.7	94	<1	<1	1	2	4	16	62
B. OPERATED	73	4.3	66	<1	<1	2	4	8	16	54
TOTAL 0-27 DYS										
1-11 MOS	17	4.6	46	1	1	3	4	6	22	30
1-5 YRS	89	4.0	94	<1	<1	1	3	7	15	64
6-12 YRS	13	4.0	19	<1	1	3	4	10	16	17
13-19 YRS	3	3.3	1	2	2	4	4	4	4	4
GRAND TOTAL	**122**	**4.1**	**76**	**<1**	**<1**	**2**	**3**	**7**	**16**	**63**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	36	4.6	19	<1	1	3	6	10	15	18
6-12 YRS	44	5.1	47	<1	1	3	6	13	14	41
13-19 YRS	36	3.6	7	1	2	2	5	8	9	11
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	7	13.4	165	2	2	10	18	35	39	39
1-5 YRS	60	8.7	42	2	2	8	11	16	18	34
6-12 YRS	79	9.5	28	1	2	9	13	17	20	23
13-19 YRS	68	9.9	25	2	3	10	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.4	2	2	2	3	5	6	6	6
1-5 YRS	64	5.6	40	1	1	4	8	11	14	39
6-12 YRS	61	7.1	79	1	1	3	9	18	21	49
13-19 YRS	61	5.5	35	<1	1	4	6	13	21	29
B. *Operated*										
0-27 DYS	3	30.0	727	12	12	17	50	61	61	61
1-11 MOS	18	20.4	235	5	8	19	23	25	56	76
1-5 YRS	106	18.0	262	3	4	13	23	46	63	99+
6-12 YRS	121	15.6	218	2	3	11	20	32	46	94
13-19 YRS	114	16.6	261	2	4	12	20	30	58	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.4	25	<1	1	3	6	9	14	25
B. *Operated*	215	9.5	35	2	2	9	12	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	197	5.9	49	1	1	3	7	14	20	38
B. *Operated*	362	17.0	249	2	4	13	21	34	60	91
1. SINGLE DX	335	7.7	38	1	1	7	11	15	18	32
2. MULTIPLE DX	559	13.1	206	1	2	9	18	28	45	86
A. NOT OPERATED	317	5.3	40	1	1	3	7	12	17	37
B. OPERATED	577	14.2	182	2	3	10	18	27	44	85
TOTAL 0-27 DYS	5	20.6	539	2	2	12	28	61	61	61
1-11 MOS	39	12.8	196	1	2	9	20	24	33	76
1-5 YRS	266	11.1	159	1	2	8	14	25	41	84
6-12 YRS	305	10.8	133	1	1	8	14	22	32	77
13-19 YRS	279	10.9	147	2	2	8	14	22	29	74
GRAND TOTAL	**894**	**11.1**	**150**	**1**	**2**	**8**	**14**	**23**	**32**	**77**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.5	47	4	4	7	14	19	19	19
1-5 YRS	8	9.3	21	4	4	9	10	16	19	19
6-12 YRS	8	8.9	27	2	3	8	12	16	18	18
13-19 YRS	9	12.1	76	1	1	11	21	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.0	7	2	2	6	7	7	7	7
1-5 YRS	13	6.8	73	<1	1	3	7	21	28	30
6-12 YRS	5	5.6	43	1	1	3	8	17	17	17
13-19 YRS	16	9.9	184	1	2	5	9	30	46	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	14.6	119	3	4	11	28	31	32	32
6-12 YRS	22	12.2	64	3	5	10	16	24	31	33
13-19 YRS	21	24.4	320	4	7	18	34	55	61	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.6	4	1	1	2	3	6	7	7
B. *Operated*	29	10.1	41	2	3	9	12	20	23	25
2. MULTIPLE DX										
A. *Not Operated*	37	7.9	110	1	1	4	8	19	31	52
B. *Operated*	61	17.1	192	3	4	13	22	33	49	66
1. SINGLE DX	37	8.5	42	1	2	8	11	19	22	25
2. MULTIPLE DX	98	13.6	180	1	2	9	18	32	43	61
A. NOT OPERATED	45	6.9	95	1	1	3	7	17	30	52
B. OPERATED	90	14.9	153	2	4	11	19	31	39	62
TOTAL 0-27 DYS										
1-11 MOS	7	7.6	32	2	2	6	9	17	19	19
1-5 YRS	41	10.6	90	1	2	7	13	30	31	32
6-12 YRS	38	9.9	57	2	2	8	13	19	26	33
13-19 YRS	49	16.0	263	1	2	11	21	43	55	67
GRAND TOTAL	**135**	**12.2**	**147**	**1**	**2**	**8**	**17**	**30**	**33**	**57**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.0	6	1	1	4	6	7	7	7
1-5 YRS	35	3.0	5	<1	1	2	4	6	7	10
6-12 YRS	8	2.8	17	<1	<1	1	2	10	13	13
13-19 YRS	8	3.4	8	1	1	2	5	8	9	9
B. *Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	4	7.3	3	5	5	7	8	9	9	9
1-5 YRS	26	14.5	267	2	4	9	15	28	56	74
6-12 YRS	7	7.0	122	2	2	3	4	26	32	32
13-19 YRS	32	6.2	112	2	2	4	5	7	12	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.8	8	<1	<1	2	3	7	10	10
1-5 YRS	54	6.0	54	<1	1	4	7	17	21	35
6-12 YRS	15	5.5	25	1	2	4	7	15	17	18
13-19 YRS	26	6.1	91	1	1	3	6	13	25	48
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	9.5	9	6	6	9	12	14	14	14
1-5 YRS	53	12.3	249	2	2	8	12	25	40	84
6-12 YRS	22	10.9	250	2	3	5	11	27	46	74
13-19 YRS	44	8.8	77	2	3	6	10	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.2	7	<1	1	2	4	7	8	13
B. *Operated*	71	9.3	171	2	2	5	9	23	32	72
2. MULTIPLE DX										
A. *Not Operated*	104	5.7	55	<1	1	3	7	15	20	41
B. *Operated*	128	10.6	173	2	3	7	11	20	30	79
1. SINGLE DX	129	6.5	106	1	1	4	6	12	24	65
2. MULTIPLE DX	232	8.4	125	1	1	5	10	18	26	75
A. NOT OPERATED	162	4.8	39	<1	1	3	5	11	17	34
B. OPERATED	199	10.1	172	2	2	6	11	21	31	76
TOTAL 0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	28	5.6	15	1	1	5	8	10	13	14
1-5 YRS	168	8.7	154	1	1	5	10	20	28	77
6-12 YRS	52	7.5	136	1	1	4	8	16	28	73
13-19 YRS	110	7.0	86	1	2	5	7	13	20	55
GRAND TOTAL	**361**	**7.7**	**119**	**1**	**1**	**5**	**8**	**16**	**26**	**73**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	32	2.8	3	1	1	2	4	5	6	7
6-12 YRS	15	2.7	2	<1	1	2	4	4	6	6
13-19 YRS	20	3.2	6	<1	<1	2	4	7	8	9
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	7.8	44	3	3	6	9	17	25	26
1-5 YRS	18	4.7	11	<1	<1	5	7	8	12	14
6-12 YRS	14	5.1	16	1	1	5	6	12	14	14
13-19 YRS	16	6.1	13	1	2	6	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	23	7.7	54	1	2	5	9	15	26	33
1-5 YRS	73	4.4	33	<1	1	2	5	10	17	31
6-12 YRS	31	4.3	15	<1	<1	3	6	8	14	18
13-19 YRS	109	4.4	26	1	1	3	5	9	11	33
B. *Operated*										
0-27 DYS	2	5.0	32	1	1	5	9	9	9	9
1-11 MOS	22	11.0	198	1	2	8	13	19	39	68
1-5 YRS	70	12.5	261	1	2	8	12	32	43	79
6-12 YRS	30	11.1	61	4	5	8	14	19	23	42
13-19 YRS	133	9.6	66	2	2	8	12	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.9	3	<1	1	2	4	6	7	9
B. *Operated*	60	5.7	19	1	1	5	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	238	4.7	30	<1	1	3	5	10	14	33
B. *Operated*	257	10.7	129	1	2	8	12	19	31	71
1. SINGLE DX	128	4.2	13	1	1	3	6	8	11	17
2. MULTIPLE DX	495	7.8	90	1	1	5	9	16	23	52
A. NOT OPERATED	306	4.3	24	<1	1	3	5	9	12	30
B. OPERATED	317	9.7	112	1	2	7	11	18	26	69
TOTAL 0-27 DYS	5	5.2	14	1	1	5	9	9	9	9
1-11 MOS	57	8.9	107	1	2	6	10	19	25	66
1-5 YRS	193	7.1	124	<1	1	4	8	14	22	72
6-12 YRS	90	6.4	39	1	1	5	8	14	18	34
13-19 YRS	278	6.9	49	1	1	5	9	14	20	35
GRAND TOTAL	**623**	**7.1**	**76**	**1**	**1**	**5**	**9**	**14**	**20**	**43**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	13	2.2	3	<1	<1	2	3	5	7	7
13-19 YRS	44	2.9	11	<1	1	1	4	6	13	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.2	22	1	1	4	7	14	15	15
6-12 YRS	49	6.7	21	1	1	6	9	14	15	17
13-19 YRS	240	6.0	21	1	1	5	8	11	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.8	7	1	1	3	6	7	7	7
6-12 YRS	9	2.3	7	<1	<1	1	2	7	9	9
13-19 YRS	50	5.3	57	1	1	3	5	13	18	41
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS										
1-5 YRS	5	7.2	14	3	3	8	10	12	12	12
6-12 YRS	16	5.6	18	1	1	5	8	10	15	17
13-19 YRS	111	10.4	121	1	2	8	13	18	25	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.7	9	<1	1	2	3	5	10	15
B. *Operated*	301	6.1	21	1	1	5	8	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	64	4.7	47	1	1	2	5	12	16	39
B. *Operated*	133	9.8	107	1	2	8	11	17	21	54
1. SINGLE DX	360	5.6	21	1	1	5	8	12	15	18
2. MULTIPLE DX	197	8.1	92	1	1	6	10	17	21	44
A. NOT OPERATED	123	3.8	29	<1	1	2	4	9	14	32
B. OPERATED	434	7.2	50	1	1	6	9	14	17	35
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS										
1-5 YRS	24	5.0	16	1	1	4	7	12	14	15
6-12 YRS	87	5.4	19	1	1	4	8	12	15	17
13-19 YRS	445	6.7	54	1	1	5	9	13	17	38
GRAND TOTAL	**557**	**6.5**	**47**	**1**	**1**	**5**	**8**	**13**	**17**	**34**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	10	7.4	69	<1	<1	5	8	20	29	29
1-5 YRS	169	4.3	24	<1	<1	3	5	9	11	23
6-12 YRS	151	3.5	13	<1	<1	3	4	7	9	24
13-19 YRS	89	4.1	25	<1	1	3	5	7	11	33
B. *Operated*										
0-27 DYS										
1-11 MOS	14	8.0	39	1	2	6	14	16	18	19
1-5 YRS	142	8.3	100	<1	1	6	9	17	26	61
6-12 YRS	99	6.0	59	<1	1	4	7	11	21	46
13-19 YRS	63	9.9	144	<1	1	5	11	25	40	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	6.3	11	1	1	6	9	10	11	11
1-5 YRS	286	5.4	39	<1	1	4	7	10	12	33
6-12 YRS	252	5.4	20	1	1	4	7	11	16	21
13-19 YRS	158	6.0	38	1	1	4	8	14	19	31
B. *Operated*										
0-27 DYS										
1-11 MOS	8	20.6	525	4	5	15	17	59	76	76
1-5 YRS	144	13.8	167	1	3	11	18	26	39	80
6-12 YRS	124	13.9	213	<1	1	9	18	37	46	73
13-19 YRS	94	17.2	229	1	2	14	25	39	48	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.1	22	<1	<1	3	5	8	11	26
B. *Operated*	318	7.9	94	<1	1	5	9	18	26	51
2. MULTIPLE DX										
A. *Not Operated*	706	5.5	31	1	1	4	7	11	16	27
B. *Operated*	370	14.8	206	1	2	10	19	37	45	75
1. SINGLE DX	738	5.7	57	<1	1	3	7	12	20	42
2. MULTIPLE DX	1076	8.7	111	1	1	5	10	20	29	62
A. NOT OPERATED	1126	5.0	28	<1	1	3	6	10	14	27
B. OPERATED	668	11.6	166	1	1	7	15	28	39	70
TOTAL 0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	41	10.0	151	1	1	7	14	17	23	76
1-5 YRS	741	7.3	83	<1	1	5	9	16	24	51
6-12 YRS	626	6.7	76	<1	1	4	8	15	24	47
13-19 YRS	404	8.8	120	1	1	5	10	22	33	50
GRAND TOTAL	**1814**	**7.5**	**91**	**<1**	**1**	**4**	**9**	**17**	**26**	**50**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	57	4.5	20	<1	<1	4	5	7	14	25
6-12 YRS	45	4.4	10	<1	1	4	5	8	9	18
13-19 YRS	43	4.5	15	<1	1	4	5	11	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	29	12.2	200	1	1	8	14	33	46	57
6-12 YRS	21	6.0	21	<1	<1	5	9	13	15	16
13-19 YRS	31	17.5	343	<1	1	9	31	47	50	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.3		<1	<1	1	2	2	2	2
1-5 YRS	103	5.1	77	<1	1	4	5	9	13	50
6-12 YRS	80	4.9	19	<1	1	4	6	10	14	24
13-19 YRS	83	5.1	23	<1	1	4	6	11	15	24
B. *Operated*										
0-27 DYS	1	44.0		44	44	44	44	44	44	44
1-11 MOS	7	16.4	126	4	6	13	31	81	99+	99+
1-5 YRS	56	18.3	367	1	2	12	24	41	49	91
6-12 YRS	32	19.6	305	1	2	13	29	47	57	61
13-19 YRS	74	25.5	393	3	3	25	37	52	72	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	4.4	15	<1	<1	4	5	8	11	20
B. *Operated*	82	12.6	222	<1	1	7	14	38	47	59
2. MULTIPLE DX										
A. *Not Operated*	273	5.0	41	<1	1	4	5	10	15	24
B. *Operated*	170	21.7	365	2	3	15	34	47	61	98
1. SINGLE DX	230	7.3	104	<1	1	4	8	16	31	51
2. MULTIPLE DX	443	11.4	232	<1	1	5	13	34	44	86
A. NOT OPERATED	421	4.8	32	<1	1	4	5	9	14	24
B. OPERATED	252	18.8	336	1	2	12	30	45	56	91
TOTAL 0-27 DYS	1	44.0		44	44	44	44	44	44	44
1-11 MOS	18	7.6	101	<1	<1	2	13	32	72	99+
1-5 YRS	245	8.8	174	<1	1	5	9	21	37	85
6-12 YRS	178	7.6	99	<1	1	4	8	16	28	56
13-19 YRS	231	13.2	269	1	1	5	18	39	49	86
GRAND TOTAL	**673**	**10.0**	**191**	**<1**	**1**	**5**	**11**	**29**	**43**	**82**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	22	3.3	22	<1	<1	2	4	6	13	23
6-12 YRS	34	3.6	25	<1	<1	2	4	7	9	29
13-19 YRS	37	2.9	4	<1	1	2	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	9	9.8	110	1	1	8	12	27	35	35
1-5 YRS	23	6.4	71	<1	1	4	6	15	30	35
6-12 YRS	34	6.6	30	1	1	6	9	13	16	26
13-19 YRS	60	7.8	58	1	2	5	11	17	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	13.3	145	3	3	9	18	33	39	39
1-5 YRS	34	4.5	24	<1	<1	3	5	13	16	20
6-12 YRS	66	3.8	8	1	1	3	4	9	9	14
13-19 YRS	73	3.8	18	<1	1	2	4	8	13	25
B. *Operated*										
0-27 DYS										
1-11 MOS	9	17.9	253	1	2	15	30	42	49	49
1-5 YRS	24	18.3	284	2	4	10	27	44	53	67
6-12 YRS	40	11.9	78	1	2	10	15	23	28	44
13-19 YRS	50	13.5	175	1	2	9	21	31	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.3	16	<1	<1	2	4	6	9	26
B. *Operated*	126	7.4	55	1	1	5	10	16	26	36
2. MULTIPLE DX										
A. *Not Operated*	181	4.3	24	<1	1	3	5	9	14	24
B. *Operated*	123	14.2	172	1	2	9	20	32	47	76
1. SINGLE DX	220	5.6	42	<1	1	3	7	13	17	35
2. MULTIPLE DX	304	8.3	107	1	1	4	10	21	31	55
A. NOT OPERATED	275	4.0	22	<1	1	3	4	8	13	25
B. OPERATED	249	10.8	124	1	2	7	13	26	35	56
TOTAL 0-27 DYS										
1-11 MOS	27	13.6	162	1	2	9	17	34	40	49
1-5 YRS	103	7.9	126	<1	<1	4	8	21	34	56
6-12 YRS	174	6.1	42	<1	1	4	8	13	19	31
13-19 YRS	220	6.9	78	1	1	4	8	18	26	55
GRAND TOTAL	**524**	**7.2**	**82**	**<1**	**1**	**4**	**9**	**17**	**27**	**48**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	17	2.2	7	<1	<1	1	2	6	10	11
6-12 YRS	32	3.2	6	<1	1	2	4	6	9	11
13-19 YRS	105	3.0	6	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	3.9	12	<1	<1	2	5	10	11	11
6-12 YRS	10	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	25	4.1	11	<1	1	3	5	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*	158	3.0	6	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	45	3.6	9	<1	1	2	5	6	11	14
1. SINGLE DX	161	2.9	6	<1	<1	2	3	6	8	11
2. MULTIPLE DX	46	3.5	9	<1	1	2	5	6	11	14
A. NOT OPERATED	4	1.3		<1	<1	1	1	2	2	2
B. OPERATED	203	3.1	7	<1	1	2	4	6	9	13
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	6	2.3	1	1	1	2	3	4	4	4
1-5 YRS	24	2.7	9	<1	<1	2	2	7	11	11
6-12 YRS	44	2.8	5	<1	1	2	3	5	9	11
13-19 YRS	131	3.2	7	<1	1	2	4	6	8	15
GRAND TOTAL	**207**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**9**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	3	<1	<1	2	3	5	6	6
6-12 YRS	17	1.7		<1	<1	2	2	2	2	2
13-19 YRS	7	2.7	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	38	2.5	6	<1	1	2	2	6	7	14
6-12 YRS	51	3.8	16	<1	<1	2	3	10	13	17
13-19 YRS	51	5.3	17	1	1	4	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	7	5.0	26	1	1	3	5	14	16	16
6-12 YRS	11	3.5	6	<1	1	3	4	7	10	10
13-19 YRS	10	5.6	8	2	2	5	8	9	10	10
B. *Operated*										
0-27 DYS	4	29.3	753	10	10	19	47	69	69	69
1-11 MOS	7	15.6	341	1	1	9	23	47	52	52
1-5 YRS	29	4.9	29	1	1	2	6	10	19	24
6-12 YRS	39	4.8	22	1	1	3	6	11	16	21
13-19 YRS	52	7.4	37	1	2	6	9	17	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.1	2	<1	<1	2	2	4	6	6
B. *Operated*	141	4.0	15	<1	1	2	5	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	30	4.6	11	1	1	3	6	9	10	16
B. *Operated*	131	7.2	82	1	1	4	9	18	24	55
1. SINGLE DX	174	3.6	13	<1	1	2	5	10	12	16
2. MULTIPLE DX	161	6.7	70	1	1	4	8	15	21	49
A. NOT OPERATED	63	3.3	8	<1	<1	2	4	8	9	15
B. OPERATED	272	5.5	50	1	1	3	7	12	18	26
TOTAL 0-27 DYS	4	29.3	753	10	10	19	47	69	69	69
1-11 MOS	10	12.3	257	1	1	6	18	38	52	52
1-5 YRS	83	3.5	16	<1	1	2	4	7	12	22
6-12 YRS	118	3.8	16	<1	1	2	4	10	12	20
13-19 YRS	120	6.1	25	1	1	5	9	12	16	25
GRAND TOTAL	**335**	**5.1**	**42**	**<1**	**1**	**3**	**7**	**11**	**16**	**25**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	30	1.5		<1	<1	1	2	3	3	3
6-12 YRS	19	1.7	1	<1	<1	2	2	2	3	4
13-19 YRS	8	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	13	2.8	6	1	1	2	3	5	9	10
1-5 YRS	210	2.0	3	<1	1	2	2	2	4	12
6-12 YRS	116	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	93	2.6	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	14	1.4		<1	<1	1	2	2	3	3
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.4	19	2	2	2	6	12	12	12
1-5 YRS	43	4.2	22	1	1	2	5	9	14	25
6-12 YRS	34	2.2	3	1	1	2	3	4	6	7
13-19 YRS	40	2.6	3	1	1	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.6	1	<1	<1	1	2	2	3	6
B. *Operated*	433	2.1	4	<1	<1	2	2	3	6	11
2. MULTIPLE DX										
A. *Not Operated*	22	1.9	3	<1	<1	1	2	4	6	8
B. *Operated*	122	3.1	11	1	1	2	3	6	9	20
1. SINGLE DX	493	2.0	3	<1	<1	2	2	3	5	11
2. MULTIPLE DX	144	2.9	10	1	1	2	3	5	8	18
A. NOT OPERATED	82	1.7	1	<1	<1	1	2	3	4	7
B. OPERATED	555	2.3	5	<1	1	2	2	4	7	12
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	22	3.2	9	<1	1	2	4	9	11	12
1-5 YRS	297	2.2	6	<1	1	2	2	4	6	15
6-12 YRS	174	1.8	1	<1	1	2	2	3	4	7
13-19 YRS	142	2.5	5	<1	1	2	3	5	7	12
GRAND TOTAL	**637**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**12**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	12	3.1	17	1	1	2	2	9	14	15
13-19 YRS	11	1.9	3	<1	<1	1	2	5	7	7
B. *Operated*										
0-27 DYS	9	3.6	9	<1	1	2	5	9	9	9
1-11 MOS	45	3.1	9	<1	<1	2	3	8	9	14
1-5 YRS	194	2.5	5	<1	<1	2	3	5	6	15
6-12 YRS	580	2.5	3	<1	1	2	3	4	6	9
13-19 YRS	1264	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	7	1.7	1	<1	<1	2	2	3	3	3
6-12 YRS	20	2.6	15	<1	<1	1	2	7	13	16
13-19 YRS	16	5.4	61	<1	<1	3	6	12	26	32
B. *Operated*										
0-27 DYS	4	8.0	9	4	4	8	10	11	11	11
1-11 MOS	16	6.0	23	<1	1	4	9	14	16	17
1-5 YRS	43	6.8	97	<1	1	3	8	14	24	58
6-12 YRS	107	3.5	12	<1	1	2	4	7	11	20
13-19 YRS	239	3.5	10	1	1	3	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	9	<1	<1	1	2	6	8	15
B. *Operated*	2092	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	45	3.5	30	<1	<1	2	3	10	13	32
B. *Operated*	409	4.0	22	<1	1	3	4	8	12	21
1. SINGLE DX	2119	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	454	3.9	22	<1	1	2	4	8	12	23
A. NOT OPERATED	72	3.1	22	<1	<1	1	3	7	12	28
B. OPERATED	2501	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	13	4.9	12	<1	1	4	8	10	11	11
1-11 MOS	64	3.8	14	<1	<1	2	6	9	12	17
1-5 YRS	247	3.2	24	<1	<1	2	3	6	10	24
6-12 YRS	719	2.6	5	<1	1	2	3	5	6	13
13-19 YRS	1530	2.7	5	<1	1	2	3	5	6	12
GRAND TOTAL	**2573**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7	14	4	4	5	9	11	11	11
1-11 MOS	21	3.3	8	<1	<1	2	4	7	10	12
1-5 YRS	26	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	14	3.0	6	<1	<1	2	5	7	8	8
B. *Operated*										
0-27 DYS	20	5.6	31	<1	<1	3	6	16	17	18
1-11 MOS	261	2.6	10	<1	<1	2	3	6	8	18
1-5 YRS	767	2.0	4	<1	<1	1	2	3	5	11
6-12 YRS	555	2.1	3	<1	<1	2	2	4	6	10
13-19 YRS	454	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS	38	4.6	16	<1	1	4	6	11	12	17
1-5 YRS	32	2.5	8	<1	<1	1	3	6	8	14
6-12 YRS	11	2.0	3	<1	<1	1	2	5	6	6
13-19 YRS	12	5.3	59	<1	1	2	5	16	26	28
B. *Operated*										
0-27 DYS	5	8.0	6	4	4	9	9	10	10	10
1-11 MOS	83	6.6	88	1	1	4	8	15	19	58
1-5 YRS	182	4.3	46	<1	<1	2	5	9	13	37
6-12 YRS	121	3.4	33	<1	<1	2	3	6	11	38
13-19 YRS	145	3.1	15	<1	<1	2	3	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	2.7	6	<1	<1	2	4	5	8	12
B. *Operated*	2057	2.3	5	<1	<1	2	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	95	3.8	18	<1	<1	2	5	10	12	23
B. *Operated*	536	4.2	42	<1	<1	2	4	9	14	34
1. SINGLE DX	2126	2.3	5	<1	<1	2	2	4	6	12
2. MULTIPLE DX	631	4.1	39	<1	<1	2	5	9	14	29
A. NOT OPERATED	164	3.3	13	<1	<1	2	5	8	11	17
B. OPERATED	2593	2.7	13	<1	<1	2	3	5	8	18
TOTAL 0-27 DYS	30	6.2	23	<1	1	5	9	14	17	18
1-11 MOS	403	3.7	29	<1	<1	2	4	8	12	21
1-5 YRS	1007	2.4	12	<1	<1	1	2	4	8	15
6-12 YRS	692	2.3	9	<1	<1	2	2	4	6	13
13-19 YRS	625	2.7	9	<1	<1	2	3	6	7	18
GRAND TOTAL	**2757**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**18**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.4	4	<1	<1	2	2	5	8	9
13-19 YRS	534	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	81	2.3	2	<1	1	2	3	4	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0		2	2	2	2	2	2	2
B. *Operated*	550	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	85	2.3	2	<1	1	2	3	4	4	8
1. SINGLE DX	553	1.8	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX	87	2.3	2	<1	1	2	3	4	4	8
A. NOT OPERATED	5	2.0		2	2	2	2	2	2	2
B. OPERATED	635	1.9	2	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	17	2.3	4	<1	<1	2	2	5	8	9
13-19 YRS	620	1.9	2	<1	<1	2	2	3	3	6
GRAND TOTAL	**640**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	5.0	5	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	6	5.0	4	1	1	6	6	6	6	6
1-11 MOS	17	7.7	7	3	5	7	10	12	12	12
1-5 YRS	3	6.7	1	6	6	6	8	8	8	8
6-12 YRS	3	11.0	61	6	6	7	17	20	20	20
13-19 YRS	10	4.2	8	<1	<1	4	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	7	4.7	5	1	1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	39	6.6	13	1	2	6	8	11	12	20
1. SINGLE DX	9	4.1	5	<1	<1	5	5	7	8	8
2. MULTIPLE DX	42	6.2	14	1	1	6	8	10	12	20
A. NOT OPERATED	5	1.6	1	<1	<1	1	2	3	3	3
B. OPERATED	46	6.3	12	1	2	6	8	10	12	20
TOTAL 0-27 DYS	6	5.0	4	1	1	6	6	6	6	6
1-11 MOS	19	7.0	11	<1	1	7	10	11	12	12
1-5 YRS	3	6.7	1	6	6	6	8	8	8	8
6-12 YRS	4	9.0	57	3	3	6	13	20	20	20
13-19 YRS	19	4.1	7	<1	1	5	6	8	8	8
GRAND TOTAL	**51**	**5.8**	**13**	**1**	**1**	**6**	**7**	**10**	**12**	**20**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7	2	1	1	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7	2	1	1	3	4	4	4	4
1. SINGLE DX	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX	3	2.7	2	1	1	3	4	4	4	4
A. NOT OPERATED										
B. OPERATED	6	2.2	1	1	1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.2	1	1	1	2	3	4	4	4
GRAND TOTAL	**6**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**4**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	10	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	37	5.4	2	3	4	5	6	7	8	8
13-19 YRS	324	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	4	6.0	2	5	5	6	7	8	8	8
6-12 YRS	23	6.7	13	2	3	6	8	10	15	20
13-19 YRS	257	5.6	5	3	4	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	2	1	1	3	4	5	5	5
B. *Operated*	365	5.1	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	288	5.7	6	3	4	5	6	8	9	16
1. SINGLE DX	377	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX	291	5.7	6	3	4	5	6	8	9	16
A. NOT OPERATED	15	2.8	2	1	1	3	4	5	5	5
B. OPERATED	653	5.4	4	3	3	5	6	8	8	14
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	4.4	2	2	2	5	5	6	6	6
1-5 YRS	6	5.5	2	4	4	5	6	8	8	8
6-12 YRS	62	5.7	7	2	3	5	7	8	9	19
13-19 YRS	594	5.3	4	3	3	5	6	7	8	13
GRAND TOTAL	**668**	**5.3**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**14**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	7	2.7	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	7	3.6	3	1	1	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0		5	5	5	5	5	5	5
B. *Operated*	10	2.2	2	<1	<1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*	9	3.7	3	1	1	5	5	5	5	5
1. SINGLE DX	12	2.7	3	<1	<1	2	4	5	5	5
2. MULTIPLE DX	11	3.5	3	<1	1	4	5	5	5	5
A. NOT OPERATED	4	3.8	4	<1	<1	4	5	5	5	5
B. OPERATED	19	2.9	3	<1	<1	2	5	5	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	17	3.4	2	1	1	4	5	5	5	5
GRAND TOTAL	**23**	**3.0**	**3**	**<1**	**<1**	**3**	**5**	**5**	**5**	**5**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	2.7	4	<1	<1	2	4	5	5	5
13-19 YRS	13	2.2	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	19	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	19	2.1	1	<1	<1	2	3	4	4	4
1. SINGLE DX	20	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	19	2.1	1	<1	<1	2	3	4	4	4
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	38	2.1	2	<1	<1	2	3	4	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	8	1.3		<1	<1	1	2	2	2	2
6-12 YRS	8	2.4	2	<1	<1	2	3	5	5	5
13-19 YRS	21	2.2	2	<1	<1	2	3	4	5	5
GRAND TOTAL	**39**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**5**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.5	313	5	5	17	30	30	30	30
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	8	5.4	13	2	2	4	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	5	2.0	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	11	7.2	68	1	1	5	9	19	29	30
1. SINGLE DX	6	2.2	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX	12	6.8	64	1	1	4	8	17	28	30
A. NOT OPERATED	2	2.5	1	2	2	2	3	3	3	3
B. OPERATED	16	5.6	52	<1	1	3	6	11	24	30
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.3	236	2	2	5	24	30	30	30
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	12	4.3	11	<1	1	3	6	10	11	11
GRAND TOTAL	**18**	**5.2**	**47**	**<1**	**1**	**3**	**5**	**11**	**22**	**30**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.5		<1	<1	1	2	3	3	3
1-5 YRS	23	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	19	1.4		<1	<1	1	2	2	3	3
13-19 YRS	14	1.4	1	<1	<1	1	2	2	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	5	4.4	42	<1	<1	2	6	16	16	16
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	68	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	12	2.8	18	<1	<1	2	2	7	15	16
1. SINGLE DX	72	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	15	2.9	14	<1	1	2	3	4	13	16
A. NOT OPERATED	7	1.9	1	1	1	1	3	4	4	4
B. OPERATED	80	1.7	3	<1	<1	1	2	2	3	13
TOTAL 0-27 DYS										
1-11 MOS	15	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	32	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	25	2.0	9	<1	<1	1	2	2	6	16
13-19 YRS	15	1.5	1	<1	<1	1	2	2	4	4
GRAND TOTAL	**87**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**12**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS										
13-19 YRS	3	5.0	13	1	1	6	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.7	49	1	1	7	11	20	21	21
1-5 YRS	11	9.1	107	<1	<1	7	10	23	37	38
6-12 YRS	9	6.9	18	2	2	6	10	13	14	14
13-19 YRS	29	9.5	24	2	3	10	13	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	4.3	4	3	3	4	5	7	7	7
6-12 YRS										
13-19 YRS	4	5.5	19	2	2	5	9	11	11	11
B. *Operated*										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	12	11.8	54	2	3	11	16	22	27	28
1-5 YRS	16	13.9	88	2	3	11	18	24	35	40
6-12 YRS	12	7.9	39	2	3	6	10	18	23	24
13-19 YRS	22	11.6	36	3	4	11	16	19	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.8	10	<1	<1	3	6	8	8	8
B. *Operated*	55	8.9	41	1	2	8	12	14	20	37
2. MULTIPLE DX										
A. *Not Operated*	9	5.1	9	2	2	4	7	10	11	11
B. *Operated*	64	11.4	55	2	3	11	15	22	24	38
1. SINGLE DX	60	8.5	40	<1	1	8	12	14	18	36
2. MULTIPLE DX	73	10.6	53	2	3	10	14	20	24	37
A. NOT OPERATED	14	4.6	9	<1	1	4	7	8	10	11
B. OPERATED	119	10.3	49	2	2	10	14	19	24	39
TOTAL 0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	19	10.5	50	1	3	10	14	20	25	28
1-5 YRS	33	10.4	91	<1	1	9	12	23	36	40
6-12 YRS	21	7.5	29	2	2	6	10	14	19	24
13-19 YRS	58	9.8	31	2	2	9	14	16	20	25
GRAND TOTAL	**133**	**9.7**	**48**	**2**	**2**	**9**	**13**	**18**	**23**	**38**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		<1	<1	<1	1	2	2	2
6-12 YRS	6	2.8	3	1	1	3	4	5	5	5
13-19 YRS	89	3.4	3	1	2	3	4	5	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	23	4.3	3	2	3	4	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	99	3.3	3	1	1	3	4	5	5	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	25	4.2	3	2	3	4	5	6	7	11
1. SINGLE DX	100	3.3	3	1	1	3	4	5	5	12
2. MULTIPLE DX	25	4.2	3	2	3	4	5	6	7	11
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	124	3.5	3	1	2	3	4	5	6	12
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.3		<1	<1	<1	1	2	2	2
6-12 YRS	7	2.9	2	1	1	3	4	5	5	5
13-19 YRS	113	3.6	3	1	2	3	4	5	6	12
GRAND TOTAL	**125**	**3.5**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	6	9.2	15	5	5	9	13	14	14	14
13-19 YRS	15	6.7	18	1	2	8	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	2	12.0	8	10	10	12	14	14	14	14
13-19 YRS	21	11.5	146	2	3	9	12	19	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	3	1	1	3	4	5	5	5
B. *Operated*	22	8.0	23	1	2	8	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*	7	3.0	1	1	1	3	4	4	4	4
B. *Operated*	25	11.4	124	2	3	10	14	16	33	59
1. SINGLE DX	27	7.0	23	1	1	7	9	14	16	19
2. MULTIPLE DX	32	9.6	109	2	2	7	11	15	23	59
A. NOT OPERATED	12	2.9	2	1	1	3	4	5	5	5
B. OPERATED	47	9.8	78	2	2	8	12	16	20	59
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.3	65	2	2	10	17	19	19	19
6-12 YRS	11	8.2	18	3	3	8	12	14	14	14
13-19 YRS	44	8.3	85	1	2	7	10	15	19	59
GRAND TOTAL	**59**	**8.4**	**70**	**1**	**2**	**7**	**10**	**15**	**18**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	29	2.2	2	<1	<1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	24	3.3	13	<1	<1	2	3	7	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	32	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	27	3.3	12	<1	<1	2	3	7	13	16
1. SINGLE DX	32	2.6	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX	27	3.3	12	<1	<1	2	3	7	13	16
A. NOT OPERATED										
B. OPERATED	59	2.9	8	<1	<1	2	3	6	8	16
TOTAL 0-27 DYS										
1-11 MOS	4	4.5	7	1	1	5	6	7	7	7
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	53	2.7	8	<1	<1	2	3	5	7	16
GRAND TOTAL	**59**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**16**

7: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS										
13-19 YRS	10	3.3	4	1	1	3	6	6	6	6
. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
UBTOTALS:										
. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	2.8	4	<1	1	2	3	6	6	6
. MULTIPLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	2	8.5	1	8	8	8	9	9	9	9
. SINGLE DX	14	2.8	4	<1	1	2	3	6	6	6
. MULTIPLE DX	3	8.0	1	7	7	8	9	9	9	9
. NOT OPERATED	1	7.0		7	7	7	7	7	7	7
. OPERATED	16	3.5	7	<1	1	3	6	8	9	9
OTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	12	<1	<1	1	4	9	9	9
6-12 YRS										
13-19 YRS	12	4.0	6	1	1	3	6	7	8	8
RAND TOTAL	**17**	**3.7**	**7**	**<1**	**1**	**3**	**6**	**8**	**9**	**9**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	4	1	1	2	3	5	5	5
1-11 MOS	10	2.0	1	1	1	2	2	3	4	4
1-5 YRS	38	2.0	2	<1	<1	1	3	4	5	6
6-12 YRS	47	3.6	30	<1	<1	2	4	7	12	35
13-19 YRS	52	3.2	6	1	1	2	4	7	9	11
B. *Operated*										
0-27 DYS	11	8.0	31	2	2	8	11	16	20	20
1-11 MOS	36	5.1	37	<1	<1	3	8	12	16	31
1-5 YRS	104	5.1	55	<1	<1	3	6	11	14	43
6-12 YRS	126	4.7	30	<1	1	2	6	11	15	28
13-19 YRS	261	4.3	16	1	1	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	14	3.4	9	<1	<1	2	5	7	10	11
1-5 YRS	61	3.6	9	<1	1	3	5	9	11	90
6-12 YRS	58	4.1	90	1	1	2	4	6	9	68
13-19 YRS	72	4.0	15	1	1	3	5	9	13	18
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	22	9.0	33	1	1	9	13	16	18	19
1-5 YRS	47	8.0	46	1	1	6	10	19	22	27
6-12 YRS	98	9.2	81	1	2	7	12	19	31	79
13-19 YRS	164	6.9	44	1	2	5	8	16	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	2.9	12	<1	<1	2	3	6	9	15
B. *Operated*	538	4.7	28	<1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	209	3.8	33	1	1	3	4	8	11	40
B. *Operated*	332	7.9	55	1	2	6	11	18	22	38
1. SINGLE DX	689	4.3	25	<1	1	2	5	9	12	22
2. MULTIPLE DX	541	6.3	50	1	1	4	8	15	19	38
A. NOT OPERATED	360	3.5	25	<1	1	2	4	7	10	18
B. OPERATED	870	5.9	41	1	1	4	8	13	18	32
TOTAL 0-27 DYS	20	6.1	30	1	1	4	9	14	17	20
1-11 MOS	82	5.5	32	<1	1	3	9	13	16	27
1-5 YRS	250	4.8	37	<1	1	3	6	11	15	27
6-12 YRS	329	5.8	60	<1	1	3	7	14	18	43
13-19 YRS	549	4.9	25	1	1	3	6	11	15	25
GRAND TOTAL	**1230**	**5.2**	**37**	**<1**	**1**	**3**	**6**	**12**	**17**	**31**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	6	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	67	3.1	2	1	1	3	4	5	5	6
. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	3.3	2	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	27	4.3	7	2	2	3	5	8	10	13
UBTOTALS:										
. SINGLE DX										
A. *Not Operated*	5	2.4	2	1	1	2	3	5	5	5
B. *Operated*	77	3.0	2	1	1	3	4	5	5	6
. MULTIPLE DX										
A. *Not Operated*	8	3.3	1	2	2	3	4	5	5	5
B. *Operated*	30	4.3	7	1	2	4	5	8	9	13
. SINGLE DX	82	2.9	2	1	1	3	4	5	5	6
. MULTIPLE DX	38	4.1	6	1	2	3	5	8	9	13
. NOT OPERATED	13	2.9	2	1	1	3	4	5	5	5
. OPERATED	107	3.3	3	1	1	3	4	5	6	11
OTAL 0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	11	2.6	3	<1	<1	2	3	5	7	7
13-19 YRS	103	3.4	3	1	1	3	4	5	6	11
RAND TOTAL	**120**	**3.3**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.1	3	1	1	3	4	6	6	6
1-11 MOS	9	2.9	4	<1	<1	2	5	6	6	6
1-5 YRS	15	4.2	6	1	2	4	5	8	9	10
6-12 YRS	21	2.6	1	1	2	2	3	5	5	5
13-19 YRS	66	4.5	8	1	2	4	6	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.3	5	3	3	3	6	7	7	7
6-12 YRS	20	3.7	4	1	1	3	5	7	8	8
13-19 YRS	109	4.7	11	2	2	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	6.0	22	1	1	5	9	13	15	15
1-11 MOS	12	4.6	12	1	1	4	6	10	13	13
1-5 YRS	14	5.2	68	<1	1	3	5	10	28	33
6-12 YRS	29	5.6	30	2	2	4	6	10	18	28
13-19 YRS	89	5.0	23	1	1	3	7	10	13	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	9.4	107	3	3	6	9	24	38	38
13-19 YRS	53	5.8	35	2	2	4	6	10	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.9	7	1	2	3	5	7	10	13
B. *Operated*	132	4.6	10	1	2	4	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*	153	5.1	27	1	1	3	6	10	14	33
B. *Operated*	63	6.4	46	2	3	4	7	11	23	37
1. SINGLE DX	255	4.2	8	1	2	4	5	7	9	18
2. MULTIPLE DX	216	5.5	33	1	1	4	6	10	15	34
A. NOT OPERATED	276	4.6	18	1	1	3	5	9	11	25
B. OPERATED	195	5.2	22	1	2	4	5	8	11	30
TOTAL 0-27 DYS	21	4.3	12	1	1	3	6	9	13	15
1-11 MOS	21	3.9	9	<1	1	3	5	7	11	13
1-5 YRS	32	4.7	32	1	1	3	5	8	10	33
6-12 YRS	80	4.8	29	1	2	3	5	9	10	35
13-19 YRS	317	4.9	18	1	2	4	5	9	12	26
GRAND TOTAL	**471**	**4.8**	**20**	**1**	**2**	**4**	**5**	**9**	**11**	**28**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	12	3	3	5	8	11	11	11
1-5 YRS	134	5.9	10	1	2	5	7	10	12	16
6-12 YRS	380	5.7	10	2	2	5	7	9	10	17
13-19 YRS	309	6.0	55	2	2	5	7	9	11	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	4.0	7	1	1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	5.3	17	2	2	4	8	10	10	10
1-5 YRS	77	5.1	10	1	1	5	7	9	11	77
6-12 YRS	264	4.8	10	1	1	4	7	9	11	15
13-19 YRS	305	5.0	34	1	1	4	7	9	12	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	8	14.6	175	4	4	10	22	36	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	827	5.8	27	2	2	5	7	9	11	17
B. *Operated*	9	4.4	6	1	1	6	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	650	4.9	21	1	1	4	7	9	11	25
B. *Operated*	10	12.8	151	4	4	7	16	34	40	40
1. SINGLE DX	836	5.8	27	2	2	5	7	9	11	17
2. MULTIPLE DX	660	5.1	24	1	1	4	7	9	11	38
A. NOT OPERATED	1477	5.4	24	1	2	5	7	9	11	19
B. OPERATED	19	8.8	96	1	2	6	7	23	35	40
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	5.9	12	2	2	5	9	11	11	11
1-5 YRS	214	5.6	10	1	2	5	7	10	11	18
6-12 YRS	646	5.3	10	1	2	5	7	9	11	15
13-19 YRS	628	5.6	47	1	2	5	7	9	12	86
GRAND TOTAL	**1496**	**5.5**	**25**	**1**	**2**	**5**	**7**	**9**	**11**	**23**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	56	1	1	1	11	14	14	14
1-11 MOS	6	8.3	18	2	2	8	11	14	14	14
1-5 YRS	106	6.2	11	2	2	6	8	10	12	18
6-12 YRS	833	4.6	10	1	2	4	6	9	10	15
13-19 YRS	1854	3.8	10	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	8	5.8	12	2	2	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	20	6.3	15	<1	1	5	8	11	14	17
1-5 YRS	104	6.1	14	1	2	6	9	11	13	16
6-12 YRS	695	5.1	26	1	2	4	6	9	11	26
13-19 YRS	1977	4.5	12	1	2	4	6	8	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	113	<1	<1	8	16	16	16	16
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS	17	9.7	124	2	3	7	11	15	38	50
13-19 YRS	72	8.7	77	3	3	7	9	14	22	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2802	4.2	10	1	1	3	5	8	9	14
B. *Operated*	11	5.7	9	2	2	6	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	2798	4.7	15	1	2	4	6	9	11	19
B. *Operated*	92	9.1	87	3	3	7	10	15	26	81
1. SINGLE DX	2813	4.2	10	1	1	3	5	8	9	14
2. MULTIPLE DX	2890	4.8	18	1	2	4	6	9	11	21
A. NOT OPERATED	5600	4.4	13	1	2	4	6	8	10	16
B. OPERATED	103	8.7	80	2	3	7	10	15	24	77
TOTAL 0-27 DYS	5	4.2	31	1	1	2	6	14	14	14
1-11 MOS	29	6.8	18	<1	1	6	9	13	16	17
1-5 YRS	212	6.3	14	1	2	6	8	11	13	18
6-12 YRS	1546	4.9	19	1	2	4	6	9	11	18
13-19 YRS	3911	4.3	12	1	2	3	5	8	10	16
GRAND TOTAL	**5703**	**4.5**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	4	6.8	17	3	3	6	10	12	12	12
1-5 YRS	131	5.8	11	2	2	5	7	10	13	18
6-12 YRS	502	5.8	10	2	2	5	7	10	12	15
13-19 YRS	820	5.1	9	1	2	5	6	9	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	4	3.3	4	2	2	3	4	6	6	6
13-19 YRS	15	4.7	11	1	2	4	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.8	5	5	5	8	9	10	10	10
1-11 MOS	21	11.4	127	4	4	8	13	19	37	56
1-5 YRS	91	6.3	56	1	1	5	8	11	13	47
6-12 YRS	341	5.2	17	1	1	4	6	10	12	25
13-19 YRS	974	5.3	18	1	2	4	7	9	12	21
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	3	8.7	9	6	6	8	11	12	12	12
1-5 YRS	4	17.5	239	4	4	15	30	35	35	35
6-12 YRS	11	7.2	23	2	3	5	10	14	19	19
13-19 YRS	60	7.5	41	2	2	6	10	18	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1459	5.4	10	2	2	5	7	9	11	15
B. *Operated*	20	4.3	9	1	2	3	6	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	1431	5.4	23	1	2	4	7	10	12	22
B. *Operated*	79	8.2	51	2	2	6	10	19	24	34
1. SINGLE DX	1479	5.4	10	2	2	5	7	9	11	15
2. MULTIPLE DX	1510	5.6	24	1	2	5	7	10	13	25
A. NOT OPERATED	2890	5.4	16	1	2	5	7	9	12	20
B. OPERATED	99	7.4	45	2	2	5	9	18	23	33
TOTAL 0-27 DYS	7	9.3	40	5	5	7	10	20	23	23
1-11 MOS	29	10.1	99	3	4	8	12	16	23	56
1-5 YRS	226	6.3	34	1	2	5	7	11	13	28
6-12 YRS	858	5.6	13	1	2	5	7	10	12	21
13-19 YRS	1869	5.3	15	1	2	5	7	9	11	20
GRAND TOTAL	**2989**	**5.5**	**17**	**1**	**2**	**5**	**7**	**10**	**12**	**21**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	19	3.2	16	1	1	2	4	4	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	80	3.5	3	<1	1	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	24	3.3	3	1	1	3	4	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	4	3	3	5	6	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	4.3	2	3	3	4	5	6	6	6
13-19 YRS	112	3.9	6	1	1	4	5	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	15	1	1	2	3	4	12	19
B. *Operated*	82	3.5	3	<1	1	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	25	3.3	3	1	1	3	4	7	7	7
B. *Operated*	119	4.0	6	1	1	4	5	6	9	13
1. SINGLE DX	102	3.4	6	<1	1	3	5	6	6	13
2. MULTIPLE DX	144	3.8	5	1	1	4	5	6	8	13
A. NOT OPERATED	45	3.2	8	1	1	3	4	5	7	19
B. OPERATED	201	3.8	5	<1	1	4	5	6	7	13
TOTAL 0-27 DYS										
1-11 MOS	4	4.0	7	<1	<1	4	6	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	3.5	3	1	1	3	4	6	6	6
13-19 YRS	235	3.6	6	1	1	3	5	6	7	13
GRAND TOTAL	**246**	**3.7**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	5.6	12	<1	1	6	8	10	11	11
1-11 MOS	44	5.8	51	<1	1	2	7	16	23	32
1-5 YRS	182	2.2	8	<1	1	1	2	4	7	16
6-12 YRS	197	2.2	5	<1	1	2	3	4	6	12
13-19 YRS	163	3.1	13	<1	1	2	4	7	8	24
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.7	8	2	3	5	7	10	11	11
1-5 YRS	17	3.4	5	<1	1	2	5	7	8	8
6-12 YRS	20	4.3	6	<1	<1	4	6	8	9	9
13-19 YRS	19	5.1	15	1	1	3	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	9.4	297	1	2	5	8	9	56	71
1-11 MOS	78	5.4	34	1	1	4	7	11	16	34
1-5 YRS	311	3.5	18	1	1	2	4	7	11	17
6-12 YRS	333	3.0	12	<1	<1	2	4	6	9	23
13-19 YRS	418	3.5	8	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	4	25.3	181	8	8	26	35	40	40	40
1-11 MOS	14	15.6	525	1	3	6	28	87	97	99+
1-5 YRS	36	8.6	126	1	1	4	9	28	38	47
6-12 YRS	16	6.2	30	1	2	5	6	17	19	20
13-19 YRS	30	6.4	35	1	1	5	7	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	599	2.8	12	<1	1	2	3	6	8	21
B. *Operated*	63	4.5	9	<1	1	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	1155	3.5	18	<1	1	2	4	7	10	19
B. *Operated*	100	9.2	154	1	1	5	9	28	36	93
1. SINGLE DX	662	2.9	12	<1	1	2	3	6	8	21
2. MULTIPLE DX	1255	4.0	31	<1	1	2	5	8	11	29
A. NOT OPERATED	1754	3.3	16	<1	1	2	4	7	9	21
B. OPERATED	163	7.4	103	1	1	4	8	16	29	81
TOTAL 0-27 DYS	32	9.8	195	1	2	6	9	25	39	71
1-11 MOS	143	6.6	92	1	1	4	8	14	27	88
1-5 YRS	546	3.4	23	<1	1	2	4	7	11	26
6-12 YRS	566	2.8	10	<1	1	2	3	6	8	20
13-19 YRS	630	3.6	12	1	1	3	5	7	9	16
GRAND TOTAL	**1917**	**3.6**	**25**	**<1**	**1**	**2**	**4**	**7**	**10**	**26**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5		2	2	2	3	3	3	3
1-11 MOS	16	6.6	20	1	2	5	9	12	16	17
1-5 YRS	17	6.2	19	1	1	6	9	12	13	14
6-12 YRS	8	3.0	3	<1	<1	3	4	6	6	6
13-19 YRS	3	5.7	30	2	2	3	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	6.0		6	6	6	6	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	7.3	16	2	3	6	9	[illegible]	14	14
1-11 MOS	83	7.5	30	2	3	6	9	14	18	29
1-5 YRS	76	10.7	117	2	3	7	13	24	36	57
6-12 YRS	29	11.9	232	2	2	7	13	32	37	73
13-19 YRS	22	21.9	511	1	2	14	42	63	86	99+
B. *Operated*										
0-27 DYS	2	29.0	578	12	12	29	46	46	46	46
1-11 MOS	8	27.3	499	5	6	27	49	88	99+	99+
1-5 YRS	19	13.6	125	4	4	8	18	28	41	47
6-12 YRS	5	10.6	10	7	7	9	14	14	14	14
13-19 YRS	19	14.7	394	2	3	8	12	40	68	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.4	17	1	1	4	8	12	13	17
B. *Operated*	4	8.8	32	3	3	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	221	10.6	147	2	3	6	13	24	36	74
B. *Operated*	53	16.4	290	3	4	10	19	46	65	99
1. SINGLE DX	52	5.7	18	1	1	4	9	12	14	17
2. MULTIPLE DX	274	11.7	179	2	3	7	14	28	45	82
A. NOT OPERATED	269	9.7	128	2	2	6	11	21	34	71
B. OPERATED	57	15.8	275	3	4	10	17	45	61	99
TOTAL 0-27 DYS	17	8.7	108	2	2	6	10	14	35	46
1-11 MOS	109	8.8	86	2	3	6	10	16	28	81
1-5 YRS	112	10.5	107	2	3	7	13	22	33	52
6-12 YRS	43	10.2	169	1	2	7	13	28	34	73
13-19 YRS	45	17.4	432	2	2	9	21	56	79	99+
GRAND TOTAL	**326**	**10.8**	**158**	**2**	**2**	**6**	**12**	**25**	**41**	**79**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	7.3	11	4	4	7	8	13	14	14
1-11 MOS	50	8.2	81	1	1	6	10	18	22	51
1-5 YRS	112	8.7	26	1	2	9	13	15	16	22
6-12 YRS	160	11.2	21	3	6	11	14	17	19	25
13-19 YRS	176	12.1	39	3	5	11	14	20	22	36
B. *Operated*										
0-27 DYS	1	71.0		71	71	71	71	71	71	71
1-11 MOS	3	8.0	49	1	1	8	13	15	15	15
1-5 YRS	4	11.8	128	1	1	12	21	22	22	22
6-12 YRS	10	13.2	65	2	2	14	17	23	29	29
13-19 YRS	9	16.1	48	8	9	18	18	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.5	36	2	3	7	13	18	18	18
1-11 MOS	110	9.5	78	1	2	7	12	19	26	46
1-5 YRS	217	8.7	30	1	2	8	12	15	17	25
6-12 YRS	295	12.7	37	2	5	13	16	21	24	30
13-19 YRS	412	12.3	72	3	4	11	15	21	28	43
B. *Operated*										
0-27 DYS	5	26.8	1412	3	3	12	38	93	93	93
1-11 MOS	19	24.2	440	1	2	17	33	56	69	78
1-5 YRS	24	16.2	340	1	4	11	18	32	52	91
6-12 YRS	33	14.8	147	2	3	13	17	35	41	56
13-19 YRS	48	15.8	182	4	5	13	17	28	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	10.6	36	2	3	10	14	17	20	28
B. *Operated*	27	15.5	185	1	2	14	18	28	37	71
2. MULTIPLE DX										
A. *Not Operated*	1042	11.3	56	2	3	11	14	20	24	36
B. *Operated*	129	17.3	284	2	4	13	18	37	55	91
1. SINGLE DX	532	10.9	45	2	3	10	14	18	21	32
2. MULTIPLE DX	1171	12.0	85	2	3	11	15	20	27	47
A. NOT OPERATED	1547	11.1	50	2	3	10	14	19	22	35
B. OPERATED	156	17.0	266	1	3	13	18	35	53	90
TOTAL 0-27 DYS	21	15.4	527	3	3	7	15	40	81	93
1-11 MOS	182	10.6	135	1	2	7	14	22	34	56
1-5 YRS	357	9.2	53	1	2	9	13	16	19	31
6-12 YRS	498	12.4	40	2	5	12	15	20	23	33
13-19 YRS	645	12.6	71	3	4	11	15	21	27	47
GRAND TOTAL	**1703**	**11.6**	**72**	**2**	**3**	**11**	**14**	**19**	**25**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	8	2.6	3	<1	<1	2	4	5	5	5
6-12 YRS	23	3.4	3	1	2	3	4	6	8	9
13-19 YRS	34	6.7	78	1	2	3	6	24	38	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	7.2	6	3	4	7	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	12	4.1	17	1	1	2	5	10	14	15
6-12 YRS	36	17.8	698	2	2	4	21	68	81	92
13-19 YRS	39	14.5	426	1	2	6	20	48	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	4	5.0	3	3	3	6	30	99+	99+	99+
13-19 YRS	38	7.4	7	4	5	7	9	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	5.0	44	1	2	3	5	9	25	89
B. *Operated*	42	7.2	6	3	4	7	9	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	90	14.0	482	1	2	4	12	49	76	97
B. *Operated*	44	7.1	7	3	4	7	9	12	13	99+
1. SINGLE DX	109	5.8	30	2	2	5	8	9	12	63
2. MULTIPLE DX	134	11.8	335	2	2	6	10	36	74	99+
A. NOT OPERATED	157	10.2	314	1	2	3	8	34	64	99
B. OPERATED	86	7.1	6	3	4	7	9	11	12	68
TOTAL 0-27 DYS										
1-11 MOS	5	3.4	5	1	1	3	5	7	7	7
1-5 YRS	22	3.6	11	<1	1	2	5	7	11	15
6-12 YRS	63	11.7	446	2	2	3	7	46	78	99
13-19 YRS	153	9.0	137	2	2	6	9	14	37	99
GRAND TOTAL	**243**	**9.1**	**206**	**2**	**2**	**5**	**8**	**19**	**44**	**99+**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	64	3.1	7	1	1	2	3	5	7	18
1-11 MOS	76	3.2	5	<1	<1	3	4	7	8	11
1-5 YRS	168	2.6	6	<1	<1	2	3	5	6	15
6-12 YRS	138	1.9	9	<1	<1	<1	2	4	5	13
13-19 YRS	134	2.3	5	<1	<1	1	2	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	12	6.6	56	<1	<1	3	11	16	25	26
1-5 YRS	45	5.3	119	<1	1	2	4	11	18	71
6-12 YRS	49	5.2	30	<1	1	4	5	11	17	32
13-19 YRS	40	4.5	25	1	1	2	5	11	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	38	6.4	59	1	2	4	6	19	27	32
1-11 MOS	143	5.0	29	1	1	4	6	10	12	21
1-5 YRS	275	5.5	57	1	1	3	6	12	17	47
6-12 YRS	187	3.7	15	<1	<1	2	5	8	10	22
13-19 YRS	166	4.8	35	<1	<1	4	6	10	14	27
B. *Operated*										
0-27 DYS	3	31.7	1530	2	2	46	88	99+	99+	99+
1-11 MOS	41	16.6	384	1	3	11	23	37	87	99+
1-5 YRS	73	14.3	495	1	1	5	13	69	78	97
6-12 YRS	60	8.6	65	1	2	7	11	22	29	93
13-19 YRS	52	9.2	115	2	2	5	10	22	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	2.5	7	<1	<1	2	3	5	7	13
B. *Operated*	146	5.1	57	<1	1	3	5	12	18	34
2. MULTIPLE DX										
A. *Not Operated*	809	4.9	38	<1	1	3	6	10	14	35
B. *Operated*	229	12.3	295	1	2	6	14	31	75	99+
1. SINGLE DX	726	3.0	18	<1	<1	2	3	6	9	20
2. MULTIPLE DX	1038	6.5	104	<1	1	4	7	14	24	78
A. NOT OPERATED	1389	3.9	26	<1	<1	2	4	8	11	28
B. OPERATED	375	9.5	214	1	1	4	10	23	37	99
TOTAL 0-27 DYS	105	5.1	78	1	1	3	5	8	22	87
1-11 MOS	272	6.3	95	<1	1	4	7	12	21	75
1-5 YRS	561	5.8	115	<1	1	3	5	12	22	77
6-12 YRS	434	4.0	26	<1	<1	2	5	9	13	30
13-19 YRS	392	4.5	39	<1	<1	3	5	9	14	33
GRAND TOTAL	**1764**	**5.1**	**72**	**<1**	**<1**	**3**	**5**	**10**	**17**	**58**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	2	3.0	2	2	2	3	4	4	4	4
A. NOT OPERATED	3	2.7	1	2	2	2	4	4	4	4
B. OPERATED										
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3**	**2.7**	**1**	**2**	**2**	**2**	**4**	**4**	**4**	**4**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.6	11	1	1	3	4	9	13	13
1-11 MOS	77	3.3	8	1	1	3	4	6	9	17
1-5 YRS	196	2.6	4	1	1	2	3	4	6	14
6-12 YRS	73	2.2	2	1	1	2	3	4	5	6
13-19 YRS	66	2.3	1	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	8.3	126	1	1	3	14	25	25	25
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	125	5.3	18	1	2	4	7	12	15	19
1-11 MOS	1513	3.8	10	1	2	3	4	7	8	17
1-5 YRS	2757	3.1	6	1	1	3	4	5	7	13
6-12 YRS	1029	3.0	5	1	1	2	4	5	7	12
13-19 YRS	932	3.4	13	1	1	3	4	6	8	15
B. *Operated*										
0-27 DYS	7	12.1	13	6	7	14	15	16	16	16
1-11 MOS	50	14.0	228	3	3	11	21	59	99+	99+
1-5 YRS	49	8.4	73	1	2	5	10	22	25	45
6-12 YRS	23	8.9	149	1	1	3	13	27	37	45
13-19 YRS	32	6.8	47	1	2	5	9	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	2.7	5	1	1	2	3	5	6	13
B. *Operated*	8	8.0	80	1	1	4	12	23	25	25
2. MULTIPLE DX										
A. *Not Operated*	6356	3.3	8	1	1	3	4	6	8	14
B. *Operated*	161	10.1	130	1	2	6	14	25	45	99+
1. SINGLE DX	445	2.8	6	1	1	2	3	5	6	15
2. MULTIPLE DX	6517	3.5	12	1	1	3	4	6	8	17
A. NOT OPERATED	6793	3.3	8	1	1	3	4	6	8	14
B. OPERATED	169	10.0	127	1	2	6	14	25	43	99+
TOTAL 0-27 DYS	158	5.4	19	1	1	4	7	13	15	18
1-11 MOS	1644	4.1	20	1	1	3	5	7	10	29
1-5 YRS	3004	3.1	7	1	1	3	4	5	7	15
6-12 YRS	1126	3.1	8	1	1	2	4	5	7	15
13-19 YRS	1030	3.4	14	1	1	3	4	6	8	16
GRAND TOTAL	**6962**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	25	2.9	3	<1	1	3	4	5	6	8
1-5 YRS	60	3.6	10	1	1	3	4	7	12	14
6-12 YRS	10	3.3	3	1	1	3	4	6	7	7
13-19 YRS	52	3.2	5	1	1	2	4	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	5.3	9	1	1	6	7	8	8	8
13-19 YRS	15	5.3	13	1	3	4	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	51	4.2	6	1	1	4	6	8	8	10
1-5 YRS	104	4.2	7	1	1	4	6	8	9	54
6-12 YRS	39	3.4	7	1	1	3	5	6	9	13
13-19 YRS	127	4.0	7	1	1	3	5	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	5	10.2	62	3	3	7	15	23	23	23
1-5 YRS	11	5.8	10	2	2	5	9	10	11	11
6-12 YRS	2	6.0		6	6	6	6	6	6	6
13-19 YRS	38	5.6	11	2	2	5	7	11	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	3.3	6	1	1	3	4	7	8	13
B. *Operated*	23	4.7	11	1	1	4	6	9	12	15
2. MULTIPLE DX										
A. *Not Operated*	322	4.0	7	1	1	3	5	8	8	14
B. *Operated*	56	6.1	16	2	2	5	8	11	12	23
1. SINGLE DX	170	3.5	7	1	1	3	4	7	8	14
2. MULTIPLE DX	378	4.3	9	1	1	4	6	8	10	16
A. NOT OPERATED	469	3.8	7	1	1	3	5	8	8	13
B. OPERATED	79	5.7	15	1	2	5	7	11	12	21
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	84	4.1	10	<1	1	3	5	8	8	19
1-5 YRS	176	4.1	8	1	1	3	6	8	11	15
6-12 YRS	55	3.6	6	1	1	3	5	6	8	13
13-19 YRS	232	4.2	8	1	1	3	6	8	10	15
GRAND TOTAL	**548**	**4.1**	**8**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	22	4.2	5	1	1	4	6	7	8	8
1-5 YRS	291	3.8	5	1	1	3	5	7	9	11
6-12 YRS	554	3.6	5	1	1	3	5	7	8	12
13-19 YRS	925	4.5	8	1	1	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.0	17	7	7	8	12	16	16	16
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	8.0	7	5	5	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	47	3.9	2	2	2	4	5	6	7	8
1-5 YRS	459	5.2	19	1	2	4	6	9	11	28
6-12 YRS	495	4.9	12	1	1	4	7	9	12	16
13-19 YRS	801	6.6	45	1	2	5	8	13	16	35
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.8	199	3	3	4	12	35	35	35
1-5 YRS	15	8.3	83	2	2	4	11	23	30	33
6-12 YRS	16	6.8	13	2	3	6	9	12	13	14
13-19 YRS	33	13.7	106	1	3	11	18	29	37	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1793	4.1	7	1	1	4	5	7	9	14
B. *Operated*	9	7.4	20	1	1	8	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	1803	5.7	29	1	2	4	7	11	14	27
B. *Operated*	69	10.7	91	2	2	8	14	23	33	43
1. SINGLE DX	1802	4.1	7	1	1	4	5	7	9	14
2. MULTIPLE DX	1872	5.9	32	1	2	5	7	11	14	29
A. NOT OPERATED	3596	4.9	19	1	1	4	6	9	12	20
B. OPERATED	78	10.3	83	1	2	8	13	22	32	42
TOTAL 0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	74	4.4	16	1	2	4	5	6	7	29
1-5 YRS	769	4.8	16	1	2	4	6	8	11	23
6-12 YRS	1067	4.3	9	1	1	3	5	8	10	14
13-19 YRS	1762	5.6	29	1	1	4	7	11	14	27
GRAND TOTAL	**3674**	**5.0**	**21**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	3.1	18	<1	1	2	3	7	15	18
1-11 MOS	94	2.2	3	<1	<1	2	3	4	6	11
1-5 YRS	244	2.8	10	<1	<1	2	3	7	9	17
6-12 YRS	168	2.3	4	<1	<1	1	3	6	7	10
13-19 YRS	240	2.1	8	<1	<1	1	2	5	7	17
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	26	6.3	123	1	1	2	4	19	37	47
1-5 YRS	63	4.8	71	1	1	4	5	6	7	61
6-12 YRS	55	5.4	5	2	3	5	6	9	10	12
13-19 YRS	29	6.1	22	1	2	5	7	9	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	6.3	13	2	2	5	9	12	12	12
1-11 MOS	140	3.4	9	<1	1	3	4	7	10	14
1-5 YRS	304	3.4	22	<1	<1	2	4	8	10	17
6-12 YRS	321	2.9	15	<1	<1	1	3	7	9	17
13-19 YRS	299	3.7	14	<1	1	2	5	8	11	19
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	29	8.6	165	1	1	4	11	16	37	63
1-5 YRS	73	9.5	134	1	1	5	11	28	51	99+
6-12 YRS	77	10.0	114	1	2	6	14	21	35	88
13-19 YRS	100	6.8	55	1	1	5	9	14	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	2.4	8	<1	<1	1	3	5	8	16
B. *Operated*	174	5.5	49	1	1	5	6	8	10	44
2. MULTIPLE DX										
A. *Not Operated*	1076	3.4	16	<1	<1	2	4	8	10	17
B. *Operated*	280	8.6	104	1	1	5	10	20	33	88
1. SINGLE DX	936	3.0	17	<1	<1	1	4	6	8	18
2. MULTIPLE DX	1356	4.4	39	<1	<1	2	5	10	15	36
A. NOT OPERATED	1838	3.0	13	<1	<1	1	4	7	9	16
B. OPERATED	454	7.4	85	1	1	5	8	17	24	63
TOTAL 0-27 DYS	30	4.6	17	1	1	3	7	11	12	18
1-11 MOS	289	3.8	36	<1	1	2	4	8	11	36
1-5 YRS	684	4.0	38	<1	<1	2	5	8	12	44
6-12 YRS	621	3.8	29	<1	<1	2	5	8	12	32
13-19 YRS	668	3.7	21	<1	<1	2	5	8	12	22
GRAND TOTAL	**2292**	**3.8**	**30**	**<1**	**<1**	**2**	**5**	**8**	**12**	**27**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	3.3	1	2	2	3	4	4	4	4
1-5 YRS	29	3.0	7	<1	1	2	3	7	8	12
6-12 YRS	31	5.2	26	2	2	3	6	11	13	27
13-19 YRS	21	4.3	11	1	1	3	5	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	18.0	392	4	4	18	32	32	32	32
13-19 YRS	3	16.7	50	9	9	18	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	9.2	33	1	1	10	12	17	17	17
1-11 MOS	10	2.7	7	<1	<1	2	4	7	9	9
1-5 YRS	70	2.6	5	<1	1	2	3	6	7	10
6-12 YRS	72	5.6	42	1	1	4	6	11	17	37
13-19 YRS	88	5.1	31	1	1	4	6	10	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.7	52	3	3	4	13	16	16	16
6-12 YRS	9	28.7	900	3	5	15	40	81	90	90
13-19 YRS	11	18.1	244	2	3	18	23	44	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	4.1	15	1	1	3	5	10	11	22
B. *Operated*	5	17.2	124	4	4	18	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	245	4.5	27	1	1	3	5	9	11	31
B. *Operated*	23	20.9	495	2	3	15	23	55	75	90
1. SINGLE DX	91	4.8	29	1	1	3	6	11	13	30
2. MULTIPLE DX	268	5.9	87	1	1	3	6	11	19	50
A. NOT OPERATED	331	4.4	24	1	1	3	5	9	11	29
B. OPERATED	28	20.2	424	3	3	15	23	48	69	90
TOTAL 0-27 DYS	6	8.2	33	1	1	9	10	16	17	17
1-11 MOS	14	2.9	5	<1	1	2	4	5	8	9
1-5 YRS	102	2.9	7	<1	1	2	3	6	8	14
6-12 YRS	114	7.5	142	1	2	4	7	15	30	75
13-19 YRS	123	6.4	62	1	1	4	7	13	22	43
GRAND TOTAL	**359**	**5.7**	**72**	**1**	**1**	**3**	**6**	**11**	**18**	**40**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.1	2	<1	<1	2	3	4	5	5
1-11 MOS	42	3.3	7	<1	1	3	4	7	10	11
1-5 YRS	496	3.0	5	<1	1	2	4	6	7	11
6-12 YRS	243	3.6	7	<1	1	3	4	7	9	15
13-19 YRS	112	3.4	7	1	1	3	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	13	4.4	17	<1	1	3	6	12	13	13
1-5 YRS	178	4.6	12	1	1	4	6	8	12	19
6-12 YRS	121	4.5	8	1	2	4	6	8	9	13
13-19 YRS	133	5.9	18	1	2	5	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.5	38	1	1	4	9	17	21	21
1-11 MOS	73	3.6	6	1	1	3	5	6	9	13
1-5 YRS	531	4.3	18	1	1	3	5	8	11	18
6-12 YRS	408	4.5	15	1	1	3	6	9	11	20
13-19 YRS	270	5.1	19	1	1	4	7	10	13	23
B. *Operated*										
0-27 DYS	3	6.0	27	3	3	3	10	12	12	12
1-11 MOS	25	12.4	263	2	2	6	14	22	47	79
1-5 YRS	121	8.4	131	1	2	5	8	18	28	66
6-12 YRS	85	8.5	104	1	2	5	9	20	29	57
13-19 YRS	149	8.0	75	1	1	6	9	13	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	3.2	6	<1	1	2	4	6	8	13
B. *Operated*	445	4.9	13	1	1	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1293	4.5	17	1	1	3	6	9	11	20
B. *Operated*	383	8.5	111	1	2	5	9	18	28	60
1. SINGLE DX	1350	3.8	9	<1	1	3	5	7	9	16
2. MULTIPLE DX	1676	5.4	41	1	1	4	6	10	14	33
A. NOT OPERATED	2198	4.0	13	<1	1	3	5	8	10	17
B. OPERATED	828	6.6	61	1	2	5	7	12	19	46
TOTAL 0-27 DYS	26	4.4	23	<1	<1	3	5	12	15	21
1-11 MOS	153	5.0	59	1	1	3	5	10	13	37
1-5 YRS	1326	4.2	25	<1	1	3	5	8	10	24
6-12 YRS	857	4.6	22	1	1	3	6	9	12	21
13-19 YRS	664	5.6	32	1	1	4	7	10	14	29
GRAND TOTAL	**3026**	**4.7**	**27**	**1**	**1**	**3**	**6**	**9**	**12**	**26**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	171	1.8	1	<1	1	2	2	3	3	6
6-12 YRS	1204	2.0	1	1	1	2	2	3	4	6
13-19 YRS	1185	2.1	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	86	3.0	2	1	1	3	4	5	5	6
6-12 YRS	515	3.3	2	2	2	3	4	5	6	7
13-19 YRS	714	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	149	2.2	2	1	1	2	3	4	5	6
6-12 YRS	766	2.6	3	1	1	2	3	4	6	9
13-19 YRS	637	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	50	3.9	3	2	2	4	5	6	7	7
6-12 YRS	246	4.2	11	2	2	4	5	6	8	14
13-19 YRS	338	4.6	7	2	3	4	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2567	2.0	1	1	1	2	2	3	4	6
B. *Operated*	1317	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1556	2.6	3	1	1	2	3	5	6	9
B. *Operated*	634	4.4	8	2	2	4	5	7	8	17
1. SINGLE DX	3884	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2190	3.1	5	1	1	3	4	6	7	12
A. NOT OPERATED	4123	2.2	2	1	1	2	3	4	5	8
B. OPERATED	1951	3.8	4	2	2	3	4	6	6	11
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	2.3	2	1	1	2	3	5	6	6
1-5 YRS	456	2.4	2	1	1	2	3	4	5	7
6-12 YRS	2731	2.6	3	1	1	2	3	4	5	8
13-19 YRS	2374	2.9	4	1	1	3	4	5	6	9
GRAND TOTAL	**6074**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	54	4.8	8	2	2	4	5	9	11	16
1-5 YRS	265	4.3	5	1	2	4	5	7	8	12
6-12 YRS	168	4.2	7	1	1	4	6	8	9	12
13-19 YRS	60	3.6	4	1	2	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.7	6	1	1	5	7	8	8	8
1-5 YRS	102	3.1	6	<1	<1	2	4	6	8	12
6-12 YRS	107	2.8	6	<1	<1	2	4	7	9	12
13-19 YRS	121	2.9	7	<1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	47	5.1	5	1	2	5	6	8	10	11
1-5 YRS	251	4.4	6	1	2	4	6	7	8	13
6-12 YRS	118	4.3	12	1	1	4	5	8	9	19
13-19 YRS	72	3.9	5	1	2	3	5	7	8	10
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	20	6.0	6	2	3	6	7	9	11	12
1-5 YRS	84	4.8	18	<1	1	4	7	9	12	24
6-12 YRS	42	3.5	14	<1	<1	2	5	8	14	16
13-19 YRS	53	3.8	6	1	1	3	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.3	6	1	2	4	5	7	9	12
B. *Operated*	340	3.0	7	<1	<1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	489	4.3	7	1	2	4	6	7	8	13
B. *Operated*	200	4.4	13	<1	1	3	6	8	10	16
1. SINGLE DX	889	3.8	6	<1	1	3	5	7	9	13
2. MULTIPLE DX	689	4.4	9	1	1	4	6	8	9	15
A. NOT OPERATED	1038	4.3	6	1	2	4	5	7	9	12
B. OPERATED	540	3.5	9	<1	1	2	5	8	9	15
TOTAL 0-27 DYS	4	3.5	6	2	2	3	5	7	7	7
1-11 MOS	131	5.1	7	1	2	5	6	8	10	13
1-5 YRS	702	4.2	7	1	1	4	5	7	9	13
6-12 YRS	435	3.8	9	<1	1	3	5	8	9	14
13-19 YRS	306	3.4	6	1	1	3	4	7	8	12
GRAND TOTAL	**1578**	**4.0**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.5	113	4	4	11	19	19	19	19
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	24	11.8	208	<1	1	5	18	38	46	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	37.0	2048	5	5	37	69	69	69	69
6-12 YRS	12	4.1	18	1	1	2	5	11	14	15
13-19 YRS	45	11.4	243	1	1	5	17	25	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	12.5	85	6	6	12	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	10.2	177	<1	1	4	17	28	43	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	60	10.8	252	1	1	5	14	24	69	97
B. *Operated*	3	8.7	86	1	1	6	16	19	19	19
1. SINGLE DX	31	10.2	177	<1	1	4	17	28	43	52
2. MULTIPLE DX	63	10.7	242	1	1	5	14	23	69	96
A. NOT OPERATED	91	10.6	224	1	1	4	15	24	51	88
B. OPERATED	3	8.7	86	1	1	6	16	19	19	19
TOTAL 0-27 DYS										
1-11 MOS	3	11.0	57	4	4	10	17	19	19	19
1-5 YRS	3	25.0	1456	1	1	5	53	69	69	69
6-12 YRS	17	3.4	14	1	1	2	3	9	13	15
13-19 YRS	71	11.6	222	<1	1	6	18	29	51	94
GRAND TOTAL	**94**	**10.5**	**219**	**1**	**1**	**4**	**15**	**23**	**50**	**87**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	1.5	1	1	1	1	2	3	3	3
1-5 YRS	110	1.6	1	<1	1	1	2	3	4	7
6-12 YRS	188	1.9	9	1	1	1	2	3	4	7
13-19 YRS	272	3.6	65	<1	1	2	3	6	9	56
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	4.5	20	1	1	2	5	13	15	15
1-5 YRS	101	2.7	8	<1	1	2	3	5	7	17
6-12 YRS	170	3.5	54	1	1	2	3	6	13	93
13-19 YRS	418	6.6	148	1	1	3	6	13	31	97
B. *Operated*										
0-27 DYS	2	34.0	1250	9	9	34	59	59	59	59
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	13	2.8	7	1	1	2	4	6	9	10
13-19 YRS	26	6.6	91	1	1	4	9	16	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	2.6	34	1	1	1	2	4	6	38
B. *Operated*	7	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	708	5.2	105	1	1	2	5	9	23	85
B. *Operated*	45	6.5	121	1	1	3	8	12	51	99+
1. SINGLE DX	587	2.6	34	1	1	1	2	4	6	38
2. MULTIPLE DX	753	5.3	106	1	1	3	5	9	25	94
A. NOT OPERATED	1288	4.1	75	1	1	2	4	7	13	61
B. OPERATED	52	5.8	107	1	1	3	5	11	44	99
TOTAL 0-27 DYS	2	34.0	1250	9	9	34	59	59	59	59
1-11 MOS	32	3.5	14	1	1	2	4	10	14	15
1-5 YRS	213	2.1	5	<1	1	1	3	4	5	14
6-12 YRS	372	2.6	30	1	1	1	3	4	7	44
13-19 YRS	721	5.4	115	1	1	2	5	9	26	75
GRAND TOTAL	**1340**	**4.1**	**76**	**1**	**1**	**2**	**4**	**7**	**13**	**61**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	16	2.7	23	<1	<1	1	2	5	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	4.6	16	1	1	3	7	11	11	11
1-5 YRS	3	2.7	8	1	1	1	5	6	6	6
6-12 YRS										
13-19 YRS	69	7.3	109	<1	1	4	7	17	30	55
B. *Cperated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	6	28.8	607	2	2	30	52	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	21	<1	<1	1	2	5	15	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	78	7.0	99	<1	1	4	6	14	27	54
B. *Operated*	7	26.3	551	2	2	16	50	54	55	55
1. SINGLE DX	17	2.6	21	<1	<1	1	2	5	15	20
2. MULTIPLE DX	85	8.6	158	1	1	4	8	18	45	56
A. NOT OPERATED	95	6.2	87	<1	<1	3	6	13	24	52
B. OPERATED	7	26.3	551	2	2	16	50	54	55	55
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	6	5.7	20	1	1	4	11	11	11	11
1-5 YRS	4	2.5	6	1	1	2	4	6	6	6
6-12 YRS										
13-19 YRS	91	7.9	154	<1	<1	3	6	19	45	56
GRAND TOTAL	**102**	**7.6**	**140**	**<1**	**1**	**3**	**6**	**18**	**44**	**56**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	4.0	13	1	1	3	6	9	9	9
6-12 YRS	4	24.5	2026	1	1	2	47	92	92	92
13-19 YRS	70	7.7	98	1	1	4	8	23	34	90
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	3.2	5	1	1	3	5	6	6	6
6-12 YRS	10	4.5	27	2	2	3	4	12	19	19
13-19 YRS	172	13.5	246	1	2	7	15	40	52	69
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	13	34.5	611	5	7	26	60	68	74	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	8.3	180	1	1	4	8	23	37	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	190	12.6	232	1	2	7	15	37	50	69
B. *Operated*	14	32.3	631	4	4	24	60	67	74	76
1. SINGLE DX	79	8.3	180	1	1	4	8	23	37	98
2. MULTIPLE DX	204	13.9	281	1	2	7	17	42	55	72
A. NOT OPERATED	269	11.3	219	1	1	6	13	33	50	87
B. OPERATED	14	32.3	631	4	4	24	60	67	74	76
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	10	3.5	7	1	1	3	5	7	9	9
6-12 YRS	15	9.8	535	1	2	3	4	19	74	92
13-19 YRS	255	13.0	252	1	2	7	15	39	53	76
GRAND TO[illegible]	**283**	**12.4**	**258**	**1**	**1**	**6**	**14**	**37**	**52**	**86**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	18.0		18	18	18	18	18	18	18
1-11 MOS	3	9.7	25	5	5	9	13	15	15	15
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	259	17.2	225	1	2	15	23	37	56	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	187	21.9	361	2	4	17	31	56	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	23.6	434	3	3	14	39	56	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	17.1	221	1	2	15	22	37	55	99+
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	188	21.9	360	2	4	17	31	56	73	99+
B. *Operated*	9	23.6	434	3	3	14	39	56	58	58
1. SINGLE DX	266	17.1	220	1	2	15	22	37	55	99+
2. MULTIPLE DX	197	21.9	361	2	4	16	31	56	72	99+
A. NOT OPERATED	453	19.1	283	2	3	15	27	43	63	99+
B. OPERATED	10	22.3	401	3	3	13	34	55	58	58
TOTAL 0-27 DYS	2	18.0		18	18	18	18	18	18	18
1-11 MOS	4	10.3	18	5	5	10	13	15	15	15
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	456	19.3	289	2	3	15	27	44	63	99+
GRAND TOTAL	**463**	**19.2**	**285**	**2**	**3**	**15**	**27**	**44**	**62**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	4	38.3	216	17	17	43	48	49	49	49
13-19 YRS	137	21.3	386	2	4	14	29	47	70	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	61.0		61	61	80	99+	99+	99+	99+
13-19 YRS	74	21.4	329	3	5	17	29	68	91	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	21.7	385	3	5	14	29	48	68	97
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	75	21.9	345	3	5	18	30	73	99+	99+
B. *Operated*										
1. SINGLE DX	142	21.7	385	3	5	14	29	48	68	97
2. MULTIPLE DX	75	21.9	345	3	5	18	30	73	99+	99+
A. NOT OPERATED	217	21.8	370	3	5	15	30	52	76	99+
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	5	42.8	265	17	19	48	61	96	99+	99+
13-19 YRS	211	21.3	364	3	5	14	29	51	75	99+
GRAND TOTAL	**217**	**21.8**	**370**	**3**	**5**	**15**	**30**	**52**	**76**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	6.4	38	<1	<1	5	8	17	17	17
1-11 MOS	7	8.4	25	2	3	7	12	16	17	17
1-5 YRS										
6-12 YRS	11	21.8	456	4	6	10	24	58	73	74
13-19 YRS	636	20.5	334	2	3	16	29	49	65	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	18	9	9	12	15	15	15	15
1-11 MOS	4	11.0	55	4	4	10	17	20	20	20
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	10	22.6	243	2	5	20	34	45	55	55
13-19 YRS	507	22.8	377	2	4	19	33	54	77	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	31.2	423	11	12	26	41	55	78	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	20.2	332	2	3	15	28	48	65	99+
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	524	22.6	371	2	4	19	33	53	76	99+
B. *Operated*	20	31.2	423	11	12	26	41	55	78	92
1. SINGLE DX	660	20.2	332	2	3	15	28	48	65	99+
2. MULTIPLE DX	544	22.9	375	2	4	19	33	53	76	99+
A. NOT OPERATED	1183	21.3	351	2	3	16	30	52	68	99+
B. OPERATED	21	30.3	418	11	12	25	40	54	77	92
TOTAL 0-27 DYS	7	8.0	36	<1	1	5	13	17	17	17
1-11 MOS	11	9.4	33	2	3	7	14	18	20	20
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	21	22.2	338	3	6	20	28	51	64	74
13-19 YRS	1164	21.6	356	2	3	17	31	52	69	99+
GRAND TOTAL	**1204**	**21.5**	**353**	**2**	**3**	**17**	**31**	**52**	**68**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	11.6	246	<1	<1	4	15	44	49	50
6-12 YRS	53	25.9	495	2	3	26	44	85	99+	99+
13-19 YRS	8	29.6	833	<1	1	23	39	77	92	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	24.7	722	1	2	13	50	93	99+	99+
6-12 YRS	56	27.1	595	2	4	29	69	99+	99+	99+
13-19 YRS	8	28.1	456	3	5	33	52	81	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	35.0	578	18	18	52	88	99+	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	21.7	483	<1	1	14	41	55	95	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	88	26.5	605	2	3	25	60	99+	99+	99+
B. *Operated*	3	26.7	497	10	10	52	99+	99+	99+	99+
1. SINGLE DX	89	21.7	483	<1	1	14	41	55	95	99+
2. MULTIPLE DX	91	26.5	596	2	3	26	62	99+	99+	99+
A. NOT OPERATED	177	24.1	546	1	2	18	49	99	99+	99+
B. OPERATED	3	26.7	497	10	10	52	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	53	17.5	490	<1	1	9	29	54	90	99+
6-12 YRS	111	26.6	539	2	4	27	54	99+	99+	99+
13-19 YRS	16	28.9	602	1	4	29	52	97	99+	99+
GRAND TOTAL	**180**	**24.2**	**543**	**1**	**2**	**19**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	51.0		51	51	51	51	51	51	51
1-11 MOS	7	11.9	27	3	4	14	16	18	18	18
1-5 YRS	2	23.5	841	3	3	23	44	44	44	44
6-12 YRS	50	30.4	581	3	4	30	60	88	99+	99+
13-19 YRS	760	20.0	387	1	2	14	29	53	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	3	12.0	36	6	6	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	9.0	41	3	3	8	10	20	21	21
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	130	38.7	540	3	7	42	61	95	99+	99+
13-19 YRS	1390	22.8	459	2	3	17	36	65	90	99+
B. *Operated*										
0-27 DYS	1	63.0		63	63	63	63	63	63	63
1-11 MOS	3	26.3	420	14	14	15	41	50	50	50
1-5 YRS										
6-12 YRS	3	32.0	19	29	29	30	35	37	37	37
13-19 YRS	37	29.6	480	3	6	33	61	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	20.6	402	1	2	14	30	56	79	99+
B. *Operated*	4	12.0	24	6	6	12	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	1531	24.0	484	2	3	18	40	68	95	99+
B. *Operated*	44	30.3	449	3	7	33	57	99+	99+	99+
1. SINGLE DX	824	20.6	401	1	2	14	30	56	79	99+
2. MULTIPLE DX	1575	24.2	483	2	3	19	40	70	98	99+
A. NOT OPERATED	2351	22.8	458	2	3	17	36	63	89	99+
B. OPERATED	48	28.8	438	3	6	30	55	99+	99+	99+
TOTAL 0-27 DYS	2	57.0	72	51	51	57	63	63	63	63
1-11 MOS	20	12.6	109	3	3	10	15	20	35	50
1-5 YRS	3	17.0	547	3	3	4	34	44	44	44
6-12 YRS	184	36.2	553	3	6	38	60	94	99+	99+
13-19 YRS	2190	21.9	436	2	3	16	34	61	87	99+
GRAND TOTAL	**2399**	**23.0**	**458**	**2**	**3**	**17**	**37**	**64**	**90**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	10.8	24	4	4	10	16	17	17	17
1-5 YRS	2	9.0	72	3	3	9	15	15	15	15
6-12 YRS	14	29.9	492	7	9	27	42	49	82	91
13-19 YRS	438	20.7	335	2	3	15	29	46	64	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	50.0		50	50	50	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	10	20.5	297	<1	1	18	23	49	57	57
1-5 YRS	3	14.7	149	4	4	12	24	28	28	28
6-12 YRS	46	30.2	560	4	6	24	49	68	86	99+
13-19 YRS	557	22.7	408	2	4	17	31	55	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	62.0		62	62	62	62	62	62	62
13-19 YRS	22	32.8	556	5	8	28	48	87	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	20.8	338	2	4	15	29	46	64	99+
B. *Operated*	2	26.0	1152	2	2	26	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*	617	23.3	425	2	4	18	33	57	74	99+
B. *Operated*	23	34.1	568	5	8	32	50	86	92	99+
1. SINGLE DX	462	20.8	339	2	3	15	29	46	64	99+
2. MULTIPLE DX	640	23.6	433	2	4	18	33	57	81	99+
A. NOT OPERATED	1077	22.2	389	2	4	16	31	52	70	99+
B. OPERATED	25	33.4	573	2	7	32	50	84	91	99+
TOTAL 0-27 DYS	1	86.0		86	86	86	86	86	86	86
1-11 MOS	16	16.9	210	1	2	13	21	39	52	57
1-5 YRS	6	10.7	100	2	2	8	15	27	28	28
6-12 YRS	61	30.6	543	4	6	25	44	67	86	99
13-19 YRS	1018	22.1	383	2	4	16	31	52	70	99+
GRAND TOTAL	**1102**	**22.5**	**395**	**2**	**4**	**16**	**32**	**52**	**71**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	11.7	229	1	1	5	23	29	29	29
6-12 YRS	26	21.1	699	<1	<1	10	49	71	86	99+
13-19 YRS	305	12.8	201	1	1	8	16	30	45	71
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	3.9	10	1	1	3	6	8	9	9
6-12 YRS	29	22.7	590	1	2	19	42	92	99+	99+
13-19 YRS	368	14.9	217	1	2	10	21	38	47	73
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS										
13-19 YRS	6	14.8	147	1	2	13	16	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	13.3	241	1	1	8	17	34	51	83
B. *Operated*	4	3.3	2	<1	<1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	406	15.2	245	1	2	10	22	40	51	99+
B. *Operated*	8	11.8	138	1	1	10	15	31	37	37
1. SINGLE DX	341	13.2	240	1	1	8	17	34	51	83
2. MULTIPLE DX	414	15.2	243	1	2	10	22	39	51	99+
A. NOT OPERATED	743	14.4	244	1	1	9	19	38	51	92
B. OPERATED	12	8.9	106	<1	1	4	13	22	35	37
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	13	5.5	57	1	1	4	6	13	26	29
6-12 YRS	56	21.6	627	<1	1	12	46	85	99+	99+
13-19 YRS	682	13.9	210	1	2	9	19	35	46	72
GRAND TOTAL	**755**	**14.3**	**242**	**1**	**1**	**9**	**19**	**37**	**51**	**92**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	2	8.5	113	<1	<1	8	16	16	16	16
6-12 YRS	23	3.6	13	<1	1	2	3	9	11	14
13-19 YRS	153	5.1	85	<1	1	3	4	9	17	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	1.8	2	1	1	1	2	4	4	4
1-5 YRS	5	4.8	28	1	1	3	6	14	14	14
6-12 YRS	55	9.3	231	<1	1	3	8	42	65	99+
13-19 YRS	276	8.1	141	1	1	3	9	22	33	64
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS	6	26.8	818	5	5	18	65	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	5.0	74	<1	1	3	4	10	16	54
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	342	8.2	151	1	1	3	9	23	41	80
B. *Operated*	7	25.1	702	5	5	16	63	90	99+	99+
1. SINGLE DX	182	5.0	74	<1	1	3	4	9	16	54
2. MULTIPLE DX	349	8.5	166	1	1	3	9	24	45	99
A. NOT OPERATED	523	7.1	127	1	1	3	7	19	32	69
B. OPERATED	8	22.3	669	2	3	15	60	87	99+	99+
TOTAL 0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	8	4.6	25	1	1	3	7	13	15	15
1-5 YRS	7	5.9	40	<1	<1	3	11	16	16	16
6-12 YRS	79	7.5	171	<1	1	3	8	24	56	99+
13-19 YRS	435	7.3	136	1	1	3	7	20	33	68
GRAND TOTAL	**531**	**7.3**	**137**	**1**	**1**	**3**	**7**	**20**	**34**	**71**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	65	28.0	634	2	4	18	44	69	98	99+
13-19 YRS	693	20.1	406	1	2	12	32	51	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	23.0	1298	4	4	6	42	77	77	77
1-11 MOS	8	8.3	68	2	2	5	10	22	27	27
1-5 YRS	4	5.8	7	3	3	6	8	8	8	8
6-12 YRS	108	39.1	799	3	5	42	79	99+	99+	99+
13-19 YRS	1270	23.1	495	2	3	16	37	62	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	25.0	307	7	7	26	38	42	42	42
13-19 YRS	36	26.5	387	3	7	23	43	55	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	20.7	429	1	2	13	33	56	71	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1394	24.2	536	2	3	17	41	68	90	99+
B. *Operated*	39	26.4	372	3	7	25	43	55	88	99+
1. SINGLE DX	762	20.7	429	1	2	13	33	56	71	99+
2. MULTIPLE DX	1433	24.2	532	2	3	17	41	68	90	99+
A. NOT OPERATED	2156	22.9	501	2	3	16	38	63	86	99+
B. OPERATED	39	26.4	372	3	7	25	43	55	88	99+
TOTAL 0-27 DYS	5	18.6	1070	<1	<1	4	24	77	77	77
1-11 MOS	10	7.3	57	2	2	4	10	19	27	27
1-5 YRS	5	9.0	58	3	3	8	12	22	22	22
6-12 YRS	176	34.8	754	3	5	31	61	98	99+	99+
13-19 YRS	1999	22.1	464	1	3	15	35	60	78	99+
GRAND TOTAL	**2195**	**23.0**	**499**	**2**	**3**	**16**	**38**	**63**	**86**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	2	35.5	1	35	35	35	36	36	36	36
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	85	10.6	262	1	1	4	13	51	79	99+
13-19 YRS	619	12.2	254	1	1	5	16	38	48	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	5	15.6	183	2	2	19	32	93	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	8.2	24	1	1	8	11	15	15	15
1-5 YRS	11	7.5	137	1	1	2	5	29	35	36
6-12 YRS	116	16.1	521	1	1	5	24	60	89	99+
13-19 YRS	944	14.5	348	1	1	7	20	45	67	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	14.7	184	2	2	13	25	29	29	29
13-19 YRS	44	20.9	692	1	2	10	23	61	83	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	12.0	254	1	1	5	16	38	54	99+
B. *Operated*	9	9.4	145	1	1	4	28	66	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1078	14.6	363	1	1	7	20	47	68	99+
B. *Operated*	48	20.1	651	<1	[illegible]	10	23	60	78	99
1. SINGLE DX	721	12.0	252	1	1	5	16	38	54	99+
2. MULTIPLE DX	1126	14.8	376	1	1	7	20	48	70	99+
A. NOT OPERATED	1790	13.6	321	1	1	6	19	43	63	99+
B. OPERATED	57	18.4	582	<1	1	9	24	60	89	99+
TOTAL 0-27 DYS	3	9.7	2	8	8	10	11	11	11	11
1-11 MOS	8	15.0	177	1	2	10	25	36	36	36
1-5 YRS	16	5.6	100	<1	1	2	4	23	33	36
6-12 YRS	208	13.6	408	1	1	4	20	55	87	99+
13-19 YRS	1612	13.8	323	1	1	6	19	43	63	99+
GRAND TOTAL	**1847**	**13.7**	**329**	**1**	**1**	**6**	**19**	**43**	**64**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	15.0	338	2	2	15	28	28	28	28
1-11 MOS	9	8.9	91	1	1	4	12	26	28	28
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	12	2.6	7	1	1	2	3	8	9	9
13-19 YRS	539	13.4	200	<1	<1	6	25	34	38	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	36.6	401	1	1	45	46	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	16.1	146	4	4	13	29	30	30	30
1-11 MOS	18	7.1	92	<1	<1	4	6	26	31	32
1-5 YRS	6	6.7	18	1	1	6	10	13	13	13
6-12 YRS	13	20.2	623	1	1	8	38	53	77	82
13-19 YRS	2061	23.5	275	1	2	25	35	44	49	73
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	140	1	1	2	17	22	22	22
13-19 YRS	59	28.2	304	1	3	29	44	50	57	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	13.1	196	<1	<1	6	24	34	38	49
B. *Operated*	5	36.6	401	1	1	45	46	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	2106	23.3	277	1	2	25	34	44	49	73
B. *Operated*	62	27.2	313	1	2	29	44	49	57	95
1. SINGLE DX	569	13.3	202	<1	<1	6	24	34	40	49
2. MULTIPLE DX	2168	23.4	278	1	2	25	35	44	49	74
A. NOT OPERATED	2670	21.2	277	1	1	21	32	42	47	68
B. OPERATED	67	27.9	319	1	2	29	45	49	55	93
TOTAL 0-27 DYS	10	15.9	151	2	3	13	28	30	30	30
1-11 MOS	27	7.7	89	<1	1	4	6	27	29	32
1-5 YRS	8	5.8	17	1	1	5	8	12	13	13
6-12 YRS	28	11.4	363	1	1	2	9	40	50	82
13-19 YRS	2664	21.6	278	1	1	22	33	43	48	68
GRAND TOTAL	**2737**	**21.3**	**279**	**1**	**1**	**21**	**33**	**43**	**46**	**68**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	12.7	174	1	2	7	19	29	40	56
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	58	18.0	144	2	3	18	28	34	34	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	25	4	4	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	12.7	174	1	2	7	19	29	40	56
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	60	18.1	140	2	3	18	28	33	34	42
B. *Operated*	2	7.5	25	4	4	7	11	11	11	11
1. SINGLE DX	22	12.7	174	1	2	7	19	29	40	56
2. MULTIPLE DX	62	17.7	139	2	3	16	28	33	34	42
A. NOT OPERATED	82	16.6	153	2	3	15	28	33	34	52
B. OPERATED	2	7.5	25	4	4	7	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	24.0		24	24	24	24	24	24	24
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	82	16.3	154	2	3	14	28	33	34	52
GRAND TOTAL	**84**	**16.4**	**151**	**2**	**3**	**15**	**28**	**33**	**34**	**51**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	242	21.6	345	1	2	16	35	45	56	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	28.5	841	8	8	28	49	49	49	49
13-19 YRS	946	25.6	298	2	4	27	37	48	57	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	44.2	457	8	13	46	63	71	75	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	21.4	345	1	2	15	35	45	56	89
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	948	25.6	299	2	4	27	37	48	57	93
B. *Operated*	22	44.2	457	8	13	46	63	71	75	77
1. SINGLE DX	244	21.4	345	1	2	15	35	45	56	89
2. MULTIPLE DX	970	26.0	310	2	4	27	37	49	58	92
A. NOT OPERATED	1192	24.7	311	2	3	26	36	48	56	92
B. OPERATED	22	44.2	457	8	13	46	63	71	75	77
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	16.8	465	4	4	7	28	49	49	49
13-19 YRS	1210	25.1	319	2	3	26	37	48	58	92
GRAND TOTAL	**1214**	**25.1**	**320**	**2**	**3**	**26**	**37**	**48**	**57**	**92**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	78	1.2		<1	<1	1	1	2	2	3
13-19 YRS	832	1.6	9	<1	<1	1	1	2	3	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.0	7	1	1	4	6	7	7	7
1-5 YRS	5	2.4	4	1	1	2	3	6	6	6
6-12 YRS	31	1.5		<1	<1	1	2	3	3	3
13-19 YRS	796	5.8	150	<1	<1	1	3	19	33	68
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	5.4	138	<1	<1	1	3	17	38	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	923	1.5	8	<1	<1	1	1	2	3	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	836	5.6	144	<1	<1	1	3	18	31	66
B. *Operated*	21	5.4	138	<1	<1	1	3	17	38	49
1. SINGLE DX	923	1.5	8	<1	<1	1	1	2	3	16
2. MULTIPLE DX	857	5.6	143	<1	<1	1	3	18	31	66
A. NOT OPERATED	1759	3.5	77	<1	<1	1	2	5	19	55
B. OPERATED	21	5.4	138	<1	<1	1	3	17	38	49
TOTAL 0-27 DYS										
1-11 MOS	5	3.4	7	1	1	3	5	7	7	7
1-5 YRS	17	1.8	2	<1	1	1	2	3	5	6
6-12 YRS	109	1.3		<1	<1	1	1	2	2	3
13-19 YRS	1649	3.7	83	<1	<1	1	2	5	20	56
GRAND TOTAL	**1780**	**3.5**	**77**	**<1**	**<1**	**1**	**2**	**5**	**19**	**55**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	12.5	304	<1	<1	2	35	35	35	35
13-19 YRS	174	11.3	223	<1	1	4	18	32	42	59
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	3	4.3	6	2	2	4	6	7	7	7
13-19 YRS	650	21.9	412	1	1	17	35	52	61	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	33.9	769	4	6	29	63	82	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	11.3	224	<1	1	4	19	33	40	59
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	654	21.8	411	1	1	17	35	52	61	98
B. *Operated*	19	33.9	769	4	6	29	63	82	97	99+
1. SINGLE DX	181	11.3	224	<1	1	4	19	33	40	59
2. MULTIPLE DX	673	22.2	424	1	1	17	35	54	63	99
A. NOT OPERATED	835	19.6	389	1	1	13	32	49	59	93
B. OPERATED	19	33.9	769	4	6	29	63	82	97	99+
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	9.8	208	<1	<1	2	14	35	35	35
13-19 YRS	843	20.0	403	1	1	14	33	50	60	96
GRAND TOTAL	**854**	**19.9**	**401**	**1**	**1**	**13**	**33**	**50**	**60**	**96**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	2.2	1	<1	1	2	3	4	4	4
6-12 YRS	57	3.5	8	1	1	3	4	8	9	16
13-19 YRS	117	3.0	5	1	1	2	4	6	7	12
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.8	1	3	3	4	4	5	5	5
13-19 YRS	6	5.3	22	1	1	3	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	14	4.8	43	1	1	2	5	17	22	23
6-12 YRS	78	6.0	106	1	1	4	6	9	13	64
13-19 YRS	231	4.8	63	1	1	3	5	8	11	62
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	98	3	3	10	17	17	17	17
6-12 YRS	8	3.8	13	<1	<1	3	4	10	12	12
13-19 YRS	8	6.6	8	2	3	6	8	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	3.1	6	1	1	2	4	6	8	13
B. Operated	12	4.6	11	1	2	4	5	10	13	13
2. MULTIPLE DX										
A. Not Operated	325	5.0	72	1	1	3	5	9	12	62
B. Operated	18	5.7	19	<1	1	5	7	12	15	17
1. SINGLE DX	203	3.2	6	1	1	2	4	6	9	13
2. MULTIPLE DX	343	5.1	69	1	1	3	5	9	12	61
A. NOT OPERATED	516	4.3	48	1	1	3	5	7	10	51
B. OPERATED	30	5.3	15	1	1	4	7	12	13	17
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	31	3.9	27	1	1	2	4	10	17	23
6-12 YRS	149	4.8	60	1	1	3	5	9	12	50
13-19 YRS	362	4.3	43	1	1	3	5	7	10	52
GRAND TOTAL	**546**	**4.4**	**47**	**1**	**1**	**3**	**5**	**8**	**11**	**50**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.4	68	1	1	4	8	21	21	21
1-5 YRS	19	13.3	234	1	1	4	25	41	42	43
6-12 YRS	223	14.7	276	1	2	10	20	41	68	99+
13-19 YRS	1767	11.6	194	1	1	7	16	31	43	99+
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	7	20.9	280	1	2	24	40	84	99+	99+
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.6	53	1	1	4	10	19	19	19
1-5 YRS	20	27.7	675	2	2	22	53	75	99+	99+
6-12 YRS	260	20.1	425	1	2	13	32	57	87	99+
13-19 YRS	2660	13.8	248	1	1	8	19	37	50	95
B. Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS										
1-5 YRS	3	17.7	784	1	1	2	38	50	50	50
6-12 YRS	6	13.0	156	3	3	7	29	86	99+	99+
13-19 YRS	69	19.4	432	<1	2	11	28	51	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2015	12.0	204	1	1	7	16	32	44	99+
B. Operated	8	19.6	252	1	2	23	37	79	99+	99+
2. MULTIPLE DX										
A. Not Operated	2946	14.4	270	1	1	8	20	40	53	99+
B. Operated	79	18.8	410	1	2	11	29	51	78	99+
1. SINGLE DX	2023	12.0	204	1	1	7	16	33	44	99+
2. MULTIPLE DX	3025	14.5	274	1	1	8	20	40	55	99+
A. NOT OPERATED	4961	13.4	244	1	1	8	18	37	50	99+
B. OPERATED	87	18.9	392	1	2	12	30	51	81	99+
TOTAL 0-27 DYS	3	8.0	108	2	2	2	16	20	20	20
1-11 MOS	10	6.5	54	1	1	4	7	20	21	21
1-5 YRS	42	20.5	503	1	2	11	38	54	73	99+
6-12 YRS	490	17.5	359	1	2	11	28	49	75	99+
13-19 YRS	4503	13.0	231	1	1	7	17	35	48	98
GRAND TOTAL	**5048**	**13.5**	**247**	**1**	**1**	**8**	**19**	**37**	**51**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	22	4.9	28	1	1	3	5	12	18	22
1-5 YRS	160	7.3	204	<1	1	2	5	18	46	74
6-12 YRS	551	20.7	528	1	2	10	39	60	83	99+
13-19 YRS	1855	20.1	442	1	2	13	31	54	71	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	1	2	2	4	4	4	4	4
6-12 YRS	4	2.5	2	<1	<1	2	3	4	4	4
13-19 YRS	16	10.9	144	<1	1	5	18	26	38	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	8.0	91	2	2	5	7	25	27	27
1-11 MOS	39	5.5	47	1	1	3	5	15	24	30
1-5 YRS	255	11.9	326	1	1	4	14	39	78	99+
6-12 YRS	1038	27.8	684	2	3	25	54	99	99+	99+
13-19 YRS	3038	23.3	514	2	2	16	40	68	92	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	3	18.3	296	6	6	11	31	38	38	38
1-5 YRS	14	14.2	396	<1	1	8	37	96	99+	99+
6-12 YRS	29	36.0	1147	2	3	24	82	99+	99+	99+
13-19 YRS	91	29.0	609	2	3	29	55	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2588	19.3	454	1	2	11	31	54	71	99+
B. *Operated*	23	8.5	113	<1	1	4	11	24	32	43
2. MULTIPLE DX										
A. *Not Operated*	4376	23.6	554	1	2	17	42	76	99+	99+
B. *Operated*	137	28.7	717	1	3	25	59	99+	99+	99+
1. SINGLE DX	2611	19.2	452	1	2	11	31	54	71	99+
2. MULTIPLE DX	4513	23.7	560	1	2	17	42	77	99+	99+
A. NOT OPERATED	6964	22.0	521	1	2	14	38	67	92	99+
B. OPERATED	160	25.8	679	1	2	22	53	98	99+	99+
TOTAL 0-27 DYS	6	8.0	91	2	2	5	7	25	27	27
1-11 MOS	64	5.9	55	1	1	3	6	15	24	37
1-5 YRS	432	10.2	285	1	1	4	9	38	69	99+
6-12 YRS	1622	25.5	652	1	2	19	49	89	99+	99+
13-19 YRS	5000	22.2	491	1	2	15	37	63	86	99+
GRAND TOTAL	**7124**	**22.1**	**525**	**1**	**2**	**14**	**39**	**68**	**93**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	12	4.9	16	1	1	3	9	11	12	12
13-19 YRS	20	10.8	75	3	3	10	13	15	29	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	5.4	6	3	3	4	7	9	9	9
13-19 YRS	3	6.7	12	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	6.5	76	<1	1	4	7	24	53	99+
6-12 YRS	37	13.6	414	1	1	5	14	46	61	92
13-19 YRS	109	12.6	233	1	2	9	14	28	45	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	14.5	41	10	10	14	19	19	19	19
6-12 YRS	12	5.2	16	1	1	4	6	10	15	16
13-19 YRS	19	6.7	72	2	2	3	6	20	29	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	8.3	58	2	2	8	10	14	15	44
B. *Operated*	9	5.4	8	2	2	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	170	12.0	252	1	1	7	13	31	49	98
B. *Operated*	33	6.6	52	1	2	4	7	17	22	34
1. SINGLE DX	43	7.7	49	2	2	7	10	14	15	44
2. MULTIPLE DX	203	11.1	223	1	2	6	13	28	46	95
A. NOT OPERATED	204	11.4	221	1	2	7	13	28	46	95
B. OPERATED	42	6.4	42	1	2	4	7	15	21	34
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	28	6.9	71	<1	1	4	8	22	40	99+
6-12 YRS	66	9.9	253	1	1	4	9	25	48	88
13-19 YRS	151	11.5	190	1	2	8	13	26	44	85
GRAND TOTAL	**246**	**10.5**	**194**	**1**	**2**	**6**	**12**	**26**	**44**	**92**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	53	10.9	40	<1	3	11	15	21	23	27
1-11 MOS	508	11.0	17	3	5	11	13	15	18	24
1-5 YRS	577	10.8	17	3	5	11	12	15	16	24
6-12 YRS	112	6.8	19	1	2	6	11	12	13	16
13-19 YRS	79	7.3	32	1	2	7	10	12	15	33
B. *Operated*										
0-27 DYS	3	12.0	133	1	1	11	21	24	24	24
1-11 MOS	78	11.8	31	2	6	11	13	16	23	34
1-5 YRS	44	13.0	52	8	9	12	14	18	20	55
6-12 YRS	4	14.0	285	2	2	7	23	39	39	39
13-19 YRS	19	5.6	39	<1	1	3	9	11	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	75	15.5	98	3	5	15	21	25	39	89
1-11 MOS	695	11.6	24	3	5	11	14	16	20	29
1-5 YRS	733	11.4	24	3	6	11	13	16	18	28
6-12 YRS	104	9.9	44	1	2	10	13	16	22	34
13-19 YRS	82	10.2	76	1	2	9	14	18	29	48
B. *Operated*										
0-27 DYS	15	21.4	83	10	10	21	29	34	35	35
1-11 MOS	160	19.9	240	8	10	15	23	33	50	91
1-5 YRS	116	16.9	205	6	8	13	18	30	57	99+
6-12 YRS	36	23.6	262	5	9	21	28	45	56	84
13-19 YRS	51	27.2	438	4	6	24	41	52	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	10.3	21	2	3	11	12	15	16	24
B. *Operated*	148	11.4	49	1	2	11	13	16	24	39
2. MULTIPLE DX										
A. *Not Operated*	1689	11.5	32	2	4	11	14	16	21	33
B. *Operated*	378	20.4	260	6	9	15	24	41	56	96
1. SINGLE DX	1477	10.4	24	2	3	11	12	15	17	25
2. MULTIPLE DX	2067	13.2	85	3	5	11	15	21	28	56
A. NOT OPERATED	3018	11.0	27	2	4	11	13	16	19	28
B. OPERATED	526	17.8	217	3	7	13	21	34	47	92
TOTAL 0-27 DYS	146	14.4	84	2	4	13	20	25	30	60
1-11 MOS	1441	12.3	53	3	6	11	14	17	23	37
1-5 YRS	1470	11.7	39	3	6	11	13	16	19	37
6-12 YRS	256	10.5	96	1	2	10	13	21	28	52
13-19 YRS	231	12.6	198	1	2	9	14	31	43	64
GRAND TOTAL	**3544**	**12.0**	**61**	**2**	**4**	**11**	**14**	**18**	**23**	**46**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	1	10	10	10	11	11	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	12.7	100	5	5	9	20	24	24	24
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	8.3	16	6	6	6	11	13	13	13
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	10.5	1	10	10	10	11	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	9.1	44	4	4	6	11	21	24	24
B. *Operated*	1	9.0		9	9	9	9	9	9	9
1. SINGLE DX	2	10.5	1	10	10	10	11	11	11	11
2. MULTIPLE DX	9	9.1	39	4	4	6	10	20	24	24
A. NOT OPERATED	10	9.4	35	4	4	8	11	18	24	24
B. OPERATED	1	9.0		9	9	9	9	9	9	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	12.7	100	5	5	9	20	24	24	24
1-5 YRS	3	9.0	7	6	6	10	11	11	11	11
6-12 YRS	3	8.3	16	6	6	6	11	13	13	13
13-19 YRS	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**11**	**9.4**	**31**	**4**	**5**	**9**	**11**	**17**	**23**	**24**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	33	8.4	40	1	2	6	11	17	21	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.4	18	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	11.3	152	1	1	8	21	25	25	25
13-19 YRS	24	6.9	15	1	2	8	10	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	17.0		17	17	17	17	17	17	17
13-19 YRS	3	19.0	181	4	4	23	28	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	8.1	40	1	2	6	11	16	21	28
B. *Operated*	5	4.4	18	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	29	7.2	26	1	1	8	10	12	15	25
B. *Operated*	7	11.9	133	1	1	7	21	29	30	30
1. SINGLE DX	40	7.6	38	1	1	6	10	16	20	28
2. MULTIPLE DX	36	8.1	47	1	1	7	10	17	24	30
A. NOT OPERATED	64	7.7	33	1	2	7	10	14	20	28
B. OPERATED	12	8.8	94	1	1	5	13	25	29	30
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	2.0	2	1	1	2	3	4	4	4
6-12 YRS	4	12.8	110	1	1	12	21	25	25	25
13-19 YRS	65	8.0	39	1	2	7	10	16	21	30
GRAND TOTAL	**76**	**7.8**	**42**	**1**	**1**	**7**	**10**	**16**	**22**	**29**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	4.1	11	2	2	3	4	8	13	15
1-11 MOS	201	4.0	13	1	1	3	5	8	11	17
1-5 YRS	783	3.1	11	1	1	2	4	6	10	20
6-12 YRS	742	3.2	12	1	1	2	4	6	8	17
13-19 YRS	829	3.2	10	1	1	2	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	4	16.3	404	2	2	8	28	46	46	46
1-5 YRS	13	7.8	57	2	2	5	9	17	28	30
6-12 YRS	7	4.3	5	1	1	4	6	8	8	8
13-19 YRS	24	6.1	21	1	2	6	8	11	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.0	43	<1	1	4	7	16	23	24
1-11 MOS	354	5.6	35	1	1	4	7	11	16	32
1-5 YRS	1407	4.5	30	1	1	3	5	9	13	29
6-12 YRS	1019	4.8	50	1	1	3	5	9	16	42
13-19 YRS	959	4.8	32	1	1	3	5	10	15	30
B. *Operated*										
0-27 DYS	4	22.5	546	5	5	15	39	55	55	55
1-11 MOS	33	14.6	425	2	2	7	17	35	77	83
1-5 YRS	67	12.2	226	1	2	7	14	40	55	99+
6-12 YRS	48	12.6	189	1	2	9	17	41	64	99+
13-19 YRS	56	9.7	126	2	2	6	10	19	41	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2573	3.2	11	1	1	2	4	6	9	17
B. *Operated*	48	7.1	60	1	2	5	8	13	21	46
2. MULTIPLE DX										
A. *Not Operated*	3750	4.8	37	1	1	3	5	10	14	32
B. *Operated*	208	12.2	227	1	2	7	14	36	53	99+
1. SINGLE DX	2621	3.3	12	1	1	2	4	6	9	18
2. MULTIPLE DX	3958	5.2	49	1	1	3	6	10	16	43
A. NOT OPERATED	6323	4.1	27	1	1	3	5	8	12	28
B. OPERATED	256	11.2	199	1	2	7	12	31	49	99+
TOTAL 0-27 DYS	33	7.0	105	1	2	3	6	17	24	55
1-11 MOS	592	5.6	56	1	1	4	7	11	16	37
1-5 YRS	2270	4.3	32	1	1	3	5	9	13	31
6-12 YRS	1816	4.4	40	1	1	3	4	9	14	37
13-19 YRS	1868	4.2	27	1	1	3	5	8	13	28
GRAND TOTAL	**6579**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.7	4	1	1	2	4	6	7	7
1-11 MOS	98	3.1	9	1	1	2	4	7	8	17
1-5 YRS	297	2.9	8	<1	<1	2	4	6	9	63
6-12 YRS	224	3.9	39	1	1	2	5	8	13	99+
13-19 YRS	270	5.3	80	1	1	3	6	9	16	95
B. *Operated*										
0-27 DYS	9	5.4	8	2	2	5	7	10	11	11
1-11 MOS	143	5.9	15	1	2	5	8	11	13	19
1-5 YRS	285	4.0	13	1	2	3	5	8	10	20
6-12 YRS	229	4.3	10	1	1	3	5	9	11	15
13-19 YRS	206	5.5	24	1	1	4	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	9.3	140	<1	<1	3	15	29	37	37
1-11 MOS	247	5.1	45	1	1	3	6	11	15	72
1-5 YRS	718	6.3	126	1	1	3	6	15	42	99+
6-12 YRS	671	6.6	147	1	2	4	6	29	99+	99+
13-19 YRS	648	8.9	200	1	1	4	9	26	64	99+
B. *Operated*										
0-27 DYS	6	9.5	16	5	5	8	15	83	99+	99+
1-11 MOS	170	11.1	146	2	3	8	12	28	55	99+
1-5 YRS	487	7.2	94	1	2	4	7	17	27	89
6-12 YRS	535	7.6	97	1	2	5	9	17	29	82
13-19 YRS	516	10.3	142	1	2	7	12	26	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	3.9	38	<1	1	2	4	8	11	89
B. *Operated*	872	4.8	15	1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2294	7.0	146	1	1	4	7	19	72	99+
B. *Operated*	1714	8.7	117	1	2	5	10	22	35	99+
1. SINGLE DX	1772	4.3	27	<1	1	3	5	9	12	31
2. MULTIPLE DX	4008	7.7	134	1	1	4	8	21	46	99+
A. NOT OPERATED	3194	6.1	117	1	1	3	6	14	46	99+
B. OPERATED	2586	7.3	86	1	2	4	8	16	27	82
TOTAL 0-27 DYS	36	6.4	50	1	1	4	8	15	31	99+
1-11 MOS	658	6.5	67	1	1	4	8	13	21	96
1-5 YRS	1787	5.6	82	1	1	3	6	12	23	99+
6-12 YRS	1659	6.3	99	1	1	4	6	15	45	99+
13-19 YRS	1640	8.3	144	1	1	4	9	21	40	99+
GRAND TOTAL	**5780**	**6.7**	**104**	**1**	**1**	**4**	**7**	**15**	**32**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	30	2.3	2	1	1	2	3	4	6	7
6-12 YRS	312	2.2	3	1	1	2	3	4	5	8
13-19 YRS	520	2.4	3	1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	9	3.4	3	1	1	3	4	6	7	7
13-19 YRS	23	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	6.8	13	2	2	8	9	11	11	11
1-5 YRS	21	3.0	4	1	1	2	3	5	8	10
6-12 YRS	228	2.9	6	1	1	2	3	5	6	12
13-19 YRS	424	3.5	11	1	1	3	4	7	9	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	3	3.3	5	2	2	2	5	6	6	6
6-12 YRS	9	3.3	5	1	1	3	4	7	8	8
13-19 YRS	30	6.3	86	1	1	4	7	10	15	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	2.3	3	1	1	2	3	4	5	8
B. *Operated*	33	3.0	3	1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	681	3.3	9	1	1	3	4	6	8	16
B. *Operated*	43	5.4	62	1	1	4	6	9	12	52
1. SINGLE DX	901	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	724	3.4	12	1	1	3	4	6	8	16
A. NOT OPERATED	1549	2.8	6	1	1	2	3	5	7	12
B. OPERATED	76	4.3	37	1	1	3	5	7	9	42
TOTAL 0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	4.7	13	1	1	3	8	10	11	11
1-5 YRS	55	2.7	4	1	1	2	3	6	7	10
6-12 YRS	558	2.5	4	1	1	2	3	4	6	8
13-19 YRS	997	3.0	9	1	1	2	4	5	7	13
GRAND TOTAL	**1625**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	5	2.8	2	1	1	3	4	5	5	5
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	5	1.4		<1	<1	<1	2	2	2	2
13-19 YRS	70	1.8	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.8	5	1	1	2	4	6	6	6
6-12 YRS	6	3.0	7	1	1	2	4	8	8	8
13-19 YRS	46	2.0	1	<1	1	2	2	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	<1	<1	2	3	5	5	5
B. *Operated*	84	1.8	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	57	2.2	2	<1	1	2	3	4	5	8
1. SINGLE DX	90	1.8	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX	60	2.1	2	<1	1	2	2	4	5	8
A. NOT OPERATED	9	2.2	2	<1	<1	2	3	4	5	5
B. OPERATED	141	1.9	2	<1	<1	2	2	3	5	8
TOTAL 0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	7	2.3	2	1	1	2	3	5	5	5
1-5 YRS	7	2.3	3	<1	<1	2	2	5	6	6
6-12 YRS	13	2.1	4	<1	<1	1	2	5	7	8
13-19 YRS	121	1.9	2	<1	<1	2	2	3	4	8
GRAND TOTAL	**150**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**5**	**8**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	4.4	9	1	1	4	5	9	11	11
1-5 YRS	46	5.8	68	<1	1	3	7	9	20	51
6-12 YRS	76	6.6	84	1	1	3	8	11	26	51
13-19 YRS	140	5.6	36	1	1	3	8	13	18	27
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	21	4.5	13	1	1	3	6	10	13	14
6-12 YRS	50	3.0	5	1	1	2	4	6	8	10
13-19 YRS	271	3.2	11	1	1	2	4	6	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.8	11	1	1	2	5	10	11	11
1-5 YRS	45	7.2	55	1	1	5	8	18	26	29
6-12 YRS	62	8.1	190	1	1	4	8	19	58	96
13-19 YRS	160	7.6	91	1	1	4	8	22	28	46
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	21	10.4	392	2	2	3	8	25	63	88
6-12 YRS	43	6.5	116	1	2	3	5	11	33	56
13-19 YRS	243	6.9	149	1	1	3	6	14	35	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	5.9	53	1	1	3	8	12	19	42
B. *Operated*	346	3.2	10	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	278	7.5	104	1	1	4	8	18	28	65
B. *Operated*	309	7.0	160	1	1	3	6	14	37	91
1. SINGLE DX	617	4.4	31	1	1	3	5	9	13	28
2. MULTIPLE DX	587	7.3	133	1	1	4	7	16	29	72
A. NOT OPERATED	549	6.7	80	1	1	4	8	16	26	51
B. OPERATED	655	5.0	84	1	1	3	5	8	15	63
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	24	3.5	9	<1	1	3	5	9	11	11
1-5 YRS	133	6.8	106	1	1	4	7	14	24	57
6-12 YRS	231	6.2	103	1	1	3	6	11	24	70
13-19 YRS	814	5.6	75	1	1	3	5	11	22	53
GRAND TOTAL	**1204**	**5.8**	**83**	**1**	**1**	**3**	**6**	**11**	**22**	**55**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.3	1	3	3	4	5	5	5	5
1-5 YRS	8	2.4	1	<1	<1	2	3	4	4	4
6-12 YRS	46	4.0	6	1	2	3	5	7	9	13
13-19 YRS	141	3.9	5	1	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	3	3.7	6	1	1	4	5	6	6	6
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	2.8	1	2	2	3	3	4	4	4
1-5 YRS	17	3.1	3	1	1	4	4	5	6	6
6-12 YRS	49	4.5	4	1	2	4	6	7	8	10
13-19 YRS	99	4.5	5	2	2	4	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	9	<1	<1	2	4	8	8	8
B. *Operated*	199	3.9	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	9	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*	172	4.3	5	1	2	4	6	7	8	11
1. SINGLE DX	204	3.9	5	1	1	4	5	7	8	12
2. MULTIPLE DX	181	4.2	5	1	2	4	5	7	8	11
A. NOT OPERATED	14	2.4	5	<1	<1	2	2	6	8	8
B. OPERATED	371	4.1	5	1	2	4	5	7	8	11
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	3.4	1	2	2	3	4	5	5	5
1-5 YRS	30	2.6	2	<1	<1	2	4	5	5	6
6-12 YRS	98	4.3	5	1	2	4	6	7	8	12
13-19 YRS	246	4.1	5	1	2	4	5	7	8	11
GRAND TOTAL	**385**	**4.0**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.8	4	1	1	3	4	5	5	5
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	13	3.0	5	<1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.0	47	1	1	1	2	16	18	18
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	4	3.8	8	2	2	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.0		<1	<1	1	1	1	1	1
B. *Operated*	24	2.7	3	<1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	9	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*	17	3.2	18	1	1	2	3	7	14	18
1. SINGLE DX	34	2.2	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX	26	2.8	12	<1	1	2	3	5	10	18
A. NOT OPERATED	19	1.4	1	<1	<1	1	1	3	4	4
B. OPERATED	41	2.9	9	<1	1	2	3	6	8	18
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.1	20	1	1	1	4	6	15	18
1-5 YRS	13	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	10	1.6		<1	<1	1	2	3	3	3
13-19 YRS	22	2.8	5	<1	<1	2	4	7	8	8
GRAND TOTAL	**60**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	5	2.8	6	<1	<1	2	4	7	7	7
13-19 YRS	12	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	5	2.8	4	1	1	2	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	7	3.9	14	1	1	3	8	74	99+	99+
6-12 YRS	9	2.0	2	1	1	2	2	4	5	5
13-19 YRS	20	3.3	10	<1	1	2	4	6	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	21	2.4	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	10	2.3	4	<1	<1	1	5	5	5	5
B. *Operated*	39	2.9	8	1	1	2	3	6	13	99+
1. SINGLE DX	26	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	49	2.8	7	1	1	2	3	5	12	99+
A. NOT OPERATED	15	2.1	3	<1	<1	1	3	5	5	5
B. OPERATED	60	2.8	6	1	1	2	3	5	9	91
TOTAL 0-27 DYS										
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	13	3.4	8	1	1	3	5	21	82	99+
6-12 YRS	18	2.0	3	<1	<1	1	2	4	6	7
13-19 YRS	40	2.8	6	1	1	2	3	5	6	15
GRAND TOTAL	**75**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**78**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	12	4.8	81	<1	<1	2	3	15	30	33
1-5 YRS	49	2.0	2	1	1	2	2	3	4	11
6-12 YRS	64	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	61	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	7	<1	<1	1	3	7	7	7
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	6	3.3	5	1	1	3	4	7	7	7
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	2.2	2	1	1	2	2	4	6	6
1-5 YRS	30	1.9	1	<1	1	2	2	3	3	4
6-12 YRS	49	2.6	2	<1	1	2	3	5	6	6
13-19 YRS	60	2.7	4	1	1	2	3	4	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	186	2.2	7	<1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	14	2.5	5	<1	<1	2	4	7	7	7
B. *Operated*	151	2.5	2	1	1	2	3	4	5	8
1. SINGLE DX	190	2.2	7	<1	1	2	2	3	4	10
2. MULTIPLE DX	165	2.5	3	<1	1	2	3	4	6	8
A. NOT OPERATED	18	2.4	4	<1	<1	2	3	6	7	7
B. OPERATED	337	2.3	5	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	3.6	43	<1	<1	2	3	6	16	33
1-5 YRS	84	1.9	2	<1	1	2	2	3	4	10
6-12 YRS	118	2.2	1	<1	1	2	3	4	5	6
13-19 YRS	129	2.5	3	<1	1	2	3	4	5	10
GRAND TOTAL	**355**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	39	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	15	1.7	2	<1	<1	1	2	4	5	6
13-19 YRS	14	2.9	6	1	1	2	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	271	1.3		<1	<1	1	2	2	2	2
1-5 YRS	2372	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1212	1.4	1	<1	<1	1	2	2	2	2
13-19 YRS	570	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	16	1.1		<1	<1	1	1	2	66	99+
1-5 YRS	110	1.6	4	<1	<1	1	1	3	5	12
6-12 YRS	39	1.7	3	<1	<1	1	2	4	5	10
13-19 YRS	20	2.3	3	<1	<1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	61	1.3		<1	<1	1	2	2	3	4
1-5 YRS	694	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	312	1.5	1	<1	<1	1	2	2	2	4
13-19 YRS	190	1.7	1	<1	1	2	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	4425	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	186	1.7	4	<1	<1	1	1	4	5	15
B. *Operated*	1257	1.5	1	<1	<1	1	2	2	2	4
1. SINGLE DX	4495	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX	1443	1.5	1	<1	<1	1	2	2	3	5
A. NOT OPERATED	256	1.7	4	<1	<1	1	1	4	5	14
B. OPERATED	5682	1.4		<1	<1	1	2	2	2	3
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	350	1.3		<1	<1	1	2	2	2	3
1-5 YRS	3215	1.4		<1	<1	1	2	2	2	3
6-12 YRS	1578	1.5	1	<1	<1	1	2	2	2	3
13-19 YRS	794	1.6	1	<1	<1	2	2	2	2	5
GRAND TOTAL	**5938**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	51	3.4	3	1	2	3	4	6	8	8
1-11 MOS	251	1.5	2	<1	<1	<1	1	3	4	10
1-5 YRS	318	2.0	4	<1	<1	1	3	4	6	9
6-12 YRS	55	2.8	5	<1	<1	2	4	6	6	11
13-19 YRS	39	3.2	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	24	1.7	2	<1	<1	1	2	3	6	7
1-5 YRS	241	1.6	2	<1	<1	1	2	2	4	6
6-12 YRS	176	1.8	2	<1	<1	1	2	3	3	10
13-19 YRS	195	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	71	3.9	8	1	1	3	5	6	9	17
1-11 MOS	165	3.3	5	<1	1	3	4	7	8	12
1-5 YRS	274	3.4	9	<1	<1	3	4	7	8	16
6-12 YRS	67	3.6	4	1	1	3	5	6	7	10
13-19 YRS	61	4.0	12	<1	<1	3	5	7	10	21
B. *Operated*										
0-27 DYS	4	4.3	8	<1	<1	4	6	7	7	7
1-11 MOS	17	7.5	394	<1	<1	2	5	9	58	84
1-5 YRS	105	2.1	8	<1	<1	1	2	4	5	19
6-12 YRS	91	2.2	3	<1	<1	2	2	4	5	9
13-19 YRS	121	2.5	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.0	3	<1	<1	1	3	4	6	9
B. *Operated*	639	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	638	3.5	8	<1	1	3	4	6	8	14
B. *Operated*	338	2.6	24	<1	<1	2	3	4	5	13
1. SINGLE DX	1353	1.9	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	976	3.2	14	<1	<1	2	4	6	8	14
A. NOT OPERATED	1352	2.7	6	<1	<1	2	4	6	7	12
B. OPERATED	977	2.0	10	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	129	3.7	6	1	2	3	4	7	8	15
1-11 MOS	457	2.4	19	<1	<1	1	3	5	7	11
1-5 YRS	938	2.3	6	<1	<1	1	3	5	6	13
6-12 YRS	389	2.3	3	<1	<1	2	3	5	6	10
13-19 YRS	416	2.4	4	<1	<1	2	3	4	5	10
GRAND TOTAL	**2329**	**2.4**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	3.7	3	1	2	3	4	7	8	8
1-11 MOS	213	3.4	3	1	1	3	4	6	7	9
1-5 YRS	675	3.5	4	1	2	3	4	6	8	11
6-12 YRS	223	3.8	4	1	2	3	5	6	8	11
13-19 YRS	138	3.9	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	20	2.6	2	<1	<1	2	4	5	5	5
1-5 YRS	54	2.9	6	<1	<1	2	4	7	9	10
6-12 YRS	69	3.2	11	<1	<1	2	4	7	11	18
13-19 YRS	72	2.6	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	30	5.5	37	2	2	4	6	7	11	36
1-11 MOS	323	4.1	8	1	2	3	5	7	10	13
1-5 YRS	690	4.0	7	1	2	3	5	7	9	14
6-12 YRS	281	4.5	10	1	1	4	6	8	10	13
13-19 YRS	165	4.5	9	1	1	4	6	9	10	16
B. *Operated*										
0-27 DYS	4	6.0	28	1	1	5	10	13	13	13
1-11 MOS	50	5.1	24	1	1	4	7	10	12	31
1-5 YRS	79	4.6	18	<1	1	3	7	11	11	23
6-12 YRS	96	5.3	17	1	1	4	7	11	13	20
13-19 YRS	123	5.7	45	1	1	4	7	11	15	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1272	3.6	4	1	1	3	4	6	8	11
B. *Operated*	218	2.8	7	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	1489	4.2	8	1	2	4	5	8	10	14
B. *Operated*	352	5.2	28	1	1	4	7	11	13	27
1. SINGLE DX	1490	3.5	5	1	1	3	4	6	8	11
2. MULTIPLE DX	1841	4.4	12	1	1	4	5	8	11	15
A. NOT OPERATED	2761	3.9	7	1	2	3	5	7	9	12
B. OPERATED	570	4.3	21	<1	1	3	5	9	12	22
TOTAL 0-27 DYS	60	4.7	22	1	2	4	5	7	9	34
1-11 MOS	606	3.9	8	1	1	3	5	7	9	13
1-5 YRS	1498	3.8	6	1	1	3	5	7	8	12
6-12 YRS	669	4.2	9	1	1	3	6	8	10	14
13-19 YRS	498	4.3	17	1	1	3	5	9	11	17
GRAND TOTAL	**3331**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	1.8	1	<1	<1	2	2	3	4	4
1-5 YRS	17	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	15	2.1	1	<1	1	2	3	4	4	4
13-19 YRS	12	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.5		<1	<1	1	2	2	2	2
6-12 YRS	10	1.6		1	1	2	2	2	2	2
13-19 YRS	12	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	2.9	5	<1	<1	2	3	7	9	9
1-5 YRS	27	2.1	4	<1	<1	1	2	6	7	8
6-12 YRS	28	1.9	2	<1	<1	2	2	4	5	6
13-19 YRS	34	3.2	7	<1	1	3	4	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	23	1.7		<1	<1	2	2	3	3	3
13-19 YRS	16	2.8	2	1	2	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.9	1	<1	1	2	3	4	5	5
B. *Operated*	36	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	107	2.5	5	<1	<1	2	3	5	8	11
B. *Operated*	42	2.1	1	<1	1	2	2	3	4	7
1. SINGLE DX	92	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	149	2.4	4	<1	<1	2	3	5	7	9
A. NOT OPERATED	163	2.3	4	<1	<1	2	3	5	6	9
B. OPERATED	78	1.8	1	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	28	2.5	4	<1	<1	2	3	4	8	9
1-5 YRS	61	1.8	2	<1	<1	1	2	3	6	8
6-12 YRS	76	1.8	1	<1	1	2	2	3	4	6
13-19 YRS	74	2.7	4	1	1	2	3	5	7	13
GRAND TOTAL	**241**	**2.2**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	104	3.1	2	1	1	3	4	5	6	9
1-11 MOS	965	2.6	2	1	1	2	3	4	5	7
1-5 YRS	1074	2.9	3	1	1	2	4	5	6	9
6-12 YRS	114	3.3	6	<1	1	3	4	6	7	14
13-19 YRS	30	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
0-27 DYS	4	4.5	2	3	3	4	5	6	6	6
1-11 MOS	890	1.2	1	<1	<1	<1	<1	1	2	5
1-5 YRS	5547	1.1	2	<1	<1	<1	<1	1	1	3
6-12 YRS	2332	1.2	1	<1	<1	<1	1	2	2	3
13-19 YRS	645	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	179	4.1	6	2	2	3	5	7	9	15
1-11 MOS	3074	3.2	4	1	1	3	4	5	7	11
1-5 YRS	4711	3.2	5	1	1	3	4	6	7	11
6-12 YRS	485	3.4	15	<1	1	3	4	6	8	14
13-19 YRS	179	3.9	12	<1	1	3	5	7	10	19
B. *Operated*										
0-27 DYS	17	3.1	3	1	2	3	3	5	7	8
1-11 MOS	369	3.0	14	<1	<1	2	4	7	9	15
1-5 YRS	4595	1.5	2	<1	<1	1	2	2	3	8
6-12 YRS	2769	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	876	1.9	2	<1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2287	2.8	3	1	1	2	3	5	6	8
B. *Operated*	9418	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	8628	3.2	5	1	1	3	4	6	7	11
B. *Operated*	8626	1.6	2	<1	<1	1	2	2	3	8
1. SINGLE DX	11705	1.5	2	<1	<1	<1	1	3	4	6
2. MULTIPLE DX	17254	2.4	5	<1	<1	2	3	5	6	10
A. NOT OPERATED	10915	3.1	5	1	1	3	4	5	7	11
B. OPERATED	18044	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-27 DYS	304	3.7	5	1	2	3	4	6	8	13
1-11 MOS	5298	2.7	4	<1	<1	2	4	5	6	10
1-5 YRS	15927	1.9	4	<1	<1	1	2	4	5	9
6-12 YRS	5700	1.6	3	<1	<1	1	2	2	3	7
13-19 YRS	1730	2.0	3	<1	<1	2	2	3	4	9
GRAND TOTAL	**28959**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.3	1	1	1	2	3	4	4	4
1-11 MOS	86	2.7	3	1	1	2	3	5	6	9
1-5 YRS	157	3.5	6	<1	1	3	4	7	10	12
6-12 YRS	82	3.1	3	1	1	3	4	6	7	10
13-19 YRS	64	3.5	3	2	2	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	47	1.8	4	<1	<1	1	1	4	6	11
1-5 YRS	456	1.3	1	<1	<1	<1	1	2	3	7
6-12 YRS	315	1.7	3	<1	<1	<1	1	3	5	9
13-19 YRS	109	2.2	5	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	3.2	4	1	2	3	4	5	8	9
1-11 MOS	210	3.4	4	1	1	3	4	6	8	10
1-5 YRS	502	3.7	8	1	1	3	5	7	9	14
6-12 YRS	180	4.2	7	1	1	4	5	8	9	13
13-19 YRS	127	4.9	43	1	2	4	5	7	10	32
B. *Operated*										
0-27 DYS	5	4.8	4	3	3	4	6	8	8	8
1-11 MOS	71	4.0	17	<1	<1	3	6	10	15	16
1-5 YRS	601	2.5	19	<1	<1	1	2	6	10	22
6-12 YRS	404	2.4	10	<1	<1	1	2	4	8	14
13-19 YRS	214	3.5	15	1	1	2	3	7	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	3.2	4	1	1	3	4	6	7	11
B. *Operated*	927	1.6	2	<1	<1	<1	1	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	1033	3.9	12	1	1	3	5	7	9	14
B. *Operated*	1295	2.7	15	<1	<1	1	3	6	10	18
1. SINGLE DX	1328	2.1	3	<1	<1	1	3	4	6	10
2. MULTIPLE DX	2328	3.2	14	<1	<1	2	4	7	9	16
A. NOT OPERATED	1434	3.7	10	1	1	3	4	7	9	13
B. OPERATED	2222	2.2	10	<1	<1	1	2	4	7	15
TOTAL 0-27 DYS	31	3.1	3	1	2	3	4	5	8	9
1-11 MOS	414	3.2	6	<1	1	2	4	6	9	14
1-5 YRS	1716	2.6	11	<1	<1	1	3	6	8	13
6-12 YRS	981	2.5	7	<1	<1	2	3	5	8	13
13-19 YRS	514	3.5	19	<1	1	3	4	6	9	20
GRAND TOTAL	**3656**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**14**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	15	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	17	2.8	4	1	1	2	3	6	7	8
13-19 YRS	50	3.4	5	1	1	3	5	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	10	1.7		<1	<1	2	2	3	3	3
13-19 YRS	18	2.6	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	8	1.9	1	1	1	2	3	4	4	4
1-5 YRS	11	3.0	5	1	1	2	4	7	8	8
6-12 YRS	23	3.1	2	1	1	3	4	5	6	6
13-19 YRS	91	3.7	3	1	2	4	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	6	2.2	1	1	1	2	2	4	4	4
13-19 YRS	16	4.3	8	1	1	3	7	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.0	4	<1	1	2	4	5	7	11
B. *Operated*	33	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	134	3.5	4	1	1	3	5	6	7	9
B. *Operated*	25	3.4	7	<1	1	2	4	8	9	10
1. SINGLE DX	118	2.8	3	<1	1	2	4	5	6	9
2. MULTIPLE DX	159	3.5	4	1	1	3	5	6	8	10
A. NOT OPERATED	219	3.3	4	1	1	3	4	6	7	9
B. OPERATED	58	2.7	4	<1	<1	2	3	6	8	10
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	12	1.9	1	<1	<1	2	3	4	4	4
1-5 YRS	33	2.4	2	<1	<1	2	3	4	6	8
6-12 YRS	56	2.7	2	<1	1	2	4	5	6	8
13-19 YRS	175	3.6	4	1	1	3	5	6	8	10
GRAND TOTAL	**277**	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	12	1.8	1	1	1	1	2	3	4	4
13-19 YRS	57	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	12.5	265	1	1	12	24	24	24	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	24	2.1	1	1	1	2	3	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	71	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	5	6.2	101	<1	<1	1	9	24	24	24
B. *Operated*	28	2.1	1	1	1	2	3	3	3	4
1. SINGLE DX	73	2.1	1	1	1	2	3	3	3	5
2. MULTIPLE DX	33	2.7	15	<1	1	2	3	3	4	24
A. NOT OPERATED	7	5.0	71	<1	<1	2	4	20	24	24
B. OPERATED	99	2.1	1	1	1	2	3	3	3	5
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	17	1.8	1	<1	1	1	2	3	4	4
13-19 YRS	85	2.4	6	1	1	2	3	3	3	17
GRAND TOTAL	**106**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**4**	**13**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	28	1.2		<1	<1	<1	1	2	3	3
6-12 YRS	26	2.8	8	<1	<1	1	3	7	11	11
13-19 YRS	22	2.2	3	<1	<1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	1.4		<1	<1	<1	2	2	2	2
1-5 YRS	315	1.5	2	<1	<1	1	2	2	2	4
6-12 YRS	1035	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	807	1.7	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	8	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	41	2.9	4	<1	<1	2	4	6	7	9
6-12 YRS	35	2.9	19	<1	<1	1	3	5	13	22
13-19 YRS	51	3.2	9	<1	<1	1	5	8	10	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	267	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	986	1.7	1	<1	<1	2	2	3	3	6
13-19 YRS	797	1.9	1	1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.1	4	<1	<1	1	3	4	6	11
B. *Operated*	2171	1.6	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	137	3.0	10	<1	<1	1	4	7	9	16
B. *Operated*	2062	1.8	1	<1	1	2	2	3	3	7
1. SINGLE DX	2250	1.7	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	2199	1.9	2	<1	<1	2	2	3	4	8
A. NOT OPERATED	216	2.6	8	<1	<1	1	3	6	8	13
B. OPERATED	4233	1.7	1	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	5	2.4	3	<1	<1	2	3	5	5	5
1-11 MOS	34	1.7	1	<1	<1	1	2	3	4	5
1-5 YRS	651	1.6	2	<1	<1	1	2	2	3	7
6-12 YRS	2082	1.7	1	<1	<1	2	2	3	3	6
13-19 YRS	1677	1.9	1	<1	1	2	2	3	4	7
GRAND TOTAL	**4449**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	5.6	14	1	2	5	8	10	14	16
6-12 YRS	112	6.5	24	2	2	5	8	14	15	26
13-19 YRS	55	7.1	26	2	3	5	10	15	16	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	4.8	6	2	2	4	6	9	10	10
6-12 YRS	61	8.1	56	2	3	6	10	16	23	40
13-19 YRS	51	7.6	25	2	3	5	10	16	17	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	3	29.7	625	1	1	41	45	47	47	47
13-19 YRS	4	27.5	219	8	8	31	39	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	6.6	23	2	2	5	8	13	15	26
B. *Operated*	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	122	7.6	39	2	3	5	10	15	18	38
B. *Operated*	8	27.4	283	1	3	31	40	45	47	47
1. SINGLE DX	193	6.6	23	2	2	5	8	13	15	26
2. MULTIPLE DX	130	8.8	75	2	3	6	10	18	28	42
A. NOT OPERATED	313	7.0	30	2	2	5	8	14	17	29
B. OPERATED	10	22.8	316	<1	<1	22	39	44	47	47
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	34	5.8	17	2	2	5	8	11	15	20
6-12 YRS	177	7.4	51	2	2	6	8	14	21	41
13-19 YRS	111	8.1	44	2	3	5	10	16	21	39
GRAND TOTAL	**323**	**7.5**	**45**	**2**	**2**	**5**	**9**	**14**	**20**	**39**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	10	1	1	2	6	7	7	7
6-12 YRS	9	6.7	26	2	2	5	10	15	16	16
13-19 YRS	14	7.6	114	1	2	4	6	32	33	33
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	10.8	42	2	2	12	15	17	17	17
6-12 YRS	10	2.4	6	1	1	2	2	6	9	9
13-19 YRS	14	5.4	16	<1	1	4	9	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	4.2	15	<1	<1	3	7	10	10	10
6-12 YRS	9	4.1	10	2	2	2	6	10	10	10
13-19 YRS	27	4.5	12	1	2	3	5	10	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	12	5.0	40	1	1	2	6	14	22	23
6-12 YRS	8	6.8	47	2	2	3	10	19	21	21
13-19 YRS	36	11.0	282	1	2	5	14	23	42	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.8	70	1	2	4	7	16	32	33
B. *Operated*	29	5.1	21	1	1	2	9	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	43	4.5	12	1	1	3	6	10	11	16
B. *Operated*	58	8.9	195	1	2	3	10	20	27	88
1. SINGLE DX	55	5.9	44	1	1	3	8	13	17	33
2. MULTIPLE DX	101	7.0	121	1	2	3	8	16	22	69
A. NOT OPERATED	69	5.4	34	1	2	4	6	11	16	33
B. OPERATED	87	7.6	139	1	1	3	9	17	23	75
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	4.3	8	2	2	4	6	8	8	8
1-5 YRS	24	5.6	34	<1	1	2	9	14	19	23
6-12 YRS	36	4.9	23	1	2	2	7	12	15	21
13-19 YRS	91	7.7	140	1	2	4	9	16	29	73
GRAND TOTAL	**156**	**6.6**	**94**	**1**	**2**	**3**	**8**	**15**	**20**	**47**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	2.9	6	<1	<1	2	6	7	7	7
1-5 YRS	7	4.0	6	2	2	3	6	8	8	8
6-12 YRS	23	3.9	6	1	2	3	5	8	9	11
13-19 YRS	75	3.3	4	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.0	3	4	4	7	7	7	7	7
1-5 YRS	6	2.7	1	2	2	2	4	4	4	4
6-12 YRS	7	4.1	28	1	1	2	4	14	16	16
13-19 YRS	34	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	22	5.4	11	1	2	5	7	10	12	15
1-5 YRS	26	4.9	15	1	1	4	6	11	14	14
6-12 YRS	47	4.9	15	1	1	4	6	11	14	18
13-19 YRS	160	4.1	9	1	2	3	5	7	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	190	2	2	4	18	31	31	31
1-5 YRS	2	9.5	13	7	7	9	12	12	12	12
6-12 YRS	10	10.5	500	2	2	3	4	40	74	74
13-19 YRS	45	5.6	36	1	1	3	7	11	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.4	5	1	1	3	4	7	8	11
B. *Operated*	50	3.1	6	1	1	2	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	257	4.5	11	1	1	4	6	9	12	17
B. *Operated*	61	6.8	116	1	1	4	7	12	29	69
1. SINGLE DX	166	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX	318	4.9	32	1	1	4	6	10	13	29
A. NOT OPERATED	373	4.2	10	1	1	3	5	8	11	16
B. OPERATED	111	5.1	70	1	1	3	5	9	12	48
TOTAL 0-27 DYS	3	9.0	21	4	4	10	12	13	13	13
1-11 MOS	39	5.3	27	1	1	4	7	9	13	31
1-5 YRS	41	4.6	13	1	1	4	6	10	13	14
6-12 YRS	87	5.2	68	1	1	3	6	10	14	53
13-19 YRS	314	4.0	12	1	1	3	5	7	10	18
GRAND TOTAL	**484**	**4.4**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0		5	5	5	5	5	5	5
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	5	8.6	40	3	3	6	12	19	19	19
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	6	5.5	18	3	3	3	8	12	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.0	3	5	5	5	7	8	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	6.6	17	3	3	6	8	12	17	19
B. *Operated*	2	12.0	2	11	11	12	13	13	13	13
1. SINGLE DX	3	6.0	3	5	5	5	7	8	8	8
2. MULTIPLE DX	20	7.1	18	3	3	6	9	13	16	19
A. NOT OPERATED	21	6.5	15	3	3	5	8	11	16	19
B. OPERATED	2	12.0	2	11	11	12	13	13	13	13
TOTAL 0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	6	9.0	33	3	3	8	11	18	19	19
1-5 YRS	4	6.0	2	5	5	6	7	8	8	8
6-12 YRS	4	6.0	3	4	4	6	7	8	8	8
13-19 YRS	7	6.6	23	3	3	3	12	13	13	13
GRAND TOTAL	**23**	**7.0**	**16**	**3**	**3**	**6**	**8**	**13**	**15**	**19**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	9	4.3	5	2	2	4	6	8	8	8
13-19 YRS	16	3.6	4	1	1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	3.8	7	1	1	4	6	6	6	6
13-19 YRS	18	6.1	32	2	2	3	8	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	13	1	1	4	4	10	11	11
1-5 YRS	16	3.1	2	<1	1	3	4	5	6	6
6-12 YRS	29	5.6	20	2	2	4	6	11	17	20
13-19 YRS	35	5.2	19	1	1	4	7	12	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	17	10.6	199	1	1	5	15	24	46	57
6-12 YRS	24	13.5	234	1	2	7	16	41	47	52
13-19 YRS	53	9.1	50	2	2	7	13	19	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.7	4	1	1	3	5	7	7	8
B. *Operated*	23	5.8	27	1	2	4	8	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	86	4.9	16	1	1	4	6	11	13	20
B. *Operated*	95	10.4	122	1	2	7	13	24	37	55
1. SINGLE DX	50	4.7	15	1	2	3	6	9	15	20
2. MULTIPLE DX	181	7.8	79	1	2	5	9	17	25	50
A. NOT OPERATED	113	4.6	13	1	1	4	5	9	12	20
B. OPERATED	118	9.5	107	1	2	6	12	20	30	54
TOTAL 0-27 DYS										
1-11 MOS	7	4.1	11	1	1	4	4	10	11	11
1-5 YRS	36	6.8	106	1	1	4	6	15	24	57
6-12 YRS	66	8.2	109	2	2	5	7	19	40	51
13-19 YRS	122	6.8	36	1	2	5	9	15	20	29
GRAND TOTAL	**231**	**7.1**	**67**	**1**	**2**	**4**	**8**	**15**	**20**	**46**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	6	8.8	18	3	3	8	12	15	15	15
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	6	7.5	13	1	2	8	10	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	10.6	2	9	9	10	12	12	12	12
1-11 MOS	22	8.5	32	1	2	8	11	18	51	99+
1-5 YRS	13	11.2	37	2	4	10	14	21	23	23
6-12 YRS	8	12.1	23	6	7	11	16	19	20	20
13-19 YRS	21	7.8	15	2	3	8	11	13	13	13
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	4	12.3	22	6	6	13	15	17	17	17
1-5 YRS	5	7.6	32	1	1	8	11	16	16	16
6-12 YRS	2	7.5	85	1	1	7	14	14	14	14
13-19 YRS	4	11.3	19	7	7	10	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	8.4	13	2	3	9	11	12	14	15
B. *Operated*	4	5.8	24	1	1	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	69	9.3	26	2	3	9	13	16	21	85
B. *Operated*	17	9.4	26	1	2	9	14	17	17	17
1. SINGLE DX	20	7.9	16	1	2	9	11	12	14	15
2. MULTIPLE DX	86	9.4	26	2	3	9	13	16	20	72
A. NOT OPERATED	85	9.2	24	2	3	9	12	15	20	73
B. OPERATED	21	8.7	27	1	1	9	13	16	17	17
TOTAL 0-27 DYS	9	8.9	7	4	5	10	11	12	12	12
1-11 MOS	34	8.8	28	1	2	9	12	16	23	99+
1-5 YRS	19	10.3	35	1	3	9	14	19	22	23
6-12 YRS	11	11.3	28	1	4	11	15	18	20	20
13-19 YRS	33	8.0	16	2	3	9	11	13	13	17
GRAND TOTAL	**106**	**9.1**	**24**	**1**	**2**	**9**	**12**	**15**	**18**	**57**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	11	3.2	4	1	1	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.6	7	2	2	4	6	9	9	9
1-11 MOS	26	3.8	7	1	2	3	4	7	11	12
1-5 YRS	5	5.2	25	2	2	3	6	14	14	14
6-12 YRS	5	5.8	17	1	1	5	8	12	12	12
13-19 YRS	24	4.2	4	1	2	4	5	7	9	9
B. *Operated*										
0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	7	4.9	12	1	1	5	8	10	10	10
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.7	2	3	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	4	1	1	2	5	6	7	7
B. *Operated*	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	65	4.3	8	1	2	4	5	9	11	14
B. *Operated*	14	4.9	15	1	1	4	6	10	13	14
1. SINGLE DX	16	2.6	4	1	1	2	4	5	6	7
2. MULTIPLE DX	79	4.4	9	1	2	4	5	9	11	14
A. NOT OPERATED	78	4.0	7	1	1	4	5	7	10	14
B. OPERATED	17	4.3	13	1	1	3	5	10	13	14
TOTAL 0-27 DYS	7	5.7	19	2	2	4	8	13	14	14
1-11 MOS	37	3.7	8	1	1	3	4	9	11	12
1-5 YRS	6	4.5	23	1	1	3	4	13	14	14
6-12 YRS	7	4.6	16	1	1	4	6	11	12	12
13-19 YRS	38	3.9	4	1	1	4	5	7	8	9
GRAND TOTAL	**95**	**4.1**	**8**	**1**	**1**	**3**	**5**	**9**	**11**	**14**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.4	8	3	3	4	7	10	10	10
1-11 MOS	31	5.2	14	2	3	3	7	10	10	20
1-5 YRS	8	5.8	16	3	3	4	8	12	12	12
6-12 YRS	8	6.0	29	2	2	4	9	15	16	16
13-19 YRS	7	6.1	16	3	3	4	8	13	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	9	6.6	14	1	1	8	10	11	11	11
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	4	2	2	3	5	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	5.5	15	2	3	4	7	11	14	20
B. *Operated*	12	6.0	15	1	1	6	10	11	11	11
1. SINGLE DX	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX	71	5.6	15	2	2	4	8	11	13	19
A. NOT OPERATED	63	5.4	14	2	2	4	7	11	13	19
B. OPERATED	12	6.0	15	1	1	6	10	11	11	11
TOTAL 0-27 DYS	5	5.4	8	3	3	4	7	10	10	10
1-11 MOS	41	5.4	14	1	2	4	8	10	11	20
1-5 YRS	10	5.1	15	1	2	4	5	12	12	12
6-12 YRS	8	6.0	29	2	2	4	9	15	16	16
13-19 YRS	11	5.7	14	2	2	4	8	12	14	14
GRAND TOTAL	**75**	**5.5**	**14**	**2**	**2**	**4**	**8**	**10**	**13**	**19**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.4	7	1	1	2	5	8	9	9
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	4	5.3	14	2	2	5	8	9	9	9
13-19 YRS	5	3.2	19	<1	<1	1	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	8	4.4	8	1	1	4	7	8	8	8
1-5 YRS	9	6.6	33	2	2	5	8	17	19	19
6-12 YRS	5	2.4	1	1	1	3	3	3	3	3
13-19 YRS	8	7.4	35	2	2	5	9	18	20	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	6.3	29	1	2	4	9	14	18	21
1-5 YRS	13	2.4	5	<1	1	2	2	4	9	10
6-12 YRS	6	4.2	11	2	2	2	8	9	9	9
13-19 YRS	6	7.3	37	2	2	6	10	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	23	3.4	10	<1	1	2	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	32	5.4	22	1	2	4	6	12	18	20
B. *Operated*	47	5.0	23	1	2	2	8	12	15	21
1. SINGLE DX	24	3.4	9	<1	1	2	4	9	10	11
2. MULTIPLE DX	79	5.2	22	1	2	3	7	12	17	21
A. NOT OPERATED	33	5.3	21	1	2	4	6	12	18	20
B. OPERATED	70	4.5	19	1	1	2	7	10	13	20
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	40	5.1	20	1	1	3	7	11	14	21
1-5 YRS	25	3.8	18	<1	1	2	4	10	14	19
6-12 YRS	15	3.9	9	1	2	2	7	9	9	9
13-19 YRS	19	6.3	32	<1	1	5	9	16	19	20
GRAND TOTAL	**103**	**4.7**	**20**	**1**	**1**	**3**	**7**	**11**	**14**	**20**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	9.2	13	2	5	10	11	13	15	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	11.0	29	5	5	10	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	8.5	20	3	3	9	12	13	13	13
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	7.5	1	7	7	7	8	8	8	8
13-19 YRS	40	9.1	26	2	4	8	11	15	18	27
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	15	11.4	22	3	5	13	15	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	9.2	13	2	5	10	11	13	15	18
B. *Operated*	4	11.0	29	5	5	10	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	47	8.9	24	3	4	8	11	15	17	27
B. *Operated*	19	10.8	23	2	3	12	14	17	18	18
1. SINGLE DX	27	9.4	15	3	5	10	12	14	18	18
2. MULTIPLE DX	66	9.4	24	2	3	9	13	15	18	26
A. NOT OPERATED	70	9.0	20	3	4	9	11	14	17	26
B. OPERATED	23	10.9	23	2	4	12	14	18	18	18
TOTAL 0-27 DYS	4	8.5	20	3	3	9	12	13	13	13
1-11 MOS	3	4.7	6	2	2	5	6	7	7	7
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	9.7	14	7	7	8	12	14	14	14
13-19 YRS	82	9.6	22	2	5	10	12	16	18	25
GRAND TOTAL	**93**	**9.4**	**21**	**2**	**4**	**10**	**12**	**15**	**18**	**24**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	4	19.8	190	3	3	22	31	32	32	32
13-19 YRS	5	23.4	189	8	8	30	35	35	35	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	18.0	578	<1	<1	17	35	35	35	35
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	21.5	106	8	8	25	28	33	33	33
1-5 YRS	14	23.7	457	2	3	24	31	43	74	83
6-12 YRS	20	24.2	366	<1	1	18	43	47	57	66
13-19 YRS	32	26.3	205	2	4	28	40	44	47	47
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	17.3	169	4	4	18	27	30	30	30
1-5 YRS	3	33.3	86	23	23	36	40	41	41	41
6-12 YRS	3	36.0	1153	13	13	20	61	75	75	75
13-19 YRS	15	32.1	322	6	8	31	44	55	65	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	22.5	156	3	5	29	32	35	35	35
B. *Operated*	3	12.3	385	<1	<1	1	26	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	72	24.8	281	2	3	25	37	44	47	79
B. *Operated*	25	30.2	346	5	8	30	42	55	70	75
1. SINGLE DX	13	20.2	201	<1	1	29	33	35	35	35
2. MULTIPLE DX	97	26.2	300	2	4	26	39	46	53	79
A. NOT OPERATED	82	24.5	264	2	3	25	35	43	47	78
B. OPERATED	28	28.3	367	1	4	29	39	53	70	75
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	9	20.1	113	4	6	22	29	32	33	33
1-5 YRS	19	24.3	385	1	2	25	34	40	64	83
6-12 YRS	29	24.4	392	<1	1	19	40	47	66	75
13-19 YRS	52	27.7	237	3	6	29	40	46	48	69
GRAND TOTAL	**110**	**25.5**	**290**	**2**	**3**	**26**	**35**	**44**	**49**	**78**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	3.8	5	1	1	3	5	7	8	9
1-11 MOS	30	3.9	44	1	1	3	4	6	7	38
1-5 YRS	19	1.4	1	<1	1	1	2	3	4	4
6-12 YRS	26	2.2	2	1	1	2	3	3	6	8
13-19 YRS	42	2.3	3	<1	<1	1	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	4.5	4	1	1	5	6	7	7	7
1-11 MOS	34	4.0	14	1	1	3	5	9	14	17
1-5 YRS	21	2.9	5	<1	<1	2	4	7	7	8
6-12 YRS	22	2.4	3	<1	<1	2	2	6	7	7
13-19 YRS	59	2.9	4	1	1	2	4	6	6	12
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	2.7	12	<1	1	2	3	5	7	13
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	147	3.2	7	1	1	2	4	6	7	15
B. *Operated*	6	4.0	7	2	2	3	5	9	9	9
1. SINGLE DX	138	2.7	12	<1	1	2	3	5	7	12
2. MULTIPLE DX	153	3.2	7	1	1	2	4	6	7	15
A. NOT OPERATED	284	3.0	10	<1	1	2	4	6	7	14
B. OPERATED	7	3.7	7	2	2	3	5	8	9	9
TOTAL 0-27 DYS	32	4.2	5	1	1	4	6	7	9	9
1-11 MOS	66	4.0	27	1	1	3	4	6	11	35
1-5 YRS	41	2.2	3	<1	1	2	3	5	7	8
6-12 YRS	50	2.3	3	1	1	2	3	5	6	8
13-19 YRS	102	2.6	4	<1	1	2	3	6	6	10
GRAND TOTAL	**291**	**3.0**	**9**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	18	1.8	6	<1	<1	1	2	3	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	5.9	21	<1	<1	6	9	12	16	17
1-5 YRS	12	4.9	12	<1	1	4	7	11	12	12
6-12 YRS	17	4.2	15	<1	1	2	5	12	13	13
13-19 YRS	62	3.0	14	1	1	2	3	6	10	24
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	21.5	841	1	1	21	42	42	42	42
1-5 YRS	4	4.5	40	<1	<1	1	8	14	14	14
6-12 YRS										
13-19 YRS	4	5.5	30	<1	<1	4	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.4	6	<1	<1	1	3	6	8	11
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	111	3.9	16	<1	1	2	5	10	12	20
B. *Operated*	11	7.8	151	<1	<1	2	11	25	41	42
1. SINGLE DX	25	2.4	6	<1	<1	1	3	6	8	11
2. MULTIPLE DX	122	4.3	28	<1	1	2	5	10	13	30
A. NOT OPERATED	134	3.7	14	<1	1	2	5	9	12	18
B. OPERATED	13	6.8	132	<1	<1	2	9	20	38	42
TOTAL 0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	24	6.9	74	<1	1	5	9	14	24	42
1-5 YRS	17	4.6	17	<1	<1	3	7	12	13	14
6-12 YRS	18	4.3	15	<1	1	3	6	11	13	13
13-19 YRS	85	2.9	13	<1	1	2	3	6	10	21
GRAND TOTAL	**147**	**4.0**	**25**	**<1**	**1**	**2**	**5**	**10**	**12**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	39	2.4	3	1	1	2	3	5	6	9
1-11 MOS	60	3.4	18	<1	1	2	4	8	14	21
1-5 YRS	32	2.5	3	<1	1	2	3	5	7	8
6-12 YRS	53	3.1	6	1	1	3	4	5	9	13
13-19 YRS	106	3.1	5	<1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	5.5	25	2	2	5	9	9	9	9
1-5 YRS	15	3.9	10	1	1	4	5	10	11	11
6-12 YRS	18	4.0	14	<1	1	3	5	10	13	15
13-19 YRS	35	3.7	11	1	1	2	4	8	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	40	4.2	14	<1	1	3	6	8	9	22
1-11 MOS	104	4.8	28	1	1	3	6	10	17	63
1-5 YRS	74	3.8	13	1	1	3	5	7	11	19
6-12 YRS	73	2.9	6	1	1	2	4	5	6	16
13-19 YRS	257	3.7	8	1	1	3	5	8	9	14
B. *Operated*										
0-27 DYS	4	11.8	54	6	6	9	17	22	22	22
1-11 MOS	21	19.6	586	1	3	10	23	51	84	97
1-5 YRS	29	6.6	43	1	2	5	10	12	14	34
6-12 YRS	34	5.6	31	1	1	4	8	10	15	30
13-19 YRS	71	7.4	66	1	2	5	9	17	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	3.0	8	<1	1	2	3	6	8	16
B. *Operated*	71	4.0	12	1	1	2	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	548	3.9	13	1	1	3	5	8	9	19
B. *Operated*	159	8.6	138	1	2	5	9	18	30	72
1. SINGLE DX	361	3.2	9	1	1	2	4	6	10	15
2. MULTIPLE DX	707	4.9	45	1	1	3	6	9	14	33
A. NOT OPERATED	838	3.6	11	1	1	3	4	7	9	18
B. OPERATED	230	7.2	104	1	1	5	9	14	22	58
TOTAL 0-27 DYS	84	3.8	15	<1	1	3	5	8	11	22
1-11 MOS	187	6.0	108	1	1	3	7	13	21	88
1-5 YRS	150	4.1	18	1	1	3	5	9	11	19
6-12 YRS	178	3.6	13	1	1	3	4	7	10	17
13-19 YRS	469	4.1	18	1	1	3	5	8	10	20
GRAND TOTAL	**1068**	**4.3**	**33**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS	16	6.6	50	1	1	4	7	17	25	28
1-5 YRS	15	7.9	27	1	2	7	10	18	18	18
6-12 YRS	7	8.7	35	2	2	8	13	17	18	18
13-19 YRS	3	7.3	60	<1	<1	5	13	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	1	2	2	2	4	4	4	4
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	31	4.2	22	<1	1	3	4	10	18	19
1-11 MOS	280	5.7	31	1	2	4	7	11	16	27
1-5 YRS	169	6.6	24	1	2	5	9	14	16	21
6-12 YRS	48	6.5	21	1	2	5	9	13	15	24
13-19 YRS	76	7.0	70	1	1	4	8	17	22	47
B. *Operated*										
0-27 DYS	7	13.9	116	3	4	13	27	80	99+	99+
1-11 MOS	45	10.9	96	2	2	8	13	31	35	99+
1-5 YRS	29	15.9	458	2	2	8	15	45	68	96
6-12 YRS	9	7.9	30	4	4	6	8	17	21	21
13-19 YRS	17	8.1	78	1	1	4	12	23	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	7.3	35	1	1	5	9	18	18	28
B. *Operated*	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	604	6.1	33	1	2	4	7	13	17	29
B. *Operated*	107	11.7	190	2	2	8	13	32	44	99+
1. SINGLE DX	47	7.0	34	1	1	5	9	17	18	28
2. MULTIPLE DX	711	6.9	60	1	2	5	8	15	20	44
A. NOT OPERATED	648	6.2	33	1	2	4	8	13	17	28
B. OPERATED	110	11.5	187	2	2	7	13	31	43	99+
TOTAL 0-27 DYS	41	5.9	48	<1	1	4	6	18	26	99+
1-11 MOS	341	6.4	43	1	2	5	7	13	20	35
1-5 YRS	216	7.9	90	1	2	6	9	15	19	52
6-12 YRS	64	6.9	23	1	2	5	9	13	17	24
13-19 YRS	96	7.2	70	1	1	4	9	17	24	43
GRAND TOTAL	**758**	**6.9**	**59**	**1**	**2**	**5**	**8**	**15**	**20**	**43**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	4	1	1	3	4	5	5	5
1-11 MOS	13	4.8	24	<1	1	3	6	12	17	18
1-5 YRS	24	5.5	17	1	1	5	8	11	14	16
6-12 YRS	29	5.8	38	1	1	4	6	15	23	25
13-19 YRS	177	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	16	3.9	9	<1	1	2	6	7	10	11
1-5 YRS	54	3.1	8	1	1	2	4	7	9	14
6-12 YRS	66	3.3	11	1	1	2	4	9	10	14
13-19 YRS	76	3.7	10	1	1	2	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	11	2	2	3	7	10	10	10
1-11 MOS	74	5.9	46	1	2	4	8	10	13	46
1-5 YRS	93	5.9	22	1	1	4	8	12	18	65
6-12 YRS	70	5.3	15	1	1	4	7	10	14	21
13-19 YRS	292	4.6	15	1	1	4	6	9	11	22
B. *Operated*										
0-27 DYS	5	8.6	61	1	1	8	14	20	20	20
1-11 MOS	31	11.3	126	1	1	6	19	27	36	43
1-5 YRS	102	6.7	102	1	1	3	8	14	25	61
6-12 YRS	85	4.7	34	<1	1	2	6	11	15	33
13-19 YRS	125	7.6	76	1	1	5	10	18	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	4.0	11	1	1	3	5	7	10	18
B. *Operated*	213	3.4	10	1	1	2	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	534	5.1	21	1	1	4	6	10	13	23
B. *Operated*	348	7.0	80	1	1	3	8	17	24	43
1. SINGLE DX	459	3.7	10	1	1	2	5	8	10	16
2. MULTIPLE DX	882	5.8	45	1	1	4	7	12	18	37
A. NOT OPERATED	780	4.7	18	1	1	4	6	9	12	22
B. OPERATED	561	5.6	56	1	1	2	7	13	19	40
TOTAL 0-27 DYS	14	5.5	30	1	1	3	8	13	18	20
1-11 MOS	134	6.8	64	1	1	4	8	17	21	45
1-5 YRS	273	5.6	50	1	1	3	7	11	17	52
6-12 YRS	250	4.6	24	1	1	3	6	10	14	23
13-19 YRS	670	4.7	25	1	1	3	6	9	12	27
GRAND TOTAL	**1341**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	3.7	5	1	1	5	5	5	5	5
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
1. SINGLE DX										
2. MULTIPLE DX	5	3.6	6	1	1	5	5	6	6	6
A. NOT OPERATED	3	3.7	5	1	1	5	5	5	5	5
B. OPERATED	2	3.5	13	1	1	3	6	6	6	6
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**5**	**3.6**	**6**	**1**	**1**	**5**	**5**	**6**	**6**	**6**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	113	1	1	8	16	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	2	10.0		10	10	10	10	10	10	10
13-19 YRS	9	13.2	75	2	3	14	16	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	5	8.0	19	1	1	8	11	12	12	12
1-5 YRS	3	5.7	5	3	3	7	7	7	7	7
6-12 YRS	3	7.3	72	1	1	4	14	17	17	17
13-19 YRS	4	5.0	19	1	1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS	3	14.0	61	9	9	10	20	23	23	23
13-19 YRS	7	24.3	292	5	6	18	38	50	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	113	1	1	8	16	16	16	16
B. *Operated*	12	12.4	57	2	4	11	15	23	30	31
2. MULTIPLE DX										
A. *Not Operated*	16	6.8	21	1	1	7	10	12	15	17
B. *Operated*	12	21.9	194	5	8	20	26	46	51	52
1. SINGLE DX	14	11.9	59	1	2	11	15	20	29	31
2. MULTIPLE DX	28	13.3	149	1	2	10	17	26	44	52
A. NOT OPERATED	18	7.0	26	1	1	7	11	15	17	17
B. OPERATED	24	17.2	143	4	5	14	23	32	46	52
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	10.6	48	1	2	10	12	22	24	24
1-5 YRS	4	11.0	117	3	3	7	17	27	27	27
6-12 YRS	8	10.5	48	1	2	10	14	21	23	23
13-19 YRS	22	14.8	173	1	2	13	18	35	47	52
GRAND TOTAL	**42**	**12.8**	**117**	**1**	**2**	**10**	**16**	**25**	**36**	**52**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	39.0		39	39	69	99+	99+	99+	99+
13-19 YRS	2	18.0	50	13	13	18	23	23	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	4	54.8	618	29	29	56	76	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	19.8	225	4	4	23	54	99+	99+	99+
B. *Operated*	5	48.4	665	23	23	38	75	78	78	78
1. SINGLE DX										
2. MULTIPLE DX	9	35.7	645	4	8	33	74	89	99+	99+
A. NOT OPERATED	4	19.8	225	4	4	23	54	99+	99+	99+
B. OPERATED	5	48.4	665	23	23	38	75	78	78	78
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	31.0	128	23	23	39	85	99+	99+	99+
13-19 YRS	6	42.5	741	13	14	33	74	78	78	78
GRAND TOTAL	**9**	**35.7**	**645**	**4**	**8**	**33**	**74**	**89**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	6.4	44	1	1	4	11	17	17	17
1-5 YRS	2	10.0	162	1	1	10	19	19	19	19
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	7	6.7	51	1	1	3	12	18	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	21	9.0	39	3	3	7	11	17	23	29
1-5 YRS	8	6.5	7	3	3	7	8	10	10	10
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	9	11.0	33	4	4	11	14	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.2	15	<1	<1	3	7	10	10	10
1-11 MOS	21	8.2	46	1	1	7	9	18	23	29
1-5 YRS	7	3.9	7	<1	<1	4	6	8	8	8
6-12 YRS	6	5.3	8	<1	<1	6	8	8	8	8
13-19 YRS	13	8.5	88	<1	1	8	10	27	29	30
B. *Operated*										
0-27 DYS	3	14.3	70	9	9	10	20	24	24	24
1-11 MOS	19	12.9	166	2	2	10	20	40	77	99+
1-5 YRS	15	11.3	36	3	5	10	16	20	23	24
6-12 YRS	16	12.3	68	2	3	9	21	24	25	25
13-19 YRS	25	16.2	160	2	3	15	21	34	43	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.3	45	<1	<1	3	11	18	19	19
B. *Operated*	40	8.8	31	3	3	8	11	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	52	7.0	45	<1	1	6	8	14	25	30
B. *Operated*	78	13.6	114	2	3	11	19	25	37	87
1. SINGLE DX	60	7.9	36	1	1	7	11	17	19	28
2. MULTIPLE DX	130	11.0	96	1	2	8	15	24	30	63
A. NOT OPERATED	72	6.8	45	<1	1	5	8	17	19	30
B. OPERATED	118	12.0	91	3	3	9	17	24	31	68
TOTAL 0-27 DYS	9	7.8	49	<1	<1	6	10	18	24	24
1-11 MOS	69	9.5	78	1	2	7	13	21	29	91
1-5 YRS	32	8.4	34	1	2	7	10	18	20	24
6-12 YRS	26	9.3	59	<1	<1	8	10	23	24	25
13-19 YRS	54	12.3	118	1	1	10	17	26	34	52
GRAND TOTAL	**190**	**10.0**	**79**	**1**	**1**	**8**	**14**	**22**	**27**	**54**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	39.0		39	39	39	39	39	39	39
6-12 YRS	3	24.0	199	9	9	26	34	37	37	37
13-19 YRS	5	17.4	72	4	4	22	23	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	13.3	65	5	5	12	19	24	24	24
B. *Operated*	10	20.0	161	2	3	22	26	38	39	39
1. SINGLE DX										
2. MULTIPLE DX	14	18.1	137	2	4	18	24	37	39	39
A. NOT OPERATED	4	13.3	65	5	5	12	19	24	24	24
B. OPERATED	10	20.0	161	2	3	22	26	38	39	39
TOTAL 0-27 DYS										
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS	3	18.0	337	5	5	10	32	39	39	39
6-12 YRS	3	24.0	199	9	9	26	34	37	37	37
13-19 YRS	6	18.5	65	4	5	22	24	24	24	24
GRAND TOTAL	**14**	**18.1**	**137**	**2**	**4**	**18**	**24**	**37**	**39**	**39**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	5	7.4	39	<1	<1	7	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.0	98	5	5	12	19	19	19	19
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	3	17.0	64	9	9	17	23	25	25	25
1-5 YRS	3	7.0	52	1	1	5	12	15	15	15
6-12 YRS	5	10.0	86	1	1	7	18	23	23	23
13-19 YRS	6	4.7	15	1	1	4	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*	7	6.7	28	<1	<1	6	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	3	10.0	61	5	5	6	16	19	19	19
B. *Operated*	19	8.4	56	1	1	5	14	21	24	25
1. SINGLE DX	9	6.6	27	<1	<1	6	11	14	16	16
2. MULTIPLE DX	22	8.6	54	1	1	6	15	20	24	25
A. NOT OPERATED	5	8.4	48	1	1	6	13	19	19	19
B. OPERATED	26	7.9	48	<1	1	6	11	17	23	25
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	4	14.3	73	6	6	13	21	25	25	25
1-5 YRS	4	5.5	44	1	1	3	10	15	15	15
6-12 YRS	8	8.9	55	1	2	6	13	21	23	23
13-19 YRS	13	6.8	34	<1	1	5	11	17	19	19
GRAND TOTAL	**31**	**8.0**	**46**	**1**	**1**	**6**	**11**	**18**	**23**	**25**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	450	2	2	17	32	32	32	32
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2	12.5	13	10	10	12	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	16.0		16	16	16	16	16	16	16
B. *Operated*	5	13.6	127	2	2	10	19	32	32	32
1. SINGLE DX										
2. MULTIPLE DX	6	14.0	103	2	3	12	16	30	32	32
A. NOT OPERATED	1	16.0		16	16	16	16	16	16	16
B. OPERATED	5	13.6	127	2	2	10	19	32	32	32
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	450	2	2	17	32	32	32	32
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	13.7	10	10	10	15	16	16	16	16
GRAND TOTAL	**6**	**14.0**	**103**	**2**	**3**	**12**	**16**	**30**	**32**	**32**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	21	2	2	2	8	10	10	10
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	3.3	5	<1	<1	3	5	6	6	6
6-12 YRS	3	16.0	399	3	3	6	31	39	39	39
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	3	11.7	69	5	5	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	10.3	25	5	5	9	13	17	17	17
1-11 MOS	7	7.6	13	4	4	7	8	14	15	15
1-5 YRS	11	6.7	26	1	2	5	10	15	17	17
6-12 YRS	9	9.1	16	2	3	9	11	14	16	16
13-19 YRS	9	8.0	149	<1	1	5	8	70	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.0	246	1	1	2	28	33	33	33
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	5.3	14	1	1	7	8	8	8	8
13-19 YRS	13	11.5	38	4	6	9	15	20	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.9	108	<1	1	4	6	19	36	39
B. *Operated*	5	10.8	37	5	5	9	13	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	40	8.1	46	1	2	7	10	16	27	99+
B. *Operated*	22	10.8	76	1	2	8	15	27	30	33
1. SINGLE DX	17	8.1	87	1	2	5	9	19	33	39
2. MULTIPLE DX	62	9.0	57	1	2	8	11	17	29	92
A. NOT OPERATED	52	7.8	58	1	2	6	9	16	36	98
B. OPERATED	27	10.8	67	1	2	8	14	26	28	33
TOTAL 0-27 DYS	7	7.9	28	2	2	9	10	16	17	17
1-11 MOS	13	9.4	98	1	2	7	10	28	32	33
1-5 YRS	17	6.0	20	<1	1	5	8	13	16	17
6-12 YRS	16	9.8	76	1	2	9	11	16	32	39
13-19 YRS	26	10.0	76	1	3	8	14	26	49	99+
GRAND TOTAL	**79**	**8.8**	**63**	**1**	**2**	**7**	**10**	**18**	**30**	**82**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	11.8	149	3	3	7	16	33	33	33
1-5 YRS	9	13.1	58	3	4	14	19	23	25	25
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	4	8.5	24	3	3	8	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	11.0	93	3	3	8	17	25	25	25
13-19 YRS	5	9.2	16	5	5	11	13	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	11.1	68	3	3	8	15	23	29	33
B. *Operated*	10	9.9	39	3	4	9	13	55	96	99+
1. SINGLE DX										
2. MULTIPLE DX	30	10.7	57	3	3	9	14	25	33	99+
A. NOT OPERATED	20	11.1	68	3	3	8	15	23	29	33
B. OPERATED	10	9.9	39	3	4	9	13	55	96	99+
TOTAL 0-27 DYS										
1-11 MOS	5	11.8	149	3	3	7	16	33	33	33
1-5 YRS	10	12.7	53	3	4	12	19	23	25	25
6-12 YRS	6	9.0	67	3	3	7	9	23	25	25
13-19 YRS	9	8.9	17	3	4	10	13	57	99+	99+
GRAND TOTAL	**30**	**10.7**	**57**	**3**	**3**	**9**	**14**	**25**	**33**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	5	5.0	46	1	1	2	6	17	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	22	1	1	4	8	12	12	12
1-11 MOS	25	7.2	62	1	2	5	8	13	21	41
1-5 YRS	13	6.1	41	1	2	4	7	16	22	24
6-12 YRS	7	4.7	5	1	1	5	7	7	7	7
13-19 YRS	22	4.1	8	<1	1	4	6	7	10	11
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	5.4	17	1	1	5	9	11	11	11
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	3	10.0	13	6	6	11	12	13	13	13
13-19 YRS	4	4.5	6	3	3	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	23	1	1	2	3	11	17	17
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	71	5.7	34	1	1	4	7	11	14	37
B. *Operated*	15	6.1	14	1	2	6	9	11	13	13
1. SINGLE DX	12	4.0	20	1	1	3	4	10	16	17
2. MULTIPLE DX	86	5.8	30	1	1	4	7	11	13	35
A. NOT OPERATED	81	5.5	32	1	1	4	6	11	14	36
B. OPERATED	17	6.0	13	1	2	6	8	11	12	13
TOTAL 0-27 DYS	6	5.5	18	1	1	4	9	12	12	12
1-11 MOS	31	6.7	53	1	2	5	8	12	15	41
1-5 YRS	17	5.4	33	1	2	4	6	13	20	24
6-12 YRS	13	5.8	12	1	1	6	7	11	13	13
13-19 YRS	31	4.3	12	1	1	4	6	9	11	17
GRAND TOTAL	**98**	**5.6**	**29**	**1**	**1**	**4**	**7**	**11**	**14**	**33**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.0	13	4	4	6	10	11	11	11
1-5 YRS	3	8.7	8	7	7	7	11	12	12	12
6-12 YRS	7	8.7	110	1	2	6	7	27	32	32
13-19 YRS	6	6.3	26	2	2	4	10	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	4	9.8	46	3	3	9	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	7.5	15	3	4	6	9	13	16	17
1-5 YRS	15	9.7	39	1	2	10	15	18	19	20
6-12 YRS	12	6.3	37	1	1	5	8	13	22	23
13-19 YRS	13	8.3	33	2	2	8	11	17	19	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	25.0	578	8	8	25	42	42	42	42
1-5 YRS	5	6.4	11	3	3	7	9	10	10	10
6-12 YRS	3	4.7	22	1	1	3	8	10	10	10
13-19 YRS	1	38.0		38	38	69	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	7.7	48	1	2	6	9	14	24	32
B. Operated	9	6.2	31	1	1	4	9	16	17	17
2. MULTIPLE DX										
A. Not Operated	53	8.1	31	1	2	7	11	17	19	23
B. Operated	12	12.3	182	1	2	9	19	54	91	99+
1. SINGLE DX	28	7.2	41	1	2	5	9	15	18	32
2. MULTIPLE DX	65	8.8	59	1	2	7	12	18	26	91
. NOT OPERATED	72	8.0	35	1	2	7	11	17	19	30
3. OPERATED	21	9.7	122	1	2	7	13	39	65	99+
OTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	18	9.4	78	3	4	7	11	15	32	42
1-5 YRS	26	8.2	30	2	2	7	12	17	18	20
6-12 YRS	24	6.6	51	1	1	5	8	11	26	32
13-19 YRS	24	9.3	68	2	2	8	15	19	53	99+
GRAND TOTAL	**93**	**8.3**	**54**	**1**	**2**	**7**	**11**	**17**	**22**	**74**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	1	7	7	8	9	9	9	9
1-11 MOS	5	19.2	849	2	2	7	26	71	71	71
1-5 YRS	5	4.0	10	1	1	3	6	9	9	9
6-12 YRS	3	16.3	177	1	1	23	24	25	25	25
13-19 YRS	10	11.7	174	3	3	6	15	33	45	45
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	3	24.7	1046	5	5	7	48	62	62	62
13-19 YRS	3	21.0	327	2	2	23	34	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	26	11.8	242	1	2	7	11	25	50	71
B. Operated	9	17.3	417	2	3	7	27	52	62	62
1. SINGLE DX										
2. MULTIPLE DX	35	13.2	282	1	2	7	14	38	58	71
A. NOT OPERATED	26	11.8	242	1	2	7	11	25	50	71
B. OPERATED	9	17.3	417	2	3	7	27	52	62	62
TOTAL 0-27 DYS	3	8.0	1	7	7	8	9	9	9	9
1-11 MOS	6	16.7	718	2	2	6	11	65	71	71
1-5 YRS	7	5.0	12	1	1	5	8	10	10	10
6-12 YRS	6	20.5	510	1	1	15	25	58	62	62
13-19 YRS	13	13.8	202	2	3	7	22	39	44	45
GRAND TOTAL	**35**	**13.2**	**282**	**1**	**2**	**7**	**14**	**38**	**58**	**71**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.0	1	1	1	2	2	3	3	3
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5	2.8	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	6	8.2	39	2	2	7	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	9	4.8	6	2	2	4	6	9	9	9
1-5 YRS	15	5.3	33	1	1	4	7	9	20	24
6-12 YRS	18	8.1	38	1	2	6	9	20	23	23
13-19 YRS	27	5.2	30	1	1	3	7	13	16	25
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	11.5	13	9	9	11	14	14	14	14
1-5 YRS	7	10.0	80	2	2	6	14	25	27	27
6-12 YRS	7	9.3	233	1	1	2	12	37	42	42
13-19 YRS	9	10.3	114	2	2	4	22	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	1	1	1	3	3	4	5	5
B. *Operated*	10	5.7	32	2	2	2	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	71	5.9	29	1	1	4	8	12	22	25
B. *Operated*	26	9.8	114	1	2	5	15	27	30	42
1. SINGLE DX	24	3.9	16	1	1	3	4	11	15	15
2. MULTIPLE DX	97	6.9	54	1	1	4	9	15	24	35
A. NOT OPERATED	85	5.4	26	1	1	4	6	11	16	25
B. OPERATED	36	8.7	93	1	2	4	14	25	27	42
TOTAL 0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	13	5.5	12	2	2	4	8	10	13	14
1-5 YRS	27	5.9	44	1	1	3	7	14	24	27
6-12 YRS	31	7.3	74	1	1	4	9	18	23	42
13-19 YRS	47	6.3	47	1	1	3	8	15	25	27
GRAND TOTAL	**121**	**6.3**	**48**	**1**	**1**	**4**	**8**	**15**	**24**	**32**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.0	32	3	3	7	11	11	11	11
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	3.3	4	<1	<1	4	5	5	5	5
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	4	12.3	23	6	6	13	16	16	16	16
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	5.6	16	1	1	5	8	12	14	14
13-19 YRS	6	10.8	116	<1	<1	9	16	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	4	4.3	21	1	1	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	6	3.5	2	<1	<1	4	4	5	5	5
B. *Operated*	23	8.8	54	<1	1	6	15	17	24	28
1. SINGLE DX	5	4.2	16	1	1	3	6	11	11	11
2. MULTIPLE DX	29	7.7	47	<1	1	5	12	16	22	28
A. NOT OPERATED	7	3.6	2	<1	1	4	4	5	5	5
B. OPERATED	27	8.1	51	1	1	5	13	16	23	28
TOTAL 0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	6	9.5	32	4	4	8	16	16	16	16
1-5 YRS	5	3.2	3	<1	<1	4	4	5	5	5
6-12 YRS	13	5.8	16	1	2	5	9	12	14	14
13-19 YRS	9	8.1	90	<1	<1	4	15	23	28	28
GRAND TOTAL	**34**	**7.2**	**44**	**<1**	**1**	**5**	**11**	**16**	**21**	**28**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	13	12	12	14	17	17	17	17
1-5 YRS	3	7.3	57	2	2	4	13	16	16	16
6-12 YRS	3	5.7	10	2	2	7	8	8	8	8
13-19 YRS	7	9.6	119	1	1	9	11	28	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	15	9.0	69	1	1	8	12	17	28	32
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	17	8.2	66	1	1	7	12	17	27	32
A. NOT OPERATED	3	1.7	1	1	1	1	3	3	3	3
B. OPERATED	15	9.0	69	1	1	8	12	17	28	32
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	14.5	13	12	12	14	17	17	17	17
1-5 YRS	3	7.3	57	2	2	4	13	16	16	16
6-12 YRS	4	5.0	9	2	2	5	7	8	8	8
13-19 YRS	8	8.5	111	1	1	5	11	26	32	32
GRAND TOTAL	**18**	**7.8**	**65**	**1**	**1**	**5**	**12**	**17**	**26**	**32**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	9	3.7	7	2	2	3	4	8	10	10
13-19 YRS	11	6.3	53	<1	<1	3	12	18	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS										
13-19 YRS	3	5.0	1	4	4	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	5	10.6	239	2	2	4	15	38	38	38
13-19 YRS	13	10.2	40	2	2	13	15	17	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	5.0	29	<1	1	3	5	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	4	7.8	31	4	4	5	11	16	16	16
B. *Operated*	21	11.1	104	2	2	8	15	27	36	38
1. SINGLE DX	24	5.0	29	<1	1	3	5	14	17	22
2. MULTIPLE DX	25	10.6	92	2	2	7	15	21	36	38
A. NOT OPERATED	4	7.8	31	4	4	5	11	16	16	16
B. OPERATED	45	7.8	72	1	2	4	13	16	25	38
TOTAL 0-27 DYS										
1-11 MOS	4	14.0	237	2	2	9	25	35	35	35
1-5 YRS	4	6.3	11	3	3	6	9	10	10	10
6-12 YRS	14	6.1	90	2	2	3	5	13	32	38
13-19 YRS	27	8.0	44	<1	1	5	14	16	21	22
GRAND TOTAL	**49**	**7.8**	**68**	**1**	**2**	**4**	**13**	**16**	**23**	**38**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	12	7.0	23	1	1	6	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	9.0	28	5	5	7	13	15	15	15
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS										
13-19 YRS	8	7.0	15	3	3	6	9	13	14	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	3.7	1	3	3	3	5	5	5	5
6-12 YRS	7	3.1	7	1	1	2	5	7	8	8
13-19 YRS	19	8.1	45	1	3	6	9	20	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	6.7	23	1	1	6	10	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	13	7.1	18	1	2	7	9	14	15	15
B. *Operated*	32	6.2	33	1	1	5	8	10	24	26
1. SINGLE DX	14	6.7	23	1	1	6	10	13	15	15
2. MULTIPLE DX	45	6.5	29	1	1	5	8	13	17	26
A. NOT OPERATED	13	7.1	18	1	2	7	9	14	15	15
B. OPERATED	46	6.4	30	1	1	5	9	13	17	26
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	6.6	25	2	2	5	9	15	15	15
1-5 YRS	6	4.8	10	1	1	4	8	9	9	9
6-12 YRS	8	2.9	7	1	1	2	4	7	8	8
13-19 YRS	39	7.5	31	1	3	6	10	14	20	26
GRAND TOTAL	**59**	**6.5**	**27**	**1**	**1**	**5**	**9**	**13**	**15**	**26**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	40	5.8	32	1	2	4	7	11	14	33
1-5 YRS	225	6.2	20	1	2	5	8	11	14	20
6-12 YRS	49	5.4	14	1	1	5	7	10	12	17
13-19 YRS	38	3.5	6	1	1	3	5	8	9	10
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	5.5	9	2	2	6	8	8	8	8
1-5 YRS	24	4.0	23	<1	1	2	4	9	16	22
6-12 YRS	11	10.1	109	1	1	9	11	24	38	39
13-19 YRS	36	5.9	37	<1	1	4	8	11	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	40	5.6	30	<1	1	4	6	13	16	28
1-5 YRS	136	6.8	29	2	2	5	9	15	17	28
6-12 YRS	43	7.4	46	1	2	4	10	18	20	33
13-19 YRS	57	4.5	13	1	1	4	6	9	11	21
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	14	16.7	249	2	3	9	29	42	47	48
1-5 YRS	28	7.5	45	1	1	5	11	15	23	28
6-12 YRS	21	6.7	83	1	1	2	7	18	30	38
13-19 YRS	50	6.5	21	2	2	5	10	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	5.7	19	1	2	5	8	11	14	19
B. *Operated*	76	5.9	43	1	1	3	8	11	17	37
2. MULTIPLE DX										
A. *Not Operated*	278	6.2	29	1	2	5	8	14	17	28
B. *Operated*	115	8.0	74	1	2	5	10	16	27	43
1. SINGLE DX	429	5.8	24	1	2	4	8	11	14	24
2. MULTIPLE DX	393	6.7	43	1	2	5	9	15	18	37
A. NOT OPERATED	631	6.0	24	1	2	5	8	12	16	25
B. OPERATED	191	7.1	62	1	1	4	9	15	23	40
TOTAL 0-27 DYS	6	4.3	11	1	1	4	7	9	9	9
1-11 MOS	98	7.2	74	1	1	4	8	15	29	45
1-5 YRS	413	6.4	25	1	2	5	9	13	16	24
6-12 YRS	124	6.7	45	1	1	5	9	14	18	38
13-19 YRS	181	5.1	19	1	1	4	6	10	14	20
GRAND TOTAL	**822**	**6.2**	**33**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS	8	5.4	37	2	2	3	5	16	20	20
13-19 YRS	123	6.0	16	1	2	6	8	11	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.3	23	<1	<1	8	11	11	11	11
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	6	8.7	18	6	6	7	9	16	17	17
13-19 YRS	65	7.0	14	1	2	7	9	13	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	11	7.5	15	2	3	7	10	13	16	16
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.7		4	4	5	5	5	5	5
13-19 YRS	104	7.6	20	1	2	7	10	14	15	20
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	11.0	1	10	10	11	12	12	12	12
13-19 YRS	56	10.1	58	2	3	9	12	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	6.0	17	1	2	5	8	11	13	21
B. *Operated*	76	7.1	15	1	2	7	9	13	14	18
2. MULTIPLE DX										
A. *Not Operated*	121	7.4	19	2	2	7	10	14	15	20
B. *Operated*	61	10.0	54	2	3	9	12	18	23	43
1. SINGLE DX	209	6.4	16	1	2	6	9	11	14	19
2. MULTIPLE DX	182	8.3	32	2	3	8	10	14	18	29
A. NOT OPERATED	254	6.7	18	1	2	6	9	12	14	20
B. OPERATED	137	8.4	34	1	2	8	11	14	18	33
TOTAL 0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	17	7.3	14	1	2	7	10	11	14	16
1-5 YRS	3	6.0	13	3	3	5	9	10	10	10
6-12 YRS	20	7.1	24	2	2	6	9	14	18	20
13-19 YRS	348	7.3	25	1	2	7	10	13	15	25
GRAND TOTAL	**391**	**7.3**	**24**	**1**	**2**	**7**	**10**	**13**	**16**	**24**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	3	1	1	3	4	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	83	2.9	2	<1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	11.5	1	11	11	11	12	12	12	12
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	8.3	12	5	5	8	11	12	12	12
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	5	4.8	28	1	1	3	6	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	12	6.6	63	1	1	3	7	21	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	89	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	8	7.0	19	1	1	7	11	12	12	12
B. *Operated*	18	6.3	49	1	1	3	10	17	23	26
1. SINGLE DX	91	2.8	2	1	1	3	4	5	5	7
2. MULTIPLE DX	26	6.5	39	1	1	4	11	14	20	26
A. NOT OPERATED	10	5.8	22	1	1	5	11	12	12	12
B. OPERATED	107	3.4	11	1	1	3	4	5	7	22
TOTAL 0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	13	4.8	20	1	1	3	6	12	14	14
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	98	3.5	11	1	1	3	4	5	8	23
GRAND TOTAL	**117**	**3.6**	**12**	**1**	**1**	**3**	**4**	**6**	**11**	**21**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	6	1	1	2	3	7	7	7
13-19 YRS	35	2.3	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	8	1.9	2	<1	<1	1	2	4	5	5
6-12 YRS	7	2.3	2	1	1	2	4	4	4	4
13-19 YRS	50	3.6	3	1	1	4	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	5	2.4		2	2	2	3	3	3	3
13-19 YRS	37	3.3	4	1	1	3	4	6	7	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	5.9	2	4	4	6	7	8	8	8
1-5 YRS	6	3.8	2	2	2	4	5	6	6	6
6-12 YRS	4	4.8	17	1	1	4	8	10	10	10
13-19 YRS	138	4.0	3	1	2	4	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.3	2	1	1	2	3	4	5	7
B. *Operated*	68	3.2	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	43	3.2	3	1	1	3	4	6	7	8
B. *Operated*	156	4.1	4	1	2	4	5	6	8	10
1. SINGLE DX	108	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	199	3.9	4	1	1	4	5	6	7	10
A. NOT OPERATED	83	2.8	3	1	1	3	3	5	6	8
B. OPERATED	224	3.8	4	1	1	4	5	6	7	10
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	4.8	3	2	2	5	6	7	8	8
1-5 YRS	14	2.7	3	<1	1	2	4	5	6	6
6-12 YRS	21	2.9	5	1	1	2	3	6	8	10
13-19 YRS	260	3.6	3	1	1	3	5	6	7	9
GRAND TOTAL	**307**	**3.6**	**4**	**1**	**1**	**3**	**5**	**6**	**7**	**9**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	17	1	1	3	7	9	9	9
1-11 MOS	7	2.3	2	1	1	2	4	4	4	4
1-5 YRS	28	2.8	8	1	1	2	3	5	9	14
6-12 YRS	27	5.0	22	1	1	4	7	10	14	22
13-19 YRS	80	4.6	16	1	1	3	7	10	13	18
B. *Operated*										
0-27 DYS	2	15.0	98	8	8	15	22	22	22	22
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	14	1.6	1	<1	<1	1	2	4	4	4
6-12 YRS	68	1.9	2	1	1	2	2	3	3	9
13-19 YRS	446	2.4	5	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	9.0	19	4	4	11	12	12	12	12
1-11 MOS	19	7.3	225	<1	<1	3	6	11	43	68
1-5 YRS	36	4.1	7	1	1	3	5	7	9	14
6-12 YRS	50	3.6	7	1	1	3	4	7	9	12
13-19 YRS	208	4.1	16	1	1	3	5	9	10	21
B. *Operated*										
0-27 DYS	4	4.5	32	1	1	2	8	13	13	13
1-11 MOS	13	17.1	302	1	1	11	25	49	53	54
1-5 YRS	30	7.6	45	1	1	5	12	18	21	22
6-12 YRS	45	6.6	116	1	1	2	6	21	32	51
13-19 YRS	216	5.2	53	<1	1	2	6	12	17	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	4.2	15	1	1	3	6	9	13	19
B. *Operated*	532	2.4	5	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	316	4.3	26	1	1	3	5	9	11	21
B. *Operated*	308	6.1	76	1	1	3	7	15	21	50
1. SINGLE DX	677	2.8	8	1	1	2	3	6	9	15
2. MULTIPLE DX	624	5.2	52	1	1	3	6	11	16	44
A. NOT OPERATED	461	4.2	23	1	1	3	5	9	11	21
B. OPERATED	840	3.8	35	<1	1	2	3	8	13	29
TOTAL 0-27 DYS	12	7.3	41	1	1	6	11	16	21	22
1-11 MOS	41	9.3	225	<1	1	4	8	26	51	68
1-5 YRS	108	4.4	21	1	1	3	5	10	16	21
6-12 YRS	190	3.9	36	1	1	2	4	8	12	37
13-19 YRS	950	3.6	21	1	1	2	4	8	11	21
GRAND TOTAL	**1301**	**3.9**	**30**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	190	2.6	2	1	1	2	3	4	5	7
1-11 MOS	2072	2.7	3	1	1	2	3	4	6	8
1-5 YRS	4877	2.4	2	<1	1	2	3	4	5	8
6-12 YRS	1149	2.5	2	1	1	2	3	4	5	7
13-19 YRS	1003	3.1	11	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	13	6.7	24	2	2	5	8	14	18	19
1-5 YRS	293	2.1	4	<1	<1	1	2	5	7	10
6-12 YRS	517	1.6	1	<1	1	1	2	2	3	5
13-19 YRS	667	1.8	1	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	329	3.5	5	1	1	3	4	6	8	11
1-11 MOS	4208	3.4	6	1	1	3	4	6	8	12
1-5 YRS	8763	3.1	5	1	1	3	4	5	7	10
6-12 YRS	2611	3.1	5	1	1	3	4	5	7	10
13-19 YRS	2479	3.5	4	1	2	3	4	6	7	11
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	67	10.1	109	2	2	6	15	21	40	91
1-5 YRS	582	3.4	20	<1	1	2	3	8	11	23
6-12 YRS	538	2.1	6	1	1	2	2	3	6	11
13-19 YRS	448	3.2	13	1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9291	2.5	3	1	1	2	3	4	5	8
B. *Operated*	1492	1.8	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	18390	3.3	5	1	1	3	4	6	7	11
B. *Operated*	1636	3.2	19	1	1	2	3	7	11	23
1. SINGLE DX	10783	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	20026	3.3	6	1	1	3	4	6	7	11
A. NOT OPERATED	27681	3.0	5	1	1	3	4	5	7	10
B. OPERATED	3128	2.5	12	<1	1	2	2	5	8	17
TOTAL 0-27 DYS	522	3.2	4	1	1	3	4	6	7	10
1-11 MOS	6360	3.3	7	1	1	3	4	6	7	13
1-5 YRS	14515	2.9	5	1	1	2	4	5	6	10
6-12 YRS	4815	2.7	5	1	1	2	3	5	6	9
13-19 YRS	4597	3.1	6	1	1	3	4	5	7	11
GRAND TOTAL	**30809**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	153	5.0	62	2	2	4	5	9	10	15
1-11 MOS	6400	3.7	5	1	2	3	5	6	7	10
1-5 YRS	4883	3.1	3	1	1	3	4	5	6	9
6-12 YRS	706	3.0	2	1	1	3	4	5	6	8
13-19 YRS	370	3.4	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	4	4.0	7	2	2	3	6	8	8	8
1-11 MOS	23	4.5	13	<1	1	4	6	7	11	18
1-5 YRS	25	3.1	8	<1	<1	2	4	8	9	10
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	203	5.3	17	2	2	4	6	10	13	18
1-11 MOS	8253	4.4	7	1	2	4	6	8	9	14
1-5 YRS	5679	3.8	5	1	2	3	5	6	8	12
6-12 YRS	1001	3.8	7	1	2	3	5	7	8	15
13-19 YRS	928	4.4	9	1	2	4	5	8	10	16
B. *Operated*										
0-27 DYS	3	11.3	81	2	2	12	18	20	20	20
1-11 MOS	108	9.1	93	1	2	7	11	17	23	58
1-5 YRS	52	9.0	81	2	3	7	10	21	25	55
6-12 YRS	18	7.4	33	2	3	5	8	17	21	23
13-19 YRS	39	6.7	34	1	2	5	7	14	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12512	3.5	5	1	1	3	4	6	7	10
B. *Operated*	58	3.8	9	<1	1	3	5	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	16064	4.2	7	1	2	4	5	7	9	13
B. *Operated*	220	8.5	74	2	2	6	10	17	23	46
1. SINGLE DX	12570	3.5	5	1	1	3	4	6	7	10
2. MULTIPLE DX	16284	4.2	8	1	2	4	5	7	9	14
A. NOT OPERATED	28576	3.9	6	1	2	3	5	7	8	12
B. OPERATED	278	7.5	64	1	2	5	9	15	21	39
TOTAL 0-27 DYS	363	5.2	37	2	2	4	6	9	12	19
1-11 MOS	14784	4.2	7	1	2	4	5	7	9	13
1-5 YRS	10639	3.5	5	1	1	3	4	6	7	11
6-12 YRS	1728	3.5	6	1	1	3	4	6	7	13
13-19 YRS	1340	4.2	8	1	2	3	5	7	9	16
GRAND TOTAL	**28854**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	5	2.2	1	1	1	2	3	4	4	4
6-12 YRS	76	1.8	1	1	1	2	2	3	3	6
13-19 YRS	1672	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	46	1.4	1	<1	<1	1	1	3	3	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.3	1	1	1	2	3	4	4	4
1-5 YRS	10	1.3		<1	<1	1	1	2	3	3
6-12 YRS	192	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	3381	2.1	1	1	1	2	3	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*	1758	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	53	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	3592	2.0	1	1	1	2	3	3	4	5
1. SINGLE DX	1762	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	3645	2.0	1	1	1	2	3	3	4	5
A. NOT OPERATED	57	1.4	1	<1	<1	1	1	2	3	5
B. OPERATED	5350	2.0	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	12	1.9	1	<1	<1	2	3	3	4	4
1-5 YRS	15	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	275	1.7	1	<1	1	1	2	3	3	5
13-19 YRS	5103	2.0	1	1	1	2	3	3	4	5
GRAND TOTAL	**5407**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	30	2.0	1	<1	1	2	2	4	4	5
13-19 YRS	62	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	7	2.7	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	2.0	3	<1	<1	1	2	5	6	6
6-12 YRS	78	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	179	2.4	2	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	96	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	8	2.6	2	1	1	2	4	5	5	5
B. *Operated*	268	2.4	2	<1	1	2	3	4	5	8
1. SINGLE DX	98	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	276	2.4	2	<1	1	2	3	4	5	8
A. NOT OPERATED	10	2.3	2	<1	<1	2	3	4	5	5
B. OPERATED	364	2.2	2	<1	1	2	3	4	4	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	14	1.9	2	<1	<1	1	2	3	5	6
6-12 YRS	109	2.2	2	<1	1	2	3	4	5	7
13-19 YRS	249	2.3	2	<1	1	2	3	4	4	8
GRAND TOTAL	**374**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	62	1.5	1	<1	<1	1	2	3	4	5
6-12 YRS	74	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	57	2.0	2	1	1	2	2	4	5	6
B. *Operated*										
0-27 DYS	10	1.1		1	1	1	1	2	2	2
1-11 MOS	42	1.5		<1	<1	1	2	2	3	3
1-5 YRS	10985	1.4		<1	<1	1	2	2	2	3
6-12 YRS	19213	1.4	1	<1	1	1	2	2	2	3
13-19 YRS	15543	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	3.3	1	1	1	4	4	4	4	4
1-5 YRS	461	1.6	2	<1	<1	1	1	3	5	7
6-12 YRS	372	1.4	1	<1	<1	1	1	2	4	7
13-19 YRS	175	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	72	2.6	29	<1	<1	1	2	4	8	37
1-5 YRS	13803	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	11912	1.5	1	<1	1	1	2	2	2	4
13-19 YRS	4317	1.7	1	1	1	2	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	45793	1.5	1	<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	1016	1.6	2	<1	<1	1	1	3	4	7
B. *Operated*	30107	1.5	1	<1	1	1	2	2	3	4
1. SINGLE DX	45989	1.5	1	<1	1	1	2	2	2	3
2. MULTIPLE DX	31123	1.5	1	<1	<1	1	2	2	3	4
A. NOT OPERATED	1212	1.6	2	<1	<1	1	2	3	4	6
B. OPERATED	75900	1.5	1	<1	1	1	2	2	2	4
TOTAL 0-27 DYS	14	1.4	1	1	1	1	2	2	4	4
1-11 MOS	124	2.3	17	<1	<1	1	2	3	5	24
1-5 YRS	25311	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	31571	1.5	1	<1	1	1	2	2	2	3
13-19 YRS	20092	1.6	1	1	1	1	2	2	3	4
GRAND TOTAL	**77112**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	2.4	7	<1	<1	1	2	6	9	12
1-11 MOS	93	2.5	3	<1	<1	2	3	5	6	9
1-5 YRS	403	2.3	2	<1	<1	2	3	4	5	8
6-12 YRS	383	2.7	3	<1	1	2	3	5	6	9
13-19 YRS	752	3.2	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	68	5.7	107	<1	1	2	5	16	28	92
1-5 YRS	275	2.9	9	<1	<1	2	3	6	10	16
6-12 YRS	455	2.1	3	<1	<1	2	2	4	5	8
13-19 YRS	1156	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	2.8	4	1	1	2	3	6	7	10
1-11 MOS	229	4.2	11	1	1	3	5	8	11	18
1-5 YRS	516	3.7	7	1	1	3	5	7	9	14
6-12 YRS	440	3.6	5	1	1	3	4	6	8	10
13-19 YRS	651	3.7	5	1	2	3	5	6	8	12
B. *Operated*										
0-27 DYS	6	2.8	1	2	2	3	3	5	5	5
1-11 MOS	114	7.2	92	<1	1	3	10	19	23	54
1-5 YRS	454	3.8	45	<1	1	2	3	8	12	36
6-12 YRS	533	3.0	10	<1	1	2	3	7	9	19
13-19 YRS	1319	2.7	6	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1650	2.8	3	<1	1	3	4	5	6	8
B. *Operated*	1955	2.5	8	<1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1860	3.7	6	1	1	3	5	7	8	14
B. *Operated*	2426	3.2	19	<1	1	2	3	6	9	21
1. SINGLE DX	3605	2.7	6	<1	1	2	3	5	6	10
2. MULTIPLE DX	4286	3.4	14	1	1	2	4	6	9	18
A. NOT OPERATED	3510	3.3	5	1	1	3	4	6	7	11
B. OPERATED	4381	2.9	14	<1	1	2	3	5	8	18
TOTAL 0-27 DYS	50	2.7	5	<1	1	2	3	6	6	12
1-11 MOS	504	4.8	43	1	1	3	5	10	16	45
1-5 YRS	1648	3.2	17	<1	1	2	4	6	9	15
6-12 YRS	1811	2.8	6	<1	1	2	4	5	7	13
13-19 YRS	3878	2.9	5	1	1	2	4	5	6	11
GRAND TOTAL	**7891**	**3.1**	**10**	**<1**	**1**	**2**	**4**	**6**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	471	4.7	6	2	2	4	6	8	10	12
1-11 MOS	6110	4.2	7	1	2	4	5	7	9	12
1-5 YRS	11674	3.8	5	1	2	3	5	6	8	11
6-12 YRS	3359	3.8	4	1	2	3	5	6	8	11
13-19 YRS	1879	4.3	6	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	7	7.6	16	1	1	10	10	11	11	11
1-11 MOS	33	5.5	19	1	1	5	8	11	16	19
1-5 YRS	57	4.6	12	1	1	4	6	9	10	19
6-12 YRS	18	5.2	9	1	2	5	6	10	12	12
13-19 YRS	25	8.0	61	1	2	6	10	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	457	6.1	20	2	2	5	8	11	13	19
1-11 MOS	9254	5.1	14	2	2	4	6	9	11	17
1-5 YRS	17184	4.3	9	1	2	4	5	7	9	15
6-12 YRS	4284	4.8	13	2	2	4	6	8	11	19
13-19 YRS	2510	5.8	22	2	2	5	7	10	13	22
B. *Operated*										
0-27 DYS	26	9.0	15	4	4	8	12	13	17	19
1-11 MOS	249	12.6	163	2	3	9	16	26	40	93
1-5 YRS	327	10.3	84	2	3	8	13	22	29	54
6-12 YRS	126	13.3	120	2	3	11	15	26	35	56
13-19 YRS	128	13.6	159	2	4	11	17	26	35	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23493	3.9	5	1	2	3	5	7	8	11
B. *Operated*	140	5.7	23	1	1	5	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	33689	4.7	12	2	2	4	6	8	11	16
B. *Operated*	856	11.9	123	2	3	9	15	24	33	76
1. SINGLE DX	23633	4.0	6	1	2	3	5	7	8	12
2. MULTIPLE DX	34545	4.9	16	2	2	4	6	9	11	19
A. NOT OPERATED	57182	4.4	10	1	2	4	5	8	10	15
B. OPERATED	996	11.0	114	2	2	8	14	23	31	63
TOTAL 0-27 DYS	961	5.5	14	2	2	5	7	10	12	16
1-11 MOS	15646	4.8	15	2	2	4	6	8	11	17
1-5 YRS	29242	4.2	9	1	2	4	5	7	9	15
6-12 YRS	7787	4.5	12	2	2	4	5	8	10	17
13-19 YRS	4542	5.4	22	2	2	4	6	9	13	23
GRAND TOTAL	**58178**	**4.5**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.7	7	2	2	3	3	8	9	9
1-11 MOS	84	3.2	4	1	1	3	4	5	6	11
1-5 YRS	247	2.8	2	1	1	2	3	5	6	7
6-12 YRS	241	3.0	4	1	1	3	4	5	6	9
13-19 YRS	279	2.8	2	1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	20.5	613	3	3	20	38	38	38	38
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	3.4	3	1	2	3	5	5	7	7
1-11 MOS	175	3.9	6	1	1	3	5	8	9	11
1-5 YRS	624	3.3	5	1	1	3	4	5	7	12
6-12 YRS	505	3.0	3	1	1	3	4	5	6	9
13-19 YRS	529	3.3	4	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	14.0	90	7	7	10	19	28	28	28
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	6	5.5	2	4	4	5	6	8	8	8
13-19 YRS	13	6.2	52	<1	1	4	6	13	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	2.9	3	1	1	3	4	5	6	9
B. *Operated*	5	10.2	243	2	2	3	13	38	38	38
2. MULTIPLE DX										
A. *Not Operated*	1848	3.3	4	1	1	3	4	5	7	11
B. *Operated*	26	7.4	48	1	3	5	8	14	28	29
1. SINGLE DX	862	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1874	3.3	5	1	1	3	4	6	7	11
A. NOT OPERATED	2705	3.1	4	1	1	3	4	5	6	10
B. OPERATED	31	7.8	73	1	2	5	8	20	29	38
TOTAL 0-27 DYS	22	3.5	3	1	2	3	4	6	8	9
1-11 MOS	264	3.8	8	1	1	3	5	7	9	12
1-5 YRS	874	3.1	4	1	1	3	4	5	7	11
6-12 YRS	754	3.1	5	1	1	3	4	5	6	9
13-19 YRS	822	3.2	4	1	1	3	4	5	6	9
GRAND TOTAL	**2736**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	3.6	5	1	2	3	4	6	9	11
1-11 MOS	708	3.4	3	1	1	3	4	6	7	9
1-5 YRS	1100	2.9	4	1	1	3	4	5	6	8
6-12 YRS	257	2.8	2	1	1	3	3	5	5	9
13-19 YRS	136	3.6	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	46	1	1	4	11	14	14	14
1-5 YRS	15	1.7	1	<1	<1	1	2	3	4	4
6-12 YRS	8	3.4	9	<1	<1	2	4	8	10	10
13-19 YRS	10	2.5	3	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	33	3.8	4	2	2	3	5	6	8	9
1-11 MOS	1032	4.2	6	1	2	4	5	7	9	12
1-5 YRS	1578	3.5	5	1	2	3	4	6	8	11
6-12 YRS	359	3.9	9	1	1	3	5	7	10	14
13-19 YRS	301	4.6	21	1	2	4	5	8	12	22
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	20	8.4	287	1	1	4	6	15	49	78
1-5 YRS	31	7.1	87	2	2	4	7	15	22	50
6-12 YRS	6	3.5	6	1	1	3	4	8	8	8
13-19 YRS	20	5.5	21	<1	1	4	8	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	3.1	4	1	1	3	4	5	6	9
B. *Operated*	36	2.7	7	<1	<1	2	3	5	9	14
2. MULTIPLE DX										
A. *Not Operated*	3303	3.9	7	1	2	3	5	7	8	13
B. *Operated*	78	6.7	112	1	2	4	7	12	20	70
1. SINGLE DX	2259	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	3381	3.9	10	1	2	3	5	7	9	14
A. NOT OPERATED	5526	3.6	6	1	1	3	4	6	8	12
B. OPERATED	114	5.4	82	1	1	3	5	11	17	60
TOTAL 0-27 DYS	56	3.8	4	2	2	3	5	6	8	11
1-11 MOS	1763	3.9	8	1	2	3	5	7	8	11
1-5 YRS	2724	3.3	6	1	1	3	4	6	7	11
6-12 YRS	630	3.4	7	1	1	3	4	6	8	14
13-19 YRS	467	4.3	15	1	2	3	5	8	10	18
GRAND TOTAL	**5640**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	50	3	3	4	11	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	9.5	145	1	1	9	18	18	18	18
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	12	10.1	30	5	5	9	12	18	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.3	17	<1	<1	3	7	9	9	9
B. *Operated*	3	8.7	4	7	7	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	9	5.4	24	1	2	4	5	13	18	18
B. *Operated*	16	10.1	38	2	4	9	14	18	22	24
1. SINGLE DX	6	6.5	14	<1	<1	7	9	11	11	11
2. MULTIPLE DX	25	8.4	37	1	3	6	12	18	20	24
A. NOT OPERATED	12	5.2	21	<1	1	4	6	12	17	18
B. OPERATED	19	9.9	33	2	4	8	13	18	21	24
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	8.4	46	3	3	5	15	18	18	18
1-5 YRS	4	8.3	61	1	1	7	14	18	18	18
6-12 YRS	4	4.3	6	<1	<1	4	6	7	7	7
13-19 YRS	15	8.8	32	2	4	8	11	15	22	24
GRAND TOTAL	**31**	**8.1**	**33**	**1**	**2**	**6**	**11**	**18**	**18**	**24**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.8	2	1	1	2	4	5	5	5
1-11 MOS	1599	3.9	5	1	2	3	5	7	8	11
1-5 YRS	12919	3.0	3	1	1	3	4	5	6	8
6-12 YRS	8986	3.2	4	1	1	3	4	5	6	9
13-19 YRS	5266	3.3	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	13	5.0	11	<1	<1	4	8	9	11	11
1-5 YRS	33	3.2	3	<1	1	3	4	5	7	8
6-12 YRS	20	4.9	10	1	2	4	6	10	11	12
13-19 YRS	9	4.0	2	1	2	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.8	24	1	2	4	7	11	18	23
1-11 MOS	2224	4.7	10	1	2	4	6	8	10	15
1-5 YRS	10581	3.6	5	1	2	3	4	6	7	11
6-12 YRS	4593	3.7	5	1	2	3	4	6	7	11
13-19 YRS	2952	4.0	8	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	49	10.3	101	2	3	8	12	19	25	62
1-5 YRS	106	7.2	95	1	2	5	8	13	17	61
6-12 YRS	52	6.5	20	2	2	6	8	16	18	97
13-19 YRS	66	8.9	88	2	3	7	11	18	26	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28781	3.2	3	1	1	3	4	5	6	9
B. *Operated*	75	4.0	6	<1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	20369	3.8	6	1	2	3	5	6	8	12
B. *Operated*	273	8.0	81	2	2	6	9	16	20	84
1. SINGLE DX	28856	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	20642	3.8	8	1	2	3	5	6	8	13
A. NOT OPERATED	49150	3.4	5	1	1	3	4	6	7	10
B. OPERATED	348	7.2	68	1	2	5	8	14	19	64
TOTAL 0-27 DYS	30	4.7	18	1	2	4	5	9	11	23
1-11 MOS	3885	4.4	10	1	2	4	5	8	9	14
1-5 YRS	23639	3.3	5	1	1	3	4	5	7	10
6-12 YRS	13651	3.3	4	1	2	3	4	5	7	10
13-19 YRS	8293	3.6	6	1	2	3	4	6	7	11
GRAND TOTAL	**49498**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	12	3.5	6	<1	1	3	4	7	10	10
1-5 YRS	15	2.9	4	<1	<1	2	4	7	7	7
6-12 YRS	14	4.6	10	1	2	4	6	10	11	11
13-19 YRS	17	4.9	13	1	1	4	8	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	5	3.2	15	1	1	1	5	10	10	10
13-19 YRS	3	10.7	64	3	3	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.4	13	2	2	7	8	12	13	13
1-11 MOS	32	5.7	23	2	2	4	7	8	13	28
1-5 YRS	57	5.5	16	1	2	4	9	11	13	19
6-12 YRS	42	8.5	32	2	3	7	11	17	18	28
13-19 YRS	76	8.8	14	3	4	8	11	14	15	20
B. *Operated*										
0-27 DYS										
1-11 MOS	7	12.0	72	2	2	12	17	24	26	26
1-5 YRS	10	4.3	7	<1	1	4	8	45	95	99+
6-12 YRS	19	8.1	38	1	1	9	11	15	20	24
13-19 YRS	20	10.8	48	2	2	10	14	22	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	4.1	9	<1	1	3	5	9	10	12
B. *Operated*	11	5.0	32	1	1	3	8	14	19	19
2. MULTIPLE DX										
A. *Not Operated*	214	7.3	22	2	2	7	10	13	16	23
B. *Operated*	56	8.9	44	1	2	8	13	21	24	95
1. SINGLE DX	71	4.2	12	1	1	3	5	10	10	18
2. MULTIPLE DX	270	7.6	27	2	2	7	10	14	18	27
A. NOT OPERATED	274	6.6	21	1	2	6	9	12	15	21
B. OPERATED	67	8.2	44	1	1	7	12	20	24	87
TOTAL 0-27 DYS	9	5.9	11	2	2	5	7	11	13	13
1-11 MOS	51	6.0	31	1	2	4	7	13	18	28
1-5 YRS	85	4.8	14	1	1	3	7	10	12	71
6-12 YRS	80	7.4	31	1	1	6	10	15	18	27
13-19 YRS	116	8.6	23	2	3	8	11	15	18	23
GRAND TOTAL	**341**	**6.9**	**25**	**1**	**2**	**6**	**10**	**13**	**17**	**26**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	181	3.2	6	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	2	6.0	8	4	4	6	8	8	8	8
1-5 YRS	3	4.7	22	1	1	3	8	10	10	10
6-12 YRS	6	8.0	9	4	4	8	9	13	13	13
13-19 YRS	452	6.0	18	2	3	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.2	14	1	1	4	8	10	10	10
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	11	3.2	5	1	1	2	4	7	9	9
13-19 YRS	60	4.1	11	1	1	4	5	7	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.0	129	9	9	10	21	32	32	32
1-5 YRS	2	13.5	41	9	9	13	18	18	18	18
6-12 YRS	6	13.5	22	5	6	14	16	19	19	19
13-19 YRS	156	9.6	39	3	4	8	12	19	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	3.1	6	1	1	2	4	6	7	12
B. *Operated*	465	6.0	18	2	3	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	78	3.9	10	1	1	3	5	8	9	19
B. *Operated*	168	9.9	41	4	4	8	13	19	22	32
1. SINGLE DX	653	5.2	16	1	2	4	7	10	12	21
2. MULTIPLE DX	246	8.0	39	2	2	6	10	16	21	30
A. NOT OPERATED	266	3.4	7	1	1	3	4	7	9	13
B. OPERATED	633	7.1	27	2	3	6	9	13	17	27
TOTAL 0-27 DYS	4	4.5	2	3	3	4	5	6	6	6
1-11 MOS	13	7.8	64	<1	1	8	9	15	29	32
1-5 YRS	8	6.0	35	<1	<1	3	9	16	18	18
6-12 YRS	25	6.7	28	1	2	5	10	14	17	19
13-19 YRS	849	5.9	23	1	2	5	7	11	15	23
GRAND TOTAL	**899**	**6.0**	**24**	**1**	**2**	**5**	**7**	**12**	**15**	**23**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	3.2	7	1	1	2	4	7	8	12
1-11 MOS	341	3.4	5	1	1	3	4	6	7	13
1-5 YRS	795	2.9	5	1	1	2	4	5	6	11
6-12 YRS	289	2.9	6	1	1	2	3	5	6	13
13-19 YRS	244	3.4	8	1	1	3	4	6	8	17
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	34	4.0	16	<1	<1	2	5	8	15	17
1-5 YRS	115	2.8	7	<1	1	2	3	7	9	14
6-12 YRS	44	4.5	20	<1	1	3	6	10	15	19
13-19 YRS	60	7.3	59	<1	<1	5	10	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	57	4.3	27	1	1	3	5	7	14	34
1-11 MOS	888	4.9	21	1	1	4	6	9	13	22
1-5 YRS	1449	4.2	14	1	1	3	5	8	11	20
6-12 YRS	545	4.9	24	1	2	4	6	10	13	21
13-19 YRS	513	5.0	23	1	1	3	6	10	15	23
B. *Operated*										
0-27 DYS	3	34.3	697	11	11	29	54	63	63	63
1-11 MOS	121	14.3	243	1	2	9	18	49	64	99+
1-5 YRS	302	8.9	137	1	1	4	12	23	32	65
6-12 YRS	159	9.1	157	<1	1	4	12	21	31	69
13-19 YRS	176	10.9	155	1	1	7	13	25	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1699	3.1	6	1	1	3	4	5	7	13
B. *Operated*	254	4.3	26	<1	1	2	5	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	3452	4.6	19	1	1	3	5	9	12	22
B. *Operated*	761	10.3	169	1	1	5	13	25	40	69
1. SINGLE DX	1953	3.2	8	1	1	3	4	6	8	16
2. MULTIPLE DX	4213	5.7	51	1	1	4	6	12	17	41
A. NOT OPERATED	5151	4.1	15	1	1	3	5	8	11	20
B. OPERATED	1015	8.8	140	1	1	4	11	22	32	67
TOTAL 0-27 DYS	91	4.9	64	1	1	3	5	8	16	51
1-11 MOS	1384	5.4	44	1	1	4	6	10	16	46
1-5 YRS	2661	4.3	28	1	1	3	5	8	12	27
6-12 YRS	1037	5.0	43	1	1	3	5	10	15	31
13-19 YRS	993	5.8	51	1	1	3	7	13	18	37
GRAND TOTAL	**6166**	**4.9**	**39**	**1**	**1**	**3**	**5**	**10**	**15**	**32**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	4	1	1	2	3	6	6	6
1-5 YRS	63	3.2	4	<1	1	3	5	6	7	11
6-12 YRS	29	3.2	3	1	1	3	4	6	6	6
13-19 YRS	47	2.7	2	<1	1	2	4	5	5	6
B. *Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	12	2.1	1	<1	<1	2	3	4	4	4
1-5 YRS	742	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	397	1.9	2	<1	<1	1	2	4	5	9
13-19 YRS	3888	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.9	7	1	1	3	5	7	10	11
1-5 YRS	230	2.9	4	<1	<1	3	4	5	7	9
6-12 YRS	79	3.2	5	<1	<1	2	4	6	8	13
13-19 YRS	188	2.9	6	<1	<1	2	4	6	7	13
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	9	2.6	1	1	1	3	3	4	4	4
1-5 YRS	904	1.5	1	<1	<1	1	2	2	3	7
6-12 YRS	644	2.0	3	<1	<1	2	2	4	5	10
13-19 YRS	2967	2.8	3	1	1	2	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	5041	2.0	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	514	3.0	5	<1	<1	2	4	6	7	12
B. *Operated*	4526	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	5186	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	5040	2.5	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	659	3.0	5	<1	<1	2	4	5	7	11
B. OPERATED	9567	2.2	2	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	5	2.2	2	<1	<1	2	3	4	4	4
1-11 MOS	43	2.9	4	<1	1	3	4	6	7	11
1-5 YRS	1939	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	1149	2.1	3	<1	<1	2	2	4	5	9
13-19 YRS	7090	2.4	3	<1	1	2	3	4	5	8
GRAND TOTAL	**10226**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	26	2	2	5	10	12	12	12
1-11 MOS	29	3.3	3	1	1	3	4	6	6	9
1-5 YRS	157	3.4	5	1	1	3	4	6	9	11
6-12 YRS	80	3.5	4	1	2	3	5	6	7	9
13-19 YRS	71	3.4	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	18	2.8	3	<1	<1	2	4	5	6	7
1-5 YRS	137	2.9	4	<1	<1	2	4	5	7	8
6-12 YRS	192	2.6	4	<1	<1	2	3	5	6	10
13-19 YRS	191	2.6	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	91	4.0	6	1	2	3	5	6	11	12
1-5 YRS	339	3.8	4	1	2	3	5	7	8	11
6-12 YRS	111	3.9	4	1	2	4	5	6	8	11
13-19 YRS	126	4.1	6	1	2	4	5	6	7	18
B. *Operated*										
0-27 DYS										
1-11 MOS	17	3.4	10	<1	<1	3	4	9	11	12
1-5 YRS	110	3.5	7	<1	1	3	5	7	9	14
6-12 YRS	138	3.3	12	1	1	2	4	6	8	19
13-19 YRS	146	3.8	10	1	1	3	4	7	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.4	4	1	1	3	4	6	8	10
B. *Operated*	540	2.7	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	669	3.9	5	1	2	3	5	6	8	12
B. *Operated*	411	3.5	10	<1	1	3	4	7	9	17
1. SINGLE DX	880	3.0	4	<1	1	3	4	5	7	10
2. MULTIPLE DX	1080	3.8	7	1	1	3	5	6	8	14
A. NOT OPERATED	1009	3.8	5	1	2	3	5	6	8	11
B. OPERATED	951	3.0	7	<1	1	2	4	6	8	13
TOTAL 0-27 DYS	7	5.7	15	1	1	5	8	11	12	12
1-11 MOS	155	3.6	6	1	1	3	5	6	9	12
1-5 YRS	743	3.5	5	1	1	3	5	6	8	11
6-12 YRS	521	3.2	6	<1	1	3	4	6	7	13
13-19 YRS	534	3.4	7	1	1	3	4	6	8	14
GRAND TOTAL	**1960**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	213	3.4	6	1	1	3	4	7	9	12
1-11 MOS	616	3.0	5	1	1	2	4	6	7	11
1-5 YRS	129	2.7	6	<1	<1	2	3	5	7	16
6-12 YRS	48	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	119	2.9	4	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	4	6.8	48	2	2	4	11	17	17	17
1-11 MOS	100	8.1	68	1	1	6	11	16	23	81
1-5 YRS	144	4.7	32	<1	<1	2	7	11	15	26
6-12 YRS	78	3.8	9	<1	1	2	6	9	10	12
13-19 YRS	81	5.2	17	1	1	5	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	219	4.3	11	1	1	4	6	8	10	17
1-11 MOS	794	4.3	12	1	1	3	6	8	10	19
1-5 YRS	224	4.6	33	1	1	3	5	10	13	32
6-12 YRS	109	3.9	23	1	1	2	5	8	10	32
13-19 YRS	293	3.6	7	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS	12	17.8	473	3	3	11	21	45	76	81
1-11 MOS	226	14.2	213	2	2	9	18	38	50	65
1-5 YRS	305	11.4	153	1	1	8	15	27	37	70
6-12 YRS	166	10.3	122	1	1	7	13	22	34	54
13-19 YRS	165	8.1	58	1	2	6	9	20	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1125	3.0	5	1	1	2	4	6	7	11
B. *Operated*	407	5.5	36	<1	1	3	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	1639	4.2	15	1	1	3	5	8	10	20
B. *Operated*	874	11.4	153	1	1	7	14	28	38	65
1. SINGLE DX	1532	3.7	14	1	1	2	4	8	10	19
2. MULTIPLE DX	2513	6.7	74	1	1	4	8	14	24	50
A. NOT OPERATED	2764	3.7	11	1	1	3	5	7	9	16
B. OPERATED	1281	9.5	123	1	1	6	12	23	32	60
TOTAL 0-27 DYS	448	4.3	25	1	1	3	5	8	11	23
1-11 MOS	1736	5.4	52	1	1	3	6	10	16	46
1-5 YRS	802	6.9	87	<1	1	3	9	16	25	49
6-12 YRS	401	6.3	70	1	1	3	8	14	21	45
13-19 YRS	658	4.8	25	1	1	3	6	9	13	29
GRAND TOTAL	**4045**	**5.6**	**54**	**1**	**1**	**3**	**6**	**11**	**18**	**42**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	9	1	1	3	6	7	7	7
1-5 YRS	5	3.6	3	1	1	4	5	6	6	6
6-12 YRS	11	3.1	2	1	1	3	4	5	5	5
13-19 YRS	56	3.7	7	1	1	3	5	7	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	3.7	4	1	1	4	5	6	6	6
13-19 YRS	13	4.5	4	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	17	4.2	7	1	1	4	6	9	9	9
13-19 YRS	67	4.6	6	1	2	4	6	8	9	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	5.7	2	4	4	6	7	7	7	7
1-5 YRS	3	6.7	26	<1	<1	8	10	11	11	11
6-12 YRS	3	17.7	152	4	4	21	26	28	28	28
13-19 YRS	22	6.9	16	2	3	5	10	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.6	6	1	1	3	4	6	9	13
B. *Operated*	21	4.5	4	1	2	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	90	4.7	7	1	2	4	6	9	9	13
B. *Operated*	32	7.7	34	2	3	6	10	14	20	28
1. SINGLE DX	96	3.8	6	1	1	3	5	7	9	13
2. MULTIPLE DX	122	5.5	15	1	2	5	7	10	13	23
A. NOT OPERATED	165	4.2	7	1	2	4	5	8	9	13
B. OPERATED	53	6.4	24	1	2	5	7	12	15	28
TOTAL 0-27 DYS	3	5.7	22	2	2	4	9	11	11	11
1-11 MOS	9	5.9	10	1	2	6	7	10	12	12
1-5 YRS	11	4.9	9	<1	1	4	7	9	11	11
6-12 YRS	37	4.9	28	1	1	4	5	9	17	28
13-19 YRS	158	4.6	8	1	2	4	6	9	11	14
GRAND TOTAL	**218**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	7	4.1	3	2	2	3	6	6	6	6
13-19 YRS	22	3.5	2	2	2	3	4	5	6	6
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	5.9	8	1	1	6	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.0	8	<1	<1	3	7	7	7	7
1-11 MOS	8	5.5	19	1	1	5	8	12	14	14
1-5 YRS	8	3.4	3	1	1	3	5	6	6	6
6-12 YRS	13	4.5	2	2	3	4	6	6	7	7
13-19 YRS	42	4.9	13	2	2	4	5	8	11	22
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.3	42	4	4	10	15	17	17	17
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	5	17.8	621	2	2	8	24	62	62	62
13-19 YRS	17	8.2	20	2	3	7	10	14	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.6	2	2	2	3	5	6	6	6
B. *Operated*	19	5.9	8	1	2	6	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	76	4.7	10	2	2	4	6	8	10	20
B. *Operated*	27	9.9	128	2	3	7	11	16	26	62
1. SINGLE DX	55	4.4	5	1	2	4	6	8	9	10
2. MULTIPLE DX	103	6.0	46	2	2	4	7	10	14	41
A. NOT OPERATED	112	4.3	8	2	2	4	6	7	9	17
B. OPERATED	46	8.3	81	2	2	7	9	13	18	62
TOTAL 0-27 DYS	7	4.1	6	<1	<1	3	7	7	7	7
1-11 MOS	13	6.2	25	1	2	4	9	15	17	17
1-5 YRS	14	3.5	3	1	1	3	5	6	6	6
6-12 YRS	25	7.1	135	2	2	5	6	8	24	62
13-19 YRS	99	5.3	13	2	2	4	7	9	12	21
GRAND TOTAL	**158**	**5.5**	**32**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.1	3	2	2	5	6	6	6	6
1-5 YRS	6	3.3	3	1	1	3	5	5	5	5
6-12 YRS	58	3.3	3	1	1	3	4	6	7	8
13-19 YRS	318	3.2	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	4	7.3	10	3	3	8	9	10	10	10
13-19 YRS	11	5.8	12	<1	1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	10	4.4	5	2	2	4	7	8	8	8
1-5 YRS	14	4.8	12	<1	1	4	8	11	11	11
6-12 YRS	79	4.2	22	1	2	3	5	7	8	33
13-19 YRS	291	4.2	7	1	2	4	5	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	17.5	1	17	17	17	18	18	18	18
1-5 YRS	3	7.3	30	1	1	10	11	11	11	11
6-12 YRS	9	5.7	7	1	2	6	8	9	9	9
13-19 YRS	24	7.5	22	1	2	7	9	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.3	4	1	1	3	4	6	7	9
B. *Operated*	16	6.4	11	1	2	6	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	395	4.3	10	1	2	4	5	8	9	14
B. *Operated*	38	7.6	23	1	2	7	9	15	18	20
1. SINGLE DX	405	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	433	4.5	12	1	2	4	6	8	10	16
A. NOT OPERATED	784	3.8	7	1	1	3	5	7	8	13
B. OPERATED	54	7.2	19	1	2	7	9	13	17	20
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	20	5.9	21	2	2	5	7	13	17	18
1-5 YRS	23	4.7	12	<1	1	4	7	11	11	11
6-12 YRS	150	4.0	14	1	2	3	5	7	8	10
13-19 YRS	644	3.9	7	1	1	3	5	7	9	14
GRAND TOTAL	**838**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**14**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	3	3.3		3	3	3	4	4	4	4
6-12 YRS	13	3.1	3	1	1	3	4	5	7	7
13-19 YRS	90	4.1	5	1	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.8		<1	<1	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	31	8.5	14	4	5	8	10	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	12	7.5	123	1	2	4	7	18	39	42
6-12 YRS	18	3.2	1	2	2	3	4	5	6	6
13-19 YRS	104	4.3	5	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	13	3	3	8	9	10	10	10
1-5 YRS	3	9.3	36	3	3	10	14	15	15	15
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	21	7.0	7	3	3	7	9	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.9	5	1	2	4	5	6	8	12
B. *Operated*	37	7.5	17	1	2	7	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	137	4.4	15	2	2	4	5	7	9	17
B. *Operated*	29	7.0	11	2	3	7	9	10	14	15
1. SINGLE DX	145	4.8	10	1	2	4	6	9	12	16
2. MULTIPLE DX	166	4.9	15	2	2	4	6	8	10	15
A. NOT OPERATED	245	4.2	11	2	2	4	5	7	8	12
B. OPERATED	66	7.2	14	2	2	7	9	12	15	18
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	8	5.0	8	2	2	4	7	9	10	10
1-5 YRS	22	6.1	75	1	1	3	6	11	26	42
6-12 YRS	34	3.1	2	1	2	3	4	5	6	7
13-19 YRS	246	5.0	9	2	2	4	6	9	11	15
GRAND TOTAL	**311**	**4.8**	**13**	**2**	**2**	**4**	**6**	**9**	**10**	**16**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	3	3.3	2	2	2	3	4	5	5	5
13-19 YRS	7	4.9	4	1	2	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	4	17.0	120	5	5	17	26	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	8	7.5	22	3	3	6	9	15	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	23.8	217	4	4	26	34	39	39	39
13-19 YRS	3	9.0	7	6	6	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.3	4	1	2	5	5	7	8	8
B. *Operated*	6	13.7	102	4	4	10	23	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	10	8.1	21	3	4	6	12	15	17	17
B. *Operated*	7	17.4	173	4	4	11	27	37	39	39
1. SINGLE DX	18	7.4	53	1	2	5	8	19	27	29
2. MULTIPLE DX	17	11.9	99	3	4	7	15	28	35	39
A. NOT OPERATED	22	6.0	15	1	2	5	7	13	15	17
B. OPERATED	13	15.7	133	4	4	11	25	31	38	39
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS	3	5.7	16	2	2	5	9	10	10	10
6-12 YRS	8	14.0	204	2	2	6	26	36	39	39
13-19 YRS	22	8.6	45	2	4	6	11	19	25	29
GRAND TOTAL	**35**	**9.6**	**79**	**2**	**3**	**6**	**11**	**23**	**29**	**39**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	2.6	2	1	1	2	3	5	6	7
1-11 MOS	115	2.8	3	1	1	2	3	5	7	9
1-5 YRS	338	2.3	1	1	1	2	3	4	4	6
6-12 YRS	530	2.4	2	1	1	2	3	4	5	8
13-19 YRS	1015	2.7	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	79.0		79	79	79	79	79	79	79
1-5 YRS	7	3.0	3	<1	<1	3	5	5	5	5
6-12 YRS	19	3.2	3	<1	1	3	4	6	7	7
13-19 YRS	35	3.9	4	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	5.0	34	1	2	3	5	13	20	25
1-11 MOS	276	3.3	5	1	1	3	4	6	8	11
1-5 YRS	1105	2.8	4	1	1	2	3	5	6	9
6-12 YRS	1154	2.9	4	1	1	2	3	5	6	10
13-19 YRS	1643	3.3	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	8	5.1	30	1	1	4	5	14	18	18
1-5 YRS	19	4.5	5	1	2	4	6	8	8	8
6-12 YRS	45	4.7	11	1	1	4	6	10	12	16
13-19 YRS	146	5.2	12	1	2	4	7	9	13	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2015	2.5	2	1	1	2	3	4	6	8
B. *Operated*	62	4.8	96	<1	1	3	5	7	8	70
2. MULTIPLE DX										
A. *Not Operated*	4202	3.1	5	1	1	3	4	5	7	11
B. *Operated*	220	5.0	12	1	1	4	7	9	12	17
1. SINGLE DX	2077	2.6	5	1	1	2	3	5	6	8
2. MULTIPLE DX	4422	3.2	5	1	1	3	4	5	7	12
A. NOT OPERATED	6217	2.9	4	1	1	2	4	5	6	10
B. OPERATED	282	5.0	30	1	1	4	6	9	12	17
TOTAL 0-27 DYS	43	4.1	22	1	1	3	4	9	15	25
1-11 MOS	400	3.4	20	1	1	3	4	6	8	12
1-5 YRS	1469	2.7	3	1	1	2	3	5	6	9
6-12 YRS	1748	2.8	4	1	1	2	3	5	6	10
13-19 YRS	2839	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**6499**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.0	1	<1	1	2	3	3	3	3
1-11 MOS	44	2.6	4	<1	1	2	3	5	7	9
1-5 YRS	55	3.4	8	1	1	3	4	7	8	17
6-12 YRS	109	3.0	6	1	1	2	3	6	8	14
13-19 YRS	199	2.8	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS	59	3.8	3	2	2	3	4	6	8	10
1-11 MOS	158	3.7	2	2	2	3	4	6	7	9
1-5 YRS	27	4.3	19	1	1	3	5	7	12	23
6-12 YRS	6	4.7	7	2	2	4	7	8	8	8
13-19 YRS	11	5.8	10	2	2	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.5	12	1	1	2	4	8	13	13
1-11 MOS	89	3.8	10	1	1	3	5	7	9	19
1-5 YRS	119	3.4	14	1	1	2	4	6	8	25
6-12 YRS	191	3.8	12	1	1	3	4	6	9	21
13-19 YRS	374	5.1	60	1	1	3	5	7	22	46
B. *Operated*										
0-27 DYS	18	5.0	4	1	2	5	6	8	9	9
1-11 MOS	69	5.9	17	2	2	5	7	11	14	24
1-5 YRS	28	7.6	45	1	1	5	10	18	24	25
6-12 YRS	13	8.6	86	1	2	5	9	28	30	30
13-19 YRS	30	10.7	190	2	2	7	13	22	26	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	419	2.9	4	1	1	2	4	5	7	10
B. *Operated*	261	3.9	5	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	784	4.3	35	1	1	3	4	7	11	34
B. *Operated*	158	7.2	61	1	2	5	8	14	22	30
1. SINGLE DX	680	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX	942	4.8	41	1	1	3	5	8	14	33
A. NOT OPERATED	1203	3.8	25	1	1	3	4	6	8	31
B. OPERATED	419	5.1	28	2	2	4	6	9	13	26
TOTAL 0-27 DYS	100	3.8	4	1	2	3	4	7	8	11
1-11 MOS	360	4.0	8	1	1	3	5	7	9	16
1-5 YRS	229	4.0	19	1	1	3	5	8	12	24
6-12 YRS	319	3.7	14	1	1	3	4	7	9	23
13-19 YRS	614	4.6	49	1	1	3	4	7	13	38
GRAND TOTAL	**1622**	**4.2**	**26**	**1**	**1**	**3**	**5**	**7**	**10**	**29**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.3	3	1	1	2	4	5	5	5
6-12 YRS	66	2.1	1	<1	1	2	3	3	4	6
13-19 YRS	104	2.2	2	<1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS	5	4.2	2	2	2	4	5	6	6	6
1-11 MOS	17	3.8	4	2	2	3	4	7	9	9
1-5 YRS	490	3.6	3	2	2	3	4	6	7	10
6-12 YRS	6276	3.3	2	2	2	3	4	5	6	8
13-19 YRS	10398	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.9	2	<1	<1	1	3	4	4	4
6-12 YRS	43	2.0	1	1	1	2	2	4	5	6
13-19 YRS	61	2.9	10	1	1	2	3	6	7	21
B. *Operated*										
0-27 DYS	3	5.7	6	3	3	6	7	8	8	8
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	142	5.4	17	2	2	4	6	9	13	20
6-12 YRS	1036	4.7	10	2	2	4	5	8	11	16
13-19 YRS	1897	4.6	9	2	2	4	5	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.2	2	<1	1	2	3	4	4	6
B. *Operated*	17186	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	112	2.5	6	1	1	2	3	5	6	14
B. *Operated*	3081	4.7	10	2	2	4	5	8	10	16
1. SINGLE DX	17362	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3193	4.6	10	2	2	4	5	8	10	16
A. NOT OPERATED	288	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	20267	3.6	3	2	2	3	4	5	7	10
TOTAL 0-27 DYS	8	4.8	4	2	2	5	6	7	8	8
1-11 MOS	20	3.9	4	2	2	4	5	7	8	9
1-5 YRS	646	3.9	7	2	2	3	5	6	8	14
6-12 YRS	7421	3.4	3	2	2	3	4	5	7	10
13-19 YRS	12460	3.6	3	2	2	3	4	5	7	10
GRAND TOTAL	**20555**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**7**	**10**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.0	43	<1	<1	9	13	14	14	14
6-12 YRS	18	7.6	17	2	2	7	11	14	16	17
13-19 YRS	21	6.0	6	1	2	7	7	9	9	9
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	6	5.8	3	3	3	6	7	8	8	8
1-5 YRS	435	7.9	21	3	4	7	9	12	14	21
6-12 YRS	1565	6.7	10	3	3	6	8	10	12	17
13-19 YRS	1726	6.5	11	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	13.4	2	12	12	14	14	15	15	15
6-12 YRS	6	7.5	17	1	1	8	11	12	12	12
13-19 YRS	9	9.0	23	2	3	9	12	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.2	80	7	7	10	15	29	29	29
1-5 YRS	298	9.8	24	4	5	9	12	17	20	27
6-12 YRS	975	9.3	29	4	4	8	11	16	20	29
13-19 YRS	1017	9.3	33	3	4	8	11	16	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.8	13	1	2	7	8	12	14	17
B. *Operated*	3733	6.8	12	3	3	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	20	9.7	20	1	3	10	13	15	16	17
B. *Operated*	2295	9.4	30	4	4	8	11	16	20	30
1. SINGLE DX	3775	6.8	12	3	3	6	8	11	12	17
2. MULTIPLE DX	2315	9.4	30	4	4	8	11	16	20	30
A. NOT OPERATED	62	7.7	17	1	2	7	11	14	15	17
B. OPERATED	6028	7.8	20	3	3	7	9	12	16	25
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	11	9.2	48	3	4	7	10	18	28	29
1-5 YRS	741	8.7	23	3	4	8	10	14	17	25
6-12 YRS	2564	7.7	19	3	4	7	9	12	16	24
13-19 YRS	2773	7.6	21	3	3	7	9	12	15	25
GRAND TOTAL	**6090**	**7.8**	**20**	**3**	**3**	**7**	**9**	**12**	**16**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	74	1.8	1	1	1	2	2	3	4	5
13-19 YRS	141	2.1	1	1	1	2	2	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	37	4.1	3	2	2	4	5	7	8	8
6-12 YRS	406	3.5	2	2	2	3	4	5	6	8
13-19 YRS	756	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	2.1	1	1	1	2	3	3	3	3
6-12 YRS	55	2.7	13	1	1	2	3	4	5	25
13-19 YRS	96	2.6	2	1	1	2	4	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	31	5.5	14	2	2	4	6	10	15	19
6-12 YRS	200	4.1	3	2	2	4	5	6	8	9
13-19 YRS	526	4.9	7	2	3	4	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.0	1	1	1	2	2	3	4	6
B. *Operated*	1201	3.7	3	2	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	161	2.6	6	1	1	2	3	4	5	10
B. *Operated*	757	4.7	6	2	3	4	6	7	9	13
1. SINGLE DX	1421	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX	918	4.3	7	1	2	4	5	7	8	13
A. NOT OPERATED	381	2.2	3	1	1	2	3	4	5	7
B. OPERATED	1958	4.1	4	2	2	4	5	6	8	11
TOTAL 0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	82	4.3	8	1	2	4	5	8	9	18
6-12 YRS	735	3.4	4	1	1	3	4	5	6	9
13-19 YRS	1519	3.9	5	1	2	4	5	6	7	11
GRAND TOTAL	**2339**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	44	1.5	2	<1	<1	1	1	2	4	9
1-5 YRS	26	1.1		<1	<1	1	1	1	2	2
6-12 YRS	8	1.1		<1	<1	1	1	2	2	2
13-19 YRS	12	2.3	3	<1	<1	2	3	4	7	7
B. *Operated*										
0-27 DYS	90	1.5	1	<1	<1	1	2	3	3	4
1-11 MOS	2242	1.4	1	<1	<1	1	2	2	3	4
1-5 YRS	3564	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	1950	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	2971	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	186	1.7	9	<1	<1	1	1	3	4	8
1-5 YRS	274	1.5	4	<1	<1	1	1	2	3	8
6-12 YRS	53	1.3	1	<1	<1	1	1	2	3	7
13-19 YRS	34	1.2		<1	<1	1	1	2	3	4
B. *Operated*										
0-27 DYS	58	2.2	4	<1	<1	2	2	4	6	12
1-11 MOS	1879	2.0	4	<1	<1	2	2	3	4	10
1-5 YRS	2750	1.7	2	<1	<1	1	2	2	3	7
6-12 YRS	955	1.8	1	<1	<1	2	2	3	4	6
13-19 YRS	919	2.8	3	1	1	3	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	1.5	2	<1	<1	1	1	2	3	8
B. *Operated*	10817	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	550	1.5	5	<1	<1	1	1	2	4	7
B. *Operated*	6561	1.9	3	<1	<1	2	2	3	4	8
1. SINGLE DX	10909	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	7111	1.9	3	<1	<1	1	2	3	4	8
A. NOT OPERATED	642	1.5	5	<1	<1	1	1	2	4	7
B. OPERATED	17378	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	153	1.8	2	<1	<1	1	2	3	4	7
1-11 MOS	4351	1.7	2	<1	<1	1	2	3	3	7
1-5 YRS	6614	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	2966	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	3936	2.4	2	1	1	2	3	4	5	6
GRAND TOTAL	**18020**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	23	1.1		<1	<1	1	1	2	2	2
1-5 YRS	15	1.2		<1	<1	1	1	2	3	3
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	55	1.9	2	<1	<1	1	2	4	5	7
1-11 MOS	475	1.8	1	<1	1	1	2	3	4	7
1-5 YRS	430	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	63	1.9	1	<1	<1	2	2	4	4	5
13-19 YRS	141	2.9	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	20	2.2	3	<1	<1	2	3	4	6	8
1-5 YRS	22	1.8	1	<1	<1	1	3	3	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS	47	3.3	9	1	1	2	4	7	8	16
1-11 MOS	432	2.7	6	<1	1	2	3	5	7	12
1-5 YRS	267	2.3	3	<1	1	2	3	4	6	10
6-12 YRS	36	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	58	3.1	2	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	1.1		<1	<1	1	1	2	2	3
B. *Operated*	1164	1.9	2	<1	1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	46	2.0	2	<1	<1	2	3	4	4	8
B. *Operated*	840	2.6	5	<1	1	2	3	5	7	11
1. SINGLE DX	1209	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	886	2.5	5	<1	1	2	3	5	7	11
A. NOT OPERATED	91	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	2004	2.2	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	108	2.5	6	<1	1	2	3	5	7	15
1-11 MOS	950	2.2	4	<1	1	2	3	4	6	10
1-5 YRS	734	1.9	2	<1	<1	1	2	3	4	9
6-12 YRS	103	2.0	1	<1	<1	2	2	4	5	5
13-19 YRS	200	3.0	2	1	1	3	4	5	5	8
GRAND TOTAL	**2095**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	5	10.4	173	1	1	3	18	32	32	32
1-11 MOS	174	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	931	1.9	10	<1	<1	2	2	3	3	6
6-12 YRS	424	1.8	1	<1	<1	2	2	3	3	4
13-19 YRS	188	2.1	1	<1	<1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	25	1.8	5	<1	<1	1	2	3	6	12
1-5 YRS	58	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	10	1.6	2	<1	<1	1	2	4	5	5
13-19 YRS	5	1.6	2	1	1	1	2	4	4	4
B. *Operated*										
0-27 DYS	2	13.0	32	9	9	17	79	99+	99+	99+
1-11 MOS	78	2.9	6	<1	<1	2	4	5	8	12
1-5 YRS	226	2.3	7	<1	<1	2	3	4	5	8
6-12 YRS	82	2.5	5	<1	<1	2	3	5	6	15
13-19 YRS	46	3.0	3	1	1	2	4	6	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	1722	1.9	6	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	98	1.4	2	<1	<1	1	1	3	4	9
B. *Operated*	434	2.5	7	<1	<1	2	3	5	6	13
1. SINGLE DX	1741	1.9	6	<1	<1	2	2	3	3	5
2. MULTIPLE DX	532	2.3	6	<1	<1	2	3	4	6	12
A. NOT OPERATED	117	1.5	2	<1	<1	1	1	3	4	7
B. OPERATED	2156	2.0	7	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	7	11.1	122	1	1	11	24	80	99+	99+
1-11 MOS	286	2.0	3	<1	<1	1	2	4	5	12
1-5 YRS	1220	1.9	9	<1	<1	2	2	3	4	6
6-12 YRS	519	1.9	1	<1	<1	2	2	3	4	6
13-19 YRS	241	2.3	1	<1	1	2	3	4	5	6
GRAND TOTAL	**2273**	**2.0**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	30	2.2	2	<1	<1	2	3	4	4	9
1-5 YRS	79	1.9	2	<1	<1	2	2	4	5	8
6-12 YRS	70	2.4	8	<1	<1	2	2	3	4	20
13-19 YRS	161	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	5.3	6	2	2	5	7	9	11	11
1-5 YRS	44	4.0	21	<1	<1	2	5	8	12	25
6-12 YRS	31	3.5	10	1	1	2	4	8	10	13
13-19 YRS	54	3.7	10	1	2	3	4	6	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*	341	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	13	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	143	3.9	13	<1	1	3	5	8	10	18
1. SINGLE DX	344	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	156	3.7	12	<1	1	3	5	7	10	18
A. NOT OPERATED	16	2.0	2	<1	1	2	2	3	5	6
B. OPERATED	484	2.7	7	<1	1	2	3	5	8	14
TOTAL 0-27 DYS	3	3.7	14	1	1	2	6	8	8	8
1-11 MOS	44	3.1	5	<1	1	2	4	7	8	11
1-5 YRS	128	2.6	9	<1	<1	2	3	6	7	20
6-12 YRS	104	2.7	9	<1	1	2	3	5	8	18
13-19 YRS	221	2.7	5	<1	1	2	3	5	6	14
GRAND TOTAL	**500**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	3.0	4	1	1	3	4	6	6	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS	4	6.3	2	5	5	6	7	8	8	8
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	4	4.0	7	<1	<1	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.6	25	1	1	5	7	14	14	14
1-11 MOS	5	4.2	4	2	2	4	5	7	7	7
1-5 YRS	5	3.2	5	2	2	2	4	7	7	7
6-12 YRS	9	3.3	3	<1	1	3	4	6	6	6
13-19 YRS	28	4.1	5	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	2	17.0	72	11	11	17	23	23	23	23
1-11 MOS	9	13.8	234	4	4	7	14	41	51	51
1-5 YRS	16	11.8	38	2	5	11	17	20	21	22
6-12 YRS	8	8.8	11	5	6	8	9	14	16	16
13-19 YRS	17	5.7	5	2	4	5	7	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	3	1	1	2	3	6	6	6
B. *Operated*	13	4.5	5	<1	<1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	52	4.0	6	1	2	4	5	7	7	14
B. *Operated*	52	9.9	64	4	4	7	11	19	23	50
1. SINGLE DX	19	3.9	5	<1	<1	4	6	7	8	8
2. MULTIPLE DX	104	6.9	43	1	2	5	8	15	19	37
A. NOT OPERATED	58	3.9	6	1	1	3	5	7	7	14
B. OPERATED	65	8.8	57	1	4	7	10	17	22	47
TOTAL 0-27 DYS	8	8.3	54	1	2	5	12	20	23	23
1-11 MOS	17	9.3	142	2	2	6	8	22	42	51
1-5 YRS	26	8.8	39	1	2	7	15	18	20	22
6-12 YRS	18	5.6	14	<1	1	5	8	10	14	16
13-19 YRS	54	4.5	6	1	2	4	6	7	9	11
GRAND TOTAL	**123**	**6.5**	**39**	**1**	**2**	**5**	**7**	**12**	**17**	**32**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	36.0		36	36	36	36	36	36	36
1-5 YRS	17	1.3		<1	<1	1	2	2	2	2
6-12 YRS	18	1.6		<1	1	2	2	2	2	2
13-19 YRS	40	3.2	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	1.7		<1	<1	2	2	2	2	2
6-12 YRS	4	3.8	18	<1	<1	2	6	10	10	10
13-19 YRS	12	3.4	4	1	1	3	4	6	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	76	2.8	18	<1	1	2	3	5	6	30
2. MULTIPLE DX										
A. *Not Operated*	7	2.9	3	1	1	2	4	6	6	6
B. *Operated*	23	3.0	5	<1	<1	2	3	6	9	10
1. SINGLE DX	79	2.8	17	<1	1	2	3	5	6	29
2. MULTIPLE DX	30	2.9	5	<1	<1	2	4	5	9	10
A. NOT OPERATED	10	2.6	3	<1	<1	2	4	5	6	6
B. OPERATED	99	2.8	15	<1	1	2	3	5	6	24
TOTAL 0-27 DYS										
1-11 MOS	3	13.0	397	1	1	2	27	36	36	36
1-5 YRS	28	1.6	1	<1	<1	1	2	2	4	6
6-12 YRS	24	2.0	3	<1	1	2	2	2	5	10
13-19 YRS	54	3.3	4	1	1	3	4	5	6	12
GRAND TOTAL	**109**	**2.8**	**14**	**<1**	**1**	**2**	**3**	**5**	**6**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	22	2.2	2	1	1	2	2	4	5	6
1-5 YRS	62	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	44	2.0	2	<1	<1	2	2	3	6	7
13-19 YRS	66	3.1	6	<1	1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.1	2	<1	1	3	4	5	6	6
1-5 YRS	23	5.9	29	1	2	4	7	13	21	21
6-12 YRS	13	5.3	32	1	1	4	6	12	20	22
13-19 YRS	30	8.7	138	1	2	5	9	15	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	197	2.3	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	4	<1	<1	2	2	5	7	7
B. *Operated*	79	6.4	69	1	2	4	7	12	21	53
1. SINGLE DX	203	2.2	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	88	6.0	64	1	1	4	6	11	21	50
A. NOT OPERATED	15	1.7	3	<1	<1	1	2	3	6	7
B. OPERATED	276	3.4	25	<1	1	2	4	7	10	22
TOTAL 0-27 DYS	4	1.8	1	<1	<1	1	2	3	3	3
1-11 MOS	39	2.5	3	<1	1	2	4	5	6	7
1-5 YRS	93	2.6	11	<1	<1	2	3	5	7	21
6-12 YRS	57	2.8	10	<1	<1	2	3	6	8	21
13-19 YRS	98	4.8	52	1	1	3	5	9	14	47
GRAND TOTAL	**291**	**3.4**	**24**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.9	2	<1	<1	1	2	4	5	5
1-11 MOS	166	1.8	1	<1	1	2	2	3	4	6
1-5 YRS	201	2.2	3	1	1	2	3	4	6	9
6-12 YRS	73	2.7	3	1	1	2	3	6	6	9
13-19 YRS	168	3.6	6	1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS	5	5.6	14	1	1	8	8	9	9	9
1-11 MOS	200	5.1	11	2	2	4	6	8	10	20
1-5 YRS	149	5.8	10	2	2	5	8	10	12	16
6-12 YRS	79	7.4	48	2	3	6	8	12	18	47
13-19 YRS	143	7.4	7	4	4	7	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.1	7	<1	<1	4	5	8	9	9
1-11 MOS	100	3.2	6	<1	1	2	4	6	7	13
1-5 YRS	178	3.4	10	1	1	3	4	6	9	18
6-12 YRS	86	4.0	11	1	1	3	5	8	13	17
13-19 YRS	179	4.0	9	1	1	3	6	8	9	16
B. *Operated*										
0-27 DYS	3	13.7	58	7	7	12	19	22	22	22
1-11 MOS	210	8.7	80	3	3	6	9	15	23	55
1-5 YRS	172	9.5	64	3	4	8	10	16	23	53
6-12 YRS	115	8.9	28	3	4	8	11	14	19	33
13-19 YRS	208	10.6	99	4	5	8	11	17	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	2.6	4	1	1	2	3	5	6	10
B. *Operated*	576	6.2	16	2	3	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	551	3.6	9	1	1	3	5	7	9	16
B. *Operated*	708	9.5	73	3	4	8	11	15	23	44
1. SINGLE DX	1192	4.3	13	1	1	3	6	8	10	16
2. MULTIPLE DX	1259	6.9	54	1	2	5	9	13	17	34
A. NOT OPERATED	1167	3.1	7	1	1	2	4	6	8	14
B. OPERATED	1284	8.0	50	3	3	7	9	13	18	34
TOTAL 0-27 DYS	24	4.9	24	<1	<1	3	7	10	15	22
1-11 MOS	676	5.1	36	1	1	4	6	9	13	28
1-5 YRS	700	5.1	29	1	1	4	7	10	13	23
6-12 YRS	353	6.1	29	1	1	5	8	11	15	26
13-19 YRS	698	6.6	43	1	2	6	8	12	15	25
GRAND TOTAL	**2451**	**5.6**	**35**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	356	3.2	7	1	1	3	4	5	6	13
1-11 MOS	3560	3.2	4	1	1	3	4	5	6	10
1-5 YRS	5345	2.8	2	1	1	2	3	5	6	8
6-12 YRS	3165	2.1	2	1	1	2	3	4	4	6
13-19 YRS	3489	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	3	5.7	9	3	3	5	8	9	9	9
1-11 MOS	29	9.8	370	<1	1	3	7	29	47	94
1-5 YRS	76	3.7	11	<1	1	3	5	7	11	18
6-12 YRS	67	3.9	7	1	2	3	5	6	9	17
13-19 YRS	191	4.1	8	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	539	4.8	26	1	2	4	5	8	11	19
1-11 MOS	8985	3.9	6	1	2	3	5	6	8	13
1-5 YRS	14555	3.2	4	1	1	3	4	5	6	10
6-12 YRS	4008	2.8	5	1	1	2	3	5	6	9
13-19 YRS	3672	3.0	8	1	1	2	4	5	6	11
B. *Operated*										
0-27 DYS	14	17.4	341	4	4	7	38	48	53	55
1-11 MOS	169	10.8	190	2	3	6	11	27	46	99+
1-5 YRS	184	7.6	110	1	2	4	8	14	33	94
6-12 YRS	67	4.7	17	2	2	3	6	8	11	28
13-19 YRS	202	5.1	13	1	2	4	6	9	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15915	2.6	3	1	1	2	3	4	5	8
B. *Operated*	366	4.4	39	1	1	3	5	7	9	30
2. MULTIPLE DX										
A. *Not Operated*	31759	3.4	6	1	1	3	4	6	7	12
B. *Operated*	636	7.5	103	2	2	5	7	14	31	84
1. SINGLE DX	16281	2.7	4	1	1	2	3	5	6	8
2. MULTIPLE DX	32395	3.4	8	1	1	3	4	6	7	13
A. NOT OPERATED	47674	3.1	5	1	1	3	4	5	7	11
B. OPERATED	1002	6.4	82	1	2	4	6	11	19	64
TOTAL 0-27 DYS	912	4.4	26	1	2	3	5	7	10	21
1-11 MOS	12743	3.8	10	1	2	3	4	6	8	13
1-5 YRS	20160	3.1	5	1	1	3	4	5	6	10
6-12 YRS	7307	2.6	4	1	1	2	3	4	6	8
13-19 YRS	7554	2.8	6	1	1	2	3	5	6	9
GRAND TOTAL	**48676**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	3.2	2	<1	<1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	5	5.0	7	1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	5.9	39	1	1	4	7	16	20	20
1-11 MOS	14	7.3	43	2	3	5	8	19	24	25
1-5 YRS	5	5.8	28	2	2	4	7	15	15	15
6-12 YRS										
13-19 YRS	6	6.3	7	4	4	5	8	11	11	11
B. *Operated*										
0-27 DYS	2	28.0	512	12	12	28	44	44	44	44
1-11 MOS	7	11.1	15	8	8	9	15	17	17	17
1-5 YRS	3	7.3	20	3	3	7	11	12	12	12
6-12 YRS	3	13.0	7	11	11	12	15	16	16	16
13-19 YRS	9	6.4	6	4	4	6	7	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.5	3	<1	1	5	6	7	7	7
B. *Operated*	8	6.4	9	1	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	33	6.5	31	1	2	5	8	16	20	25
B. *Operated*	24	10.5	66	4	4	8	12	16	25	44
1. SINGLE DX	18	5.3	6	<1	2	5	6	9	10	10
2. MULTIPLE DX	57	8.2	49	2	3	6	11	16	19	43
A. NOT OPERATED	43	6.1	25	1	2	5	7	12	19	25
B. OPERATED	32	9.5	54	3	4	8	12	16	17	44
TOTAL 0-27 DYS	11	10.0	158	1	1	7	11	30	43	44
1-11 MOS	25	8.2	31	2	3	8	9	17	20	25
1-5 YRS	8	6.4	22	2	2	4	9	14	15	15
6-12 YRS	6	10.2	15	6	6	10	12	16	16	16
13-19 YRS	25	5.5	7	1	3	5	7	8	11	12
GRAND TOTAL	**75**	**7.5**	**40**	**1**	**3**	**6**	**9**	**15**	**18**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	2.2	2	1	1	2	2	5	5	5
1-11 MOS	15	1.8	1	<1	<1	1	3	3	4	4
1-5 YRS	17	2.7	6	1	1	2	3	7	9	9
6-12 YRS	11	3.2	5	1	1	2	4	7	8	8
13-19 YRS	30	2.2	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS	5	3.0	4	1	1	3	4	6	6	6
1-11 MOS	120	1.9	2	<1	<1	1	2	3	5	9
1-5 YRS	72	2.7	6	<1	<1	2	3	5	8	14
6-12 YRS	38	2.8	6	<1	1	2	3	5	8	13
13-19 YRS	335	3.0	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	3.0	2	1	1	3	4	5	5	5
1-11 MOS	24	3.1	5	1	1	2	3	7	8	9
1-5 YRS	38	3.4	8	1	1	3	5	7	10	12
6-12 YRS	30	3.3	9	<1	1	2	3	8	11	12
13-19 YRS	39	4.2	8	1	1	3	6	9	9	10
B. *Operated*										
0-27 DYS	4	3.3	7	1	1	3	5	6	6	6
1-11 MOS	46	2.3	3	<1	<1	2	3	5	6	10
1-5 YRS	19	5.5	70	<1	<1	2	4	15	28	35
6-12 YRS	31	3.1	4	<1	1	3	4	6	7	7
13-19 YRS	228	4.4	12	1	1	4	5	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.4	4	<1	1	2	3	5	7	9
B. *Operated*	570	2.7	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	144	3.5	7	1	1	3	5	8	9	12
B. *Operated*	328	4.0	14	<1	1	3	5	8	11	21
1. SINGLE DX	649	2.7	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	472	3.9	12	1	1	3	5	8	10	19
A. NOT OPERATED	223	3.1	6	1	1	2	4	7	9	11
B. OPERATED	898	3.2	8	<1	1	3	4	6	8	15
TOTAL 0-27 DYS	28	2.9	3	1	1	3	4	5	6	6
1-11 MOS	205	2.1	3	<1	<1	2	3	4	6	9
1-5 YRS	146	3.2	15	<1	1	2	4	7	9	20
6-12 YRS	110	3.1	6	<1	1	2	4	7	8	12
13-19 YRS	632	3.6	8	1	1	3	4	7	9	15
GRAND TOTAL	**1121**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	24	2.3	1	1	1	2	3	3	4	5
1-11 MOS	89	3.2	83	<1	1	2	3	5	5	56
1-5 YRS	425	2.4	3	<1	1	2	3	4	5	9
6-12 YRS	694	2.9	5	1	1	2	4	6	7	11
13-19 YRS	1187	3.7	10	1	1	3	5	7	10	16
B. *Operated*										
0-27 DYS	5	19.8	1252	2	2	6	25	83	83	83
1-11 MOS	42	6.1	37	1	1	4	7	13	22	28
1-5 YRS	166	3.6	11	<1	<1	2	5	8	10	18
6-12 YRS	213	5.3	31	<1	1	3	6	11	15	28
13-19 YRS	491	7.6	54	1	2	5	9	15	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	4.2	10	1	1	3	5	10	11	12
1-11 MOS	143	4.1	14	1	1	3	5	7	11	25
1-5 YRS	553	3.5	18	1	1	3	4	7	9	15
6-12 YRS	784	3.8	16	1	1	3	4	7	9	20
13-19 YRS	1384	4.6	17	1	1	3	6	9	12	22
B. *Operated*										
0-27 DYS	5	14.4	127	5	5	21	82	99+	99+	99+
1-11 MOS	76	13.4	327	1	2	7	15	33	49	96
1-5 YRS	213	7.5	101	1	1	4	10	14	24	51
6-12 YRS	268	8.2	85	1	2	6	10	17	23	62
13-19 YRS	744	10.7	126	1	2	7	12	23	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2419	3.2	10	1	1	2	4	6	8	14
B. *Operated*	917	6.3	49	1	1	4	8	12	21	33
2. MULTIPLE DX										
A. *Not Operated*	2890	4.1	17	1	1	3	5	8	11	21
B. *Operated*	1306	9.8	128	1	2	7	11	21	33	66
1. SINGLE DX	3336	4.1	23	1	1	3	5	8	11	23
2. MULTIPLE DX	4196	5.9	58	1	1	4	7	12	18	43
A. NOT OPERATED	5309	3.7	14	1	1	3	4	7	10	18
B. OPERATED	2223	8.4	98	1	2	5	10	18	26	58
TOTAL 0-27 DYS	60	5.6	127	1	1	3	5	11	52	99+
1-11 MOS	350	6.1	117	1	1	3	6	12	24	57
1-5 YRS	1357	3.8	28	<1	1	2	4	8	11	24
6-12 YRS	1959	4.3	26	1	1	3	5	8	11	27
13-19 YRS	3806	5.9	48	1	1	4	7	12	18	39
GRAND TOTAL	**7532**	**5.1**	**43**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.0	1	2	2	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	10.7	57	4	4	7	18	22	22	22
B. *Operated*										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	1	2	2	3	3	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	13.0	107	4	4	8	20	30	33	33
B. *Operated*	3	16.7	282	2	2	13	29	35	35	35
1. SINGLE DX	5	3.0	1	2	2	3	3	4	4	4
2. MULTIPLE DX	11	14.0	135	2	3	9	21	34	35	35
A. NOT OPERATED	13	9.2	88	2	3	5	11	24	31	33
B. OPERATED	3	16.7	282	2	2	13	29	35	35	35
TOTAL 0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	2	17.5	481	2	2	17	33	33	33	33
1-5 YRS										
6-12 YRS	2	10.0	18	7	7	10	13	13	13	13
13-19 YRS	11	7.2	45	2	2	4	8	20	22	22
GRAND TOTAL	**16**	**10.6**	**118**	**2**	**2**	**5**	**15**	**32**	**34**	**35**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	8	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	15	3.0	7	<1	1	2	4	7	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.6	19	1	1	2	4	11	14	14
1-5 YRS	16	2.2	4	<1	<1	2	3	4	7	8
6-12 YRS	21	2.3	3	<1	1	2	3	4	6	8
13-19 YRS	28	2.5	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	23	2	2	2	3	13	14	14
1-5 YRS	16	5.6	8	1	2	5	7	10	11	11
6-12 YRS	15	4.1	13	<1	1	3	5	11	12	13
13-19 YRS	44	6.4	22	1	1	5	9	14	15	19
B. *Operated*										
0-27 DYS										
1-11 MOS	10	6.1	44	1	1	3	11	17	20	20
1-5 YRS	24	6.2	204	<1	1	2	5	10	29	72
6-12 YRS	20	8.3	145	1	1	3	11	21	37	51
13-19 YRS	28	5.4	32	1	2	3	7	14	19	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.6	5	<1	1	2	3	6	7	10
B. *Operated*	73	2.5	5	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	81	5.7	18	1	1	5	8	12	14	18
B. *Operated*	82	6.4	109	1	1	3	7	16	21	65
1. SINGLE DX	101	2.5	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	163	6.0	63	1	1	4	8	14	17	47
A. NOT OPERATED	109	4.9	16	1	1	4	6	11	14	17
B. OPERATED	155	4.6	63	1	1	2	4	10	16	50
TOTAL 0-27 DYS										
1-11 MOS	26	4.7	27	1	1	2	5	14	15	20
1-5 YRS	59	4.7	87	<1	1	2	6	9	10	66
6-12 YRS	64	4.5	55	<1	1	2	4	11	17	47
13-19 YRS	115	4.8	20	1	1	3	6	11	14	21
GRAND TOTAL	264	4.7	44	1	1	2	5	11	14	24

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.1	19	1	1	2	6	12	13	13
1-5 YRS	27	3.8	13	1	1	3	4	7	13	18
6-12 YRS	54	3.6	5	1	1	3	4	6	8	12
13-19 YRS	112	4.6	7	1	2	4	6	8	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	6	6.3	30	2	2	4	7	16	17	17
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	17	6.1	34	1	1	4	8	17	19	19
13-19 YRS	26	8.3	150	<1	1	2	8	29	37	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	5.7	20	<1	<1	4	8	13	15	15
1-5 YRS	38	4.4	18	1	1	3	6	8	13	23
6-12 YRS	57	3.6	6	1	1	3	5	6	8	13
13-19 YRS	132	5.0	13	1	2	4	7	9	11	21
B. *Operated*										
0-27 DYS	2	13.5	265	2	2	13	25	25	25	25
1-11 MOS	7	12.6	77	2	3	11	21	24	24	24
1-5 YRS	13	11.7	211	1	2	6	14	33	48	52
6-12 YRS	20	6.8	59	1	1	3	9	18	25	29
13-19 YRS	41	13.0	172	1	2	6	20	32	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.2	8	1	1	3	5	7	9	14
B. *Operated*	51	7.1	91	1	1	3	8	19	30	47
2. MULTIPLE DX										
A. *Not Operated*	237	4.6	13	1	1	3	6	9	11	20
B. *Operated*	83	11.3	144	1	1	6	17	30	34	51
1. SINGLE DX	251	4.8	26	1	1	3	5	8	13	30
2. MULTIPLE DX	320	6.3	55	1	1	4	7	13	23	39
A. NOT OPERATED	437	4.4	10	1	1	3	6	8	11	17
B. OPERATED	134	9.7	127	1	1	5	14	28	32	50
TOTAL 0-27 DYS	2	13.5	265	2	2	13	25	25	25	25
1-11 MOS	30	7.1	42	1	1	4	11	17	22	24
1-5 YRS	80	5.3	53	1	1	3	6	10	20	45
6-12 YRS	148	4.3	17	1	1	3	5	8	13	21
13-19 YRS	311	6.2	50	1	2	4	7	12	20	39
GRAND TOTAL	571	5.6	43	1	1	4	6	11	18	34

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	149	2.9	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS	7	5.3	1	4	4	5	6	7	7	7
1-11 MOS	16	6.3	3	4	4	6	7	8	9	10
1-5 YRS	8	4.1	2	2	2	4	5	6	7	7
6-12 YRS	21	6.3	16	1	2	6	7	12	16	17
13-19 YRS	972	5.8	5	3	4	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	10	4.7	19	<1	<1	3	7	12	13	13
1-5 YRS	12	4.4	10	1	1	4	6	9	11	11
6-12 YRS	10	4.0	8	<1	<1	4	4	8	11	11
13-19 YRS	133	3.4	5	<1	1	3	5	6	7	10
B. *Operated*										
0-27 DYS	4	9.5	35	4	4	9	14	16	16	16
1-11 MOS	15	9.3	48	3	4	6	10	17	27	30
1-5 YRS	10	7.2	24	1	2	6	8	14	20	20
6-12 YRS	42	12.2	174	4	5	9	14	23	27	86
13-19 YRS	709	8.0	20	3	4	7	10	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	2.9	4	1	1	2	4	5	6	10
B. *Operated*	1024	5.8	5	3	4	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	167	3.6	6	<1	1	3	5	7	9	11
B. *Operated*	780	8.2	30	3	4	7	10	14	17	28
1. SINGLE DX	1178	5.5	6	2	3	5	6	8	10	14
2. MULTIPLE DX	947	7.4	29	2	3	6	9	13	16	26
A. NOT OPERATED	321	3.3	5	<1	1	3	4	6	8	11
B. OPERATED	1804	6.9	17	3	4	6	8	11	14	22
TOTAL 0-27 DYS	13	7.1	13	4	4	5	8	14	16	16
1-11 MOS	42	7.0	25	1	2	6	8	12	15	30
1-5 YRS	32	5.0	14	1	1	4	7	8	11	20
6-12 YRS	75	9.2	115	1	2	6	10	16	24	72
13-19 YRS	1963	6.2	13	2	3	6	7	10	12	20
GRAND TOTAL	**2125**	**6.3**	**17**	**2**	**3**	**6**	**7**	**10**	**13**	**21**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	3.8	5	2	2	3	5	7	7	7
13-19 YRS	117	3.5	5	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS	3	7.3	1	6	6	8	8	8	8	8
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS										
6-12 YRS	5	8.0	31	2	2	7	10	17	17	17
13-19 YRS	71	6.8	15	3	4	6	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	5.0	4	3	3	5	6	7	7	7
1-5 YRS	7	6.0	29	<1	<1	3	10	14	15	15
6-12 YRS	7	2.9	1	2	2	3	4	4	4	4
13-19 YRS	96	3.9	5	1	2	3	5	6	8	13
B. *Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	4	11.8	68	1	1	12	17	21	21	21
1-5 YRS	6	10.0	112	1	1	7	12	28	30	30
6-12 YRS	3	4.0	4	2	2	4	5	6	6	6
13-19 YRS	117	7.7	18	3	3	6	9	15	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.5	4	1	1	3	5	6	7	10
B. *Operated*	81	6.8	15	3	4	6	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	114	4.0	7	1	2	3	5	7	9	15
B. *Operated*	132	7.8	23	2	3	6	10	16	18	23
1. SINGLE DX	207	4.8	11	1	1	4	6	8	10	17
2. MULTIPLE DX	246	6.0	19	2	2	5	7	11	16	21
A. NOT OPERATED	240	3.7	6	1	1	3	5	6	8	12
B. OPERATED	213	7.5	20	3	3	6	9	14	17	24
TOTAL 0-27 DYS	6	6.0	11	2	2	7	8	10	10	10
1-11 MOS	13	6.3	34	1	1	5	8	15	20	21
1-5 YRS	14	7.5	62	<1	1	5	11	16	27	30
6-12 YRS	19	4.6	13	2	2	3	6	8	13	17
13-19 YRS	401	5.4	14	1	2	5	6	10	14	19
GRAND TOTAL	**453**	**5.5**	**16**	**1**	**2**	**5**	**7**	**10**	**14**	**19**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.3	2	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	7.4	11	3	4	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	10	4.1	2	2	2	4	5	6	7	7
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	7	12.0	41	5	5	12	14	22	24	24
13-19 YRS	52	9.6	52	3	5	8	11	14	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	2	1	1	2	3	4	5	5
B. *Operated*	43	7.4	11	3	4	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	14	4.7	4	2	3	4	5	7	9	10
B. *Operated*	61	9.9	50	4	5	9	11	16	22	47
1. SINGLE DX	56	6.2	14	1	1	6	9	10	13	18
2. MULTIPLE DX	75	9.0	45	3	4	8	11	15	20	44
A. NOT OPERATED	27	3.6	4	1	1	4	5	6	7	10
B. OPERATED	104	8.9	35	3	4	8	10	14	18	36
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	11.5	61	6	6	11	17	17	17	17
6-12 YRS	9	10.3	42	4	4	9	13	20	24	24
13-19 YRS	118	7.5	33	1	2	7	9	12	15	33
GRAND TOTAL	**131**	**7.8**	**33**	**1**	**3**	**7**	**9**	**13**	**17**	**30**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	10.8	12	7	7	11	13	16	16	16
6-12 YRS	5	5.0	9	<1	<1	6	7	8	8	8
13-19 YRS	10	4.0	5	<1	<1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.0	49	5	5	7	15	18	18	18
1-5 YRS	5	10.0	38	1	1	10	13	18	18	18
6-12 YRS										
13-19 YRS	9	5.9	41	1	1	3	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	41	11.1	57	2	4	10	14	19	28	36
1-5 YRS	44	9.2	32	4	4	8	11	17	21	27
6-12 YRS	6	8.7	36	3	3	8	12	17	18	18
13-19 YRS	14	4.6	14	1	1	3	7	10	12	12
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	13	15.1	188	4	5	12	16	25	52	58
1-5 YRS	20	19.3	371	2	4	14	20	48	72	75
6-12 YRS	5	9.2	80	2	2	5	17	22	22	22
13-19 YRS	18	12.5	191	1	2	7	15	39	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.9	16	<1	1	6	7	12	14	16
B. *Operated*	17	7.8	41	1	1	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	105	9.3	43	2	3	8	12	18	20	34
B. *Operated*	57	15.2	241	2	2	12	17	28	54	75
1. SINGLE DX	40	6.7	27	<1	1	6	9	15	18	18
2. MULTIPLE DX	162	11.4	120	2	3	9	15	19	28	69
A. NOT OPERATED	128	8.7	39	1	2	7	11	17	19	33
B. OPERATED	74	13.5	204	1	2	11	17	22	47	74
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	59	11.6	85	2	4	10	15	19	28	56
1-5 YRS	75	12.1	136	3	4	9	14	19	27	74
6-12 YRS	16	7.7	39	1	2	5	11	18	21	22
13-19 YRS	51	7.5	90	1	1	4	9	16	27	48
GRAND TOTAL	**202**	**10.5**	**105**	**1**	**2**	**8**	**14**	**18**	**26**	**64**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.0	9	2	2	5	9	10	10	10
1-5 YRS	14	6.3	28	1	2	5	8	15	18	19
6-12 YRS	39	3.9	3	1	2	4	5	6	7	9
13-19 YRS	242	4.8	10	1	2	4	6	8	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.0	50	5	5	10	15	15	15	15
6-12 YRS	6	5.2	23	1	1	3	9	13	13	13
13-19 YRS	17	10.1	40	2	3	8	15	18	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	12	7.3	17	2	3	6	11	13	14	14
1-5 YRS	23	6.1	64	1	2	5	6	8	23	41
6-12 YRS	39	6.1	21	2	2	5	8	13	14	22
13-19 YRS	266	5.6	14	1	2	5	8	11	13	18
B. *Operated*										
0-27 DYS	2	30.5	761	11	11	30	50	50	50	50
1-11 MOS	3	16.7	345	4	4	8	30	38	38	38
1-5 YRS	11	19.8	281	4	5	12	26	50	51	51
6-12 YRS	13	14.5	156	2	4	11	18	33	42	44
13-19 YRS	69	17.3	315	2	3	11	21	40	61	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	4.8	10	1	2	4	6	8	11	19
B. *Operated*	25	8.9	38	1	2	7	13	18	20	24
2. MULTIPLE DX										
A. *Not Operated*	341	5.8	18	2	2	5	8	11	13	19
B. *Operated*	98	17.5	290	2	4	11	22	44	54	78
1. SINGLE DX	326	5.1	13	1	2	4	6	9	12	19
2. MULTIPLE DX	439	8.4	102	2	2	5	9	15	28	56
A. NOT OPERATED	642	5.3	14	1	2	4	7	10	12	19
B. OPERATED	123	15.7	250	2	3	10	18	36	51	77
TOTAL 0-27 DYS	3	23.3	534	9	9	11	40	50	50	50
1-11 MOS	21	8.3	59	2	3	6	10	13	25	38
1-5 YRS	50	9.3	127	2	2	5	10	20	41	51
6-12 YRS	97	6.3	42	1	2	4	7	13	15	37
13-19 YRS	594	6.8	63	1	2	5	8	12	17	48
GRAND TOTAL	**765**	**7.0**	**67**	**1**	**2**	**5**	**8**	**13**	**19**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	3.1	4	1	1	2	4	6	8	9
1-11 MOS	57	2.6	2	1	1	2	4	4	6	7
1-5 YRS	68	2.3	2	<1	1	2	3	5	5	7
6-12 YRS	58	2.6	3	1	1	2	3	4	6	10
13-19 YRS	137	2.7	3	1	1	2	4	5	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.5	113	2	2	9	17	17	17	17
1-5 YRS	4	3.3	7	1	1	2	5	7	7	7
6-12 YRS	3	3.7	9	1	1	3	6	7	7	7
13-19 YRS	18	4.3	6	1	1	4	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	3.4	7	1	1	3	4	6	10	11
1-11 MOS	99	3.6	5	1	1	3	4	7	8	10
1-5 YRS	187	3.7	12	1	1	3	5	7	9	18
6-12 YRS	111	3.5	7	1	1	3	5	6	8	15
13-19 YRS	313	3.6	7	1	1	3	5	7	8	15
B. *Operated*										
0-27 DYS	4	7.5	17	4	4	7	11	12	12	12
1-11 MOS	8	5.1	24	1	1	3	6	13	16	16
1-5 YRS	20	8.5	68	1	2	5	11	21	29	32
6-12 YRS	23	5.6	22	1	2	4	6	12	18	20
13-19 YRS	52	6.2	16	2	2	5	8	13	14	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	2.6	3	1	1	2	3	5	6	9
B. *Operated*	27	4.5	12	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	735	3.6	8	1	1	3	5	7	8	14
B. *Operated*	107	6.4	27	1	2	5	8	13	18	60
1. SINGLE DX	367	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	842	4.0	11	1	1	3	5	7	10	19
A. NOT OPERATED	1075	3.3	7	1	1	3	4	6	8	13
B. OPERATED	134	6.0	25	1	2	5	7	13	17	42
TOTAL 0-27 DYS	49	3.6	8	1	1	3	4	8	10	12
1-11 MOS	166	3.4	6	1	1	3	4	7	8	15
1-5 YRS	279	3.7	15	1	1	3	5	7	9	24
6-12 YRS	195	3.5	8	1	1	3	4	6	8	19
13-19 YRS	520	3.7	8	1	1	3	5	7	9	15
GRAND TOTAL	**1209**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	3.2	3	1	1	3	4	6	7	9
1-11 MOS	114	3.2	4	1	1	3	4	6	8	11
1-5 YRS	43	4.8	20	1	1	4	6	11	13	26
6-12 YRS	8	4.1	14	1	1	3	6	10	12	12
13-19 YRS	8	3.8	6	<1	<1	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	5	16.8	529	2	2	3	30	55	55	55
1-5 YRS	27	5.9	308	<1	<1	1	5	7	20	93
6-12 YRS	4	2.5	6	<1	<1	1	4	6	6	6
13-19 YRS	3	17.7	184	2	2	25	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	70	4.4	9	1	1	4	6	8	11	16
1-11 MOS	237	5.2	32	1	2	4	6	10	13	36
1-5 YRS	82	6.5	83	1	1	4	8	15	21	91
6-12 YRS	31	7.5	78	1	2	4	10	17	29	40
13-19 YRS	17	8.4	46	1	2	5	14	19	21	22
B. *Operated*										
0-27 DYS	3	19.0	37	12	12	22	23	23	23	23
1-11 MOS	25	22.1	549	1	2	13	28	69	78	99+
1-5 YRS	21	9.4	214	1	2	4	9	66	99+	99+
6-12 YRS	13	6.8	24	2	2	5	8	15	18	19
13-19 YRS	11	13.5	314	2	2	9	13	38	62	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	3.6	8	1	1	3	4	7	9	13
B. *Operated*	39	7.8	300	<1	<1	2	6	24	42	93
2. MULTIPLE DX										
A. *Not Operated*	437	5.6	42	1	1	4	7	11	17	37
B. *Operated*	73	14.3	331	2	2	7	21	63	72	99+
1. SINGLE DX	257	4.2	54	1	1	3	4	7	10	26
2. MULTIPLE DX	510	6.8	92	1	2	4	7	14	23	73
A. NOT OPERATED	655	4.9	32	1	1	3	6	10	14	33
B. OPERATED	112	12.1	327	1	1	5	14	51	68	99+
TOTAL 0-27 DYS	118	4.3	13	1	1	3	5	8	11	22
1-11 MOS	381	5.9	82	1	2	3	6	10	20	65
1-5 YRS	173	6.3	117	1	1	4	7	13	27	99+
6-12 YRS	56	6.5	52	1	1	4	8	16	19	39
13-19 YRS	39	9.6	130	1	2	5	13	22	26	64
GRAND TOTAL	**767**	**6.0**	**81**	**1**	**1**	**4**	**6**	**11**	**21**	**68**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	2	3	3	5	53	99+	99+	99+
1-5 YRS	200	5.1	20	1	1	4	6	10	13	21
6-12 YRS	155	4.6	12	1	1	4	6	8	12	17
13-19 YRS	76	5.2	51	1	1	4	5	10	12	46
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	46	3.4	9	1	2	2	3	8	9	17
6-12 YRS	91	3.6	9	1	1	2	4	7	10	16
13-19 YRS	106	2.9	7	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	8.9	41	1	1	11	14	16	17	17
1-5 YRS	196	6.4	41	1	1	4	9	12	17	46
6-12 YRS	196	5.0	15	1	1	4	6	11	13	19
13-19 YRS	111	4.9	26	1	1	3	5	10	15	30
B. *Operated*										
0-27 DYS										
1-11 MOS	7	23.3	588	3	4	21	51	92	99+	99+
1-5 YRS	48	14.0	384	2	2	5	15	44	64	86
6-12 YRS	60	9.7	230	1	1	4	9	27	45	81
13-19 YRS	119	8.1	74	1	2	5	11	22	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	4.9	22	1	1	4	6	10	13	26
B. *Operated*	244	3.3	8	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	510	5.6	28	1	1	4	7	11	15	30
B. *Operated*	234	10.2	199	1	2	5	12	28	37	85
1. SINGLE DX	678	4.3	18	1	1	3	5	8	11	19
2. MULTIPLE DX	744	7.0	86	1	1	4	8	15	24	54
A. NOT OPERATED	944	5.3	25	1	1	4	7	11	14	28
B. OPERATED	478	6.7	113	1	1	3	6	16	27	70
TOTAL 0-27 DYS										
1-11 MOS	18	13.3	293	1	2	10	21	87	99+	99+
1-5 YRS	490	6.3	69	1	2	4	7	12	18	52
6-12 YRS	502	5.2	41	1	1	4	6	10	15	33
13-19 YRS	412	5.4	43	1	1	3	6	12	20	35
GRAND TOTAL	**1422**	**5.7**	**55**	**1**	**1**	**4**	**7**	**12**	**17**	**45**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	32	4.5	9	2	2	4	5	7	12	16
6-12 YRS	85	4.6	7	1	2	4	6	8	9	15
13-19 YRS	52	4.4	6	2	2	4	6	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	8	5.3	11	2	2	4	7	11	11	11
13-19 YRS	12	3.6	5	1	1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	50	5.7	27	<1	1	4	7	14	16	26
6-12 YRS	92	5.7	10	2	2	5	8	11	13	15
13-19 YRS	43	5.1	9	1	2	5	7	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	9	2	2	5	7	8	8	8
6-12 YRS	13	6.2	28	1	2	4	8	15	16	16
13-19 YRS	22	8.5	38	2	3	6	11	17	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.5	7	1	2	4	6	8	9	15
B. *Operated*	24	3.9	7	1	1	3	4	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	185	5.5	15	1	2	4	7	11	13	17
B. *Operated*	38	7.4	33	2	2	5	11	16	18	26
1. SINGLE DX	194	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	223	5.9	18	1	2	5	8	12	15	20
A. NOT OPERATED	355	5.1	11	1	2	4	6	9	12	16
B. OPERATED	62	6.0	26	1	2	4	8	14	17	25
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	89	5.1	19	1	2	4	5	12	16	22
6-12 YRS	198	5.2	10	1	2	4	6	10	12	16
13-19 YRS	129	5.3	15	1	2	4	7	9	13	20
GRAND TOTAL	**417**	**5.2**	**13**	**1**	**2**	**4**	**6**	**10**	**13**	**17**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.0	300	<1	<1	<1	23	31	31	31
1-5 YRS	7	3.0	6	<1	<1	2	4	7	8	8
6-12 YRS	30	2.6	12	<1	1	1	3	7	13	14
13-19 YRS	9	5.1	20	<1	<1	4	6	13	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	10.9	330	3	3	4	6	43	52	52
6-12 YRS	29	9.8	45	2	3	8	12	19	23	30
13-19 YRS	36	9.1	80	1	2	6	12	19	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.2	31	<1	<1	3	7	15	17	18
1-5 YRS	48	7.2	318	<1	1	3	5	10	21	94
6-12 YRS	90	4.3	32	<1	1	2	5	10	14	29
13-19 YRS	96	4.1	38	1	1	2	4	9	13	39
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	9	7.0	47	1	1	5	8	18	24	24
1-5 YRS	52	19.2	249	1	3	14	28	46	50	62
6-12 YRS	99	16.1	250	2	3	11	23	33	44	81
13-19 YRS	203	12.5	119	2	3	9	18	25	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.6	28	<1	<1	1	4	10	14	31
B. *Operated*	72	9.5	85	2	2	7	12	20	27	51
2. MULTIPLE DX										
A. *Not Operated*	247	4.9	90	<1	1	2	5	10	14	44
B. *Operated*	364	14.3	177	2	3	10	20	30	43	62
1. SINGLE DX	121	7.1	70	<1	1	4	10	15	23	48
2. MULTIPLE DX	611	10.5	163	1	1	5	15	26	36	61
A. NOT OPERATED	296	4.6	80	<1	1	2	5	10	14	39
B. OPERATED	436	13.5	165	2	3	10	19	29	41	61
TOTAL 0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	25	6.6	60	<1	<1	5	8	18	26	31
1-5 YRS	114	12.6	301	1	1	5	15	38	50	90
6-12 YRS	248	9.4	150	1	1	4	13	26	31	68
13-19 YRS	344	9.6	103	1	1	5	14	22	27	48
GRAND TOTAL	**732**	**9.9**	**149**	**1**	**1**	**5**	**13**	**24**	**34**	**54**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.3	1	1	1	2	3	3	3	3
1-5 YRS	3	5.0	28	1	1	3	9	11	11	11
6-12 YRS	3	14.0	364	2	2	4	28	36	36	36
13-19 YRS	4	5.0	18	1	1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	8.4	22	1	1	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	4	<1	<1	3	5	6	6	6
1-11 MOS	14	5.6	36	<1	<1	3	10	16	18	19
1-5 YRS	16	7.1	19	2	2	6	11	14	15	15
6-12 YRS	14	5.7	19	<1	1	5	6	11	16	18
13-19 YRS	18	5.3	13	1	2	3	8	11	12	12
B. *Operated*										
0-27 DYS	2	35.0	882	14	14	35	56	56	56	56
1-11 MOS	6	13.7	27	8	8	13	16	21	22	22
1-5 YRS	3	11.0	39	4	4	13	15	16	16	16
6-12 YRS	11	19.1	270	3	4	14	27	45	57	58
13-19 YRS	22	12.6	100	1	2	9	16	31	33	35
SURTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.3	67	1	1	3	4	11	26	36
B. *Operated*	7	7.9	16	1	2	8	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	66	5.8	20	<1	1	4	9	12	15	19
B. *Operated*	44	15.3	164	2	3	13	17	32	42	58
1. SINGLE DX	25	6.0	53	1	1	3	8	11	19	36
2. MULTIPLE DX	110	9.6	98	1	1	6	13	18	31	57
A. NOT OPERATED	84	5.7	29	1	1	4	8	11	15	30
B. OPERATED	51	14.3	150	2	3	12	16	31	36	58
TOTAL 0-27 DYS	7	12.3	390	<1	<1	4	12	48	56	56
1-11 MOS	27	6.5	40	<1	1	3	10	16	19	22
1-5 YRS	23	7.4	22	1	2	7	11	14	15	16
6-12 YRS	29	11.6	173	1	2	6	14	33	37	58

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	3	2	2	5	5	5	5	5
1-11 MOS	33	3.9	5	2	2	3	4	6	10	11
1-5 YRS	180	3.7	3	1	2	3	4	6	7	9
6-12 YRS	271	3.9	4	2	2	4	5	6	8	10
13-19 YRS	670	4.0	5	1	2	4	5	6	7	11
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	10.0	98	3	3	10	17	17	17	17
1-5 YRS	13	4.3	4	<1	2	4	5	8	8	8
6-12 YRS	17	4.8	12	2	2	4	5	8	14	16
13-19 YRS	29	4.5	2	2	2	5	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	6.7	4	5	5	6	8	10	10	10
1-11 MOS	69	5.0	8	2	2	4	7	9	11	12
1-5 YRS	290	4.7	8	2	2	4	6	8	9	17
6-12 YRS	324	4.3	4	2	2	4	5	7	8	11
13-19 YRS	1131	4.3	4	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	8	5.4	9	3	3	4	7	10	11	11
1-5 YRS	66	6.4	16	2	3	5	8	11	13	24
6-12 YRS	54	5.9	11	2	3	5	7	9	12	22
13-19 YRS	118	7.7	36	3	3	6	9	13	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1157	3.9	4	1	2	4	5	6	7	10
B. *Operated*	62	4.8	8	2	2	4	6	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1820	4.4	5	2	2	4	5	7	8	12
B. *Operated*	247	6.9	25	2	3	6	8	11	19	26
1. SINGLE DX	1219	4.0	5	1	2	4	5	6	7	11
2. MULTIPLE DX	2067	4.7	8	2	2	4	6	8	9	14
A. NOT OPERATED	2977	4.2	5	2	2	4	5	7	8	11
B. OPERATED	309	6.5	22	2	3	5	8	11	15	25
TOTAL 0-27 DYS	11	7.2	20	2	4	6	8	14	19	19
1-11 MOS	112	4.8	8	2	2	4	6	9	11	14
1-5 YRS	549	4.5	8	2	2	4	6	8	9	15
6-12 YRS	666	4.3	5	2	2	4	5	7	8	12

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	30	3.7	5	1	1	3	5	7	8	10
1-5 YRS	175	4.1	7	2	2	4	5	7	9	13
6-12 YRS	255	3.6	4	1	2	3	5	6	7	12
13-19 YRS	570	3.8	4	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	23	4.2	8	<1	<1	4	5	8	11	12
6-12 YRS	22	4.3	10	<1	1	3	4	11	12	12
13-19 YRS	44	5.6	20	1	2	4	7	10	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.7		7	7	8	8	8	8	8
1-11 MOS	47	4.8	7	2	2	4	6	10	11	11
1-5 YRS	248	4.5	8	2	2	4	5	8	9	14
6-12 YRS	261	4.3	5	2	2	4	5	7	9	12
13-19 YRS	794	4.4	7	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	20	8.2	42	3	3	6	10	16	24	29
1-5 YRS	53	7.1	29	<1	1	6	10	13	18	27
6-12 YRS	78	6.1	27	1	2	5	7	12	16	31
13-19 YRS	148	7.0	26	2	2	6	9	13	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	3.8	4	1	2	3	5	6	7	11
B. *Operated*	91	5.0	14	<1	1	4	6	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1353	4.4	7	2	2	4	5	7	9	13
B. *Operated*	299	6.9	28	1	2	6	9	13	17	28
1. SINGLE DX	1122	3.9	5	1	2	3	5	6	8	12
2. MULTIPLE DX	1652	4.8	11	2	2	4	6	8	11	19
A. NOT OPERATED	2384	4.1	6	2	2	4	5	7	8	13
B. OPERATED	390	6.4	25	1	2	5	8	12	16	27
TOTAL 0-27 DYS	4	6.8	4	4	4	7	8	8	8	8
1-11 MOS	99	5.2	15	1	2	4	6	10	11	25
1-5 YRS	499	4.6	10	1	2	4	5	8	11	20
6-12 YRS	616	4.2	8	1	2	4	5	7	9	15
13-19 YRS	1556	4.4	9	2	2	4	5	7	9	16
GRAND TOTAL	**2774**	**4.5**	**9**	**1**	**2**	**4**	**5**	**7**	**10**	**16**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.3	34	3	3	4	9	15	15	15
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	34	2.1	1	1	1	2	2	3	5	5
13-19 YRS	181	2.1	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	3	4.3		4	4	4	5	5	5	5
6-12 YRS	13	6.6	33	<1	2	6	7	14	21	23
13-19 YRS	68	6.0	14	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	7	3.3	8	1	1	3	4	8	9	9
6-12 YRS	26	4.5	33	1	1	3	6	8	13	30
13-19 YRS	142	2.9	7	1	1	2	4	5	6	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	8.7	14	6	6	7	11	13	13	13
1-5 YRS	14	7.3	9	3	3	6	9	11	13	13
6-12 YRS	24	11.2	62	2	3	10	14	23	26	32
13-19 YRS	86	9.1	88	1	2	6	10	21	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	2.2	2	1	1	2	3	4	5	6
B. *Operated*	87	5.9	16	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	178	3.1	11	1	1	2	4	5	7	22
B. *Operated*	128	9.3	73	1	2	7	11	21	26	40
1. SINGLE DX	309	3.2	9	1	1	2	4	7	9	15
2. MULTIPLE DX	306	5.7	46	1	1	4	6	12	20	33
A. NOT OPERATED	400	2.6	6	1	1	2	3	5	6	12
B. OPERATED	215	7.9	52	1	2	6	9	15	23	34
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	12	5.4	18	2	2	4	6	14	15	15
1-5 YRS	27	5.3	11	1	1	5	7	10	12	13
6-12 YRS	97	5.6	41	1	1	3	7	12	22	31
13-19 YRS	477	4.2	27	1	1	3	5	8	13	26
GRAND TOTAL	**615**	**4.5**	**29**	**1**	**1**	**3**	**5**	**9**	**14**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.4		<1	<1	1	2	2	2	2
1-11 MOS	10	1.7	1	<1	<1	2	2	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	42	2.3	4	<1	1	2	2	4	6	13
13-19 YRS	630	2.0	1	1	1	2	2	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	7	5.3	3	3	3	5	7	7	7	7
1-5 YRS	3	5.0	7	3	3	4	7	8	8	8
6-12 YRS	47	4.5	12	1	1	4	6	10	12	17
13-19 YRS	326	4.4	8	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	2.1	2	1	1	2	3	5	5	5
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	17	3.5	15	1	1	2	4	7	13	17
13-19 YRS	261	2.6	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	7.9	15	1	2	7	11	12	12	12
1-5 YRS	5	5.6	9	2	2	5	8	10	10	10
6-12 YRS	23	6.2	13	2	2	5	9	11	13	15
13-19 YRS	165	5.8	12	2	2	5	8	11	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	691	2.0	1	1	1	2	2	4	4	6
B. *Operated*	383	4.4	8	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	288	2.6	3	1	1	2	3	5	6	12
B. *Operated*	202	5.9	12	2	2	5	8	11	12	17
1. SINGLE DX	1074	2.9	5	1	1	2	4	6	8	12
2. MULTIPLE DX	490	3.9	10	1	1	3	5	8	11	16
A. NOT OPERATED	979	2.2	2	1	1	2	3	4	5	7
B. OPERATED	585	4.9	10	1	2	4	6	9	11	15
TOTAL 0-27 DYS	7	2.1	2	<1	<1	2	3	5	5	5
1-11 MOS	32	3.9	11	1	1	3	6	8	12	12
1-5 YRS	14	3.9	8	1	1	3	5	8	10	10
6-12 YRS	129	4.0	12	1	1	3	5	9	12	17
13-19 YRS	1382	3.1	6	1	1	2	4	6	8	13
GRAND TOTAL	**1564**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**9**	**13**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	6.2	37	2	2	4	7	17	18	18
1-11 MOS	19	4.0	22	<1	1	3	5	6	15	22
1-5 YRS	43	3.5	24	<1	1	3	4	6	9	32
6-12 YRS	35	2.4	5	<1	1	2	3	6	7	11
13-19 YRS	39	2.7	3	1	1	2	4	6	7	8
B. *Operated*										
0-27 DYS	3	5.0		5	5	5	5	5	5	5
1-11 MOS	76	5.8	14	<1	1	6	8	10	12	18
1-5 YRS	496	5.8	10	<1	1	6	8	9	11	13
6-12 YRS	465	5.9	12	<1	1	6	8	10	11	14
13-19 YRS	218	6.5	17	1	1	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.6	58	1	2	5	13	21	23	23
1-11 MOS	52	7.9	209	1	2	4	9	12	17	92
1-5 YRS	98	3.4	9	1	1	3	4	7	9	16
6-12 YRS	107	3.5	7	1	1	3	5	7	10	13
13-19 YRS	110	3.5	7	<1	1	3	4	7	9	14
B. *Operated*										
0-27 DYS	9	6.2	4	4	4	6	7	9	10	10
1-11 MOS	112	8.4	37	<1	3	7	10	15	22	31
1-5 YRS	664	6.7	27	<1	1	6	9	13	14	25
6-12 YRS	524	6.8	21	1	1	7	9	12	15	24
13-19 YRS	362	8.1	36	1	2	7	11	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.2	14	<1	1	2	4	6	8	23
B. *Operated*	1258	6.0	12	<1	1	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	374	4.2	39	1	1	3	5	8	11	17
B. *Operated*	1671	7.1	28	1	1	7	9	13	16	27
1. SINGLE DX	1400	5.7	13	<1	1	6	8	10	11	16
2. MULTIPLE DX	2045	6.6	31	1	1	6	9	13	15	26
A. NOT OPERATED	516	3.9	32	1	1	3	4	7	10	19
B. OPERATED	2929	6.6	22	1	1	6	9	12	14	24
TOTAL 0-27 DYS	25	6.7	25	2	3	5	7	14	19	23
1-11 MOS	259	7.2	65	<1	1	6	9	13	18	38
1-5 YRS	1301	6.0	20	<1	1	6	8	11	13	22
6-12 YRS	1131	6.0	16	<1	1	6	8	11	12	20
13-19 YRS	729	6.7	28	1	1	6	9	13	16	25
GRAND TOTAL	**3445**	**6.2**	**24**	**1**	**1**	**6**	**8**	**11**	**14**	**23**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	42	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	6.0	14	1	1	6	9	10	10	10
6-12 YRS	9	3.4	5	<1	<1	4	5	7	7	7
13-19 YRS	16	4.8	11	1	2	4	5	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	24	3.8	19	<1	1	2	4	10	14	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	4.4	15	<1	1	3	7	10	12	13
6-12 YRS	8	3.5	9	<1	<1	3	4	8	10	10
13-19 YRS	31	6.6	40	1	1	4	9	13	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.1	2	1	1	2	3	4	4	8
B. *Operated*	30	4.6	10	1	1	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	27	3.8	18	<1	1	2	4	9	12	21
B. *Operated*	54	5.5	29	1	1	4	8	11	15	31
1. SINGLE DX	76	3.1	6	1	1	2	4	6	9	12
2. MULTIPLE DX	81	4.9	26	<1	1	3	6	11	14	29
A. NOT OPERATED	73	2.7	8	1	1	2	3	4	8	19
B. OPERATED	84	5.2	22	1	1	4	7	11	13	27
TOTAL 0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	21	4.5	14	<1	1	3	7	10	11	13
6-12 YRS	21	3.2	6	<1	<1	2	5	7	8	10
13-19 YRS	113	4.1	20	1	1	3	4	10	12	25
GRAND TOTAL	**157**	**4.0**	**17**	**1**	**1**	**3**	**5**	**10**	**11**	**21**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	65	2.6	3	1	1	2	3	4	5	10
6-12 YRS	66	2.7	4	1	1	2	3	5	6	11
13-19 YRS	106	2.6	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS	58	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	72	2.0	2	<1	<1	1	2	4	5	8
13-19 YRS	95	2.4	4	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	10	3	3	4	4	10	11	11
1-11 MOS	9	3.4	1	2	2	3	4	5	5	5
1-5 YRS	103	3.5	8	1	1	3	5	6	7	17
6-12 YRS	90	3.3	4	1	1	3	4	6	7	12
13-19 YRS	201	3.1	3	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	8	4.3	9	1	1	5	7	64	99+	99+
1-5 YRS	129	2.5	5	<1	<1	2	3	5	7	10
6-12 YRS	168	2.5	5	<1	<1	2	3	5	6	13
13-19 YRS	212	3.1	6	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.6	3	1	1	2	3	4	6	9
B. *Operated*	229	2.1	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	409	3.3	4	1	1	3	4	6	7	10
B. *Operated*	518	2.8	6	<1	1	2	4	6	7	14
1. SINGLE DX	469	2.4	3	<1	<1	2	3	4	6	8
2. MULTIPLE DX	927	3.0	5	<1	1	2	4	6	7	12
A. NOT OPERATED	649	3.0	4	1	1	3	4	5	6	10
B. OPERATED	747	2.6	5	<1	<1	2	3	5	7	13
TOTAL 0-27 DYS	8	6.4	43	2	2	4	8	18	21	21
1-11 MOS	23	3.6	5	1	1	3	5	7	37	99+
1-5 YRS	355	2.7	5	<1	1	2	3	5	6	10
6-12 YRS	396	2.6	4	<1	<1	2	3	5	6	12
13-19 YRS	614	2.9	4	1	1	2	4	6	6	10
GRAND TOTAL	**1396**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**5**	**6**	**11**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	6	2.8	3	1	1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	8	1.8	3	<1	<1	1	2	5	6	6
1-5 YRS	627	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	475	1.6	2	<1	<1	1	2	2	3	9
13-19 YRS	246	2.4	6	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	26	2.1	3	<1	<1	1	3	4	6	8
6-12 YRS	18	2.1	2	<1	<1	2	3	4	6	6
13-19 YRS	12	3.2	6	<1	<1	3	4	7	9	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.3		<1	<1	1	1	2	3	3
1-5 YRS	522	1.7	3	<1	<1	1	2	3	4	9
6-12 YRS	522	1.9	3	<1	<1	1	2	4	5	10
13-19 YRS	276	2.6	4	<1	<1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.0	2	<1	1	2	3	3	5	6
B. *Operated*	1356	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	58	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*	1335	2.0	3	<1	<1	1	2	4	5	9
1. SINGLE DX	1371	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1393	2.0	3	<1	<1	1	2	4	5	9
A. NOT OPERATED	73	2.3	3	<1	<1	2	3	5	6	9
B. OPERATED	2691	1.8	3	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	24	1.7	2	<1	<1	1	2	3	5	6
1-5 YRS	1179	1.6	2	<1	<1	1	2	3	3	8
6-12 YRS	1020	1.8	3	<1	<1	1	2	3	4	10
13-19 YRS	540	2.5	5	<1	<1	2	3	5	6	10
GRAND TOTAL	**2764**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	49	3.9	4	2	2	3	5	7	8	10
1-11 MOS	239	3.7	5	1	2	3	4	6	8	10
1-5 YRS	541	3.0	4	1	1	3	4	5	6	9
6-12 YRS	477	2.9	5	1	1	3	4	5	6	8
13-19 YRS	604	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	7	3.9		3	3	4	4	5	5	5
1-11 MOS	27	4.0	5	1	1	4	6	7	8	9
1-5 YRS	370	2.3	4	<1	<1	1	3	5	7	9
6-12 YRS	400	2.2	5	<1	<1	1	3	5	6	10
13-19 YRS	308	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	170	5.3	9	2	2	4	7	10	11	14
1-11 MOS	845	4.6	7	2	2	4	6	8	10	14
1-5 YRS	1384	4.0	7	1	2	3	5	7	9	14
6-12 YRS	977	3.6	6	1	1	3	4	6	8	12
13-19 YRS	1422	3.8	7	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS	23	6.2	12	2	2	5	9	12	13	13
1-11 MOS	137	6.3	31	1	1	5	7	13	18	27
1-5 YRS	686	3.5	18	<1	<1	2	5	8	10	15
6-12 YRS	595	3.7	27	<1	<1	2	4	8	12	21
13-19 YRS	552	4.7	44	1	1	3	5	9	13	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1910	3.0	4	1	1	3	4	5	6	9
B. *Operated*	1112	2.4	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	4798	4.0	7	1	2	3	5	7	9	13
B. *Operated*	1993	4.1	29	<1	<1	3	5	9	12	24
1. SINGLE DX	3022	2.8	4	<1	1	2	4	5	6	9
2. MULTIPLE DX	6791	4.0	13	1	1	3	5	8	10	15
A. NOT OPERATED	6708	3.7	6	1	1	3	5	7	8	13
B. OPERATED	3105	3.5	21	<1	<1	2	4	8	10	19
TOTAL 0-27 DYS	249	5.1	9	2	2	4	7	10	11	14
1-11 MOS	1248	4.6	10	1	2	4	5	8	10	15
1-5 YRS	2981	3.5	9	<1	1	3	4	7	8	13
6-12 YRS	2449	3.3	11	<1	1	3	4	6	8	14
13-19 YRS	2886	3.6	13	1	1	3	4	7	8	14
GRAND TOTAL	**9813**	**3.6**	**11**	**<1**	**1**	**3**	**5**	**7**	**9**	**14**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	5.2	8	2	2	7	7	9	9	9
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	3	5.7	12	2	2	6	8	9	9	9
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	9	5.0	2	3	3	5	6	7	7	7
1-11 MOS	18	7.4	7	4	5	7	9	11	13	14
1-5 YRS	11	10.1	43	1	3	9	17	19	20	20
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	5	7.8	11	4	4	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	15	5.5	7	2	2	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	46	7.3	18	2	3	6	9	14	18	20
1. SINGLE DX	16	5.2	8	<1	2	6	7	9	9	9
2. MULTIPLE DX	49	6.9	19	1	2	6	9	13	18	20
A. NOT OPERATED	4	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	61	6.8	16	2	2	6	9	11	16	20
TOTAL 0-27 DYS	11	4.7	3	<1	2	5	6	7	7	7
1-11 MOS	28	6.5	9	2	2	7	8	10	11	14
1-5 YRS	14	8.9	41	<1	1	7	15	18	20	20
6-12 YRS	6	3.8	9	2	2	2	6	9	9	9
13-19 YRS	6	6.7	16	1	1	6	11	11	11	11
GRAND TOTAL	**65**	**6.5**	**17**	**1**	**2**	**6**	**8**	**11**	**16**	**20**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	34	2.7	2	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	26	2.2	3	<1	<1	1	3	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	26	4.1	5	1	2	3	5	8	9	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	42	3.0	5	<1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.6	2	1	1	2	3	4	5	7
B. *Operated*	27	2.1	3	<1	<1	1	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	30	4.2	6	1	2	3	5	8	10	10
B. *Operated*	47	3.0	4	<1	1	2	4	5	7	11
1. SINGLE DX	62	2.4	2	<1	<1	2	3	4	6	7
2. MULTIPLE DX	77	3.5	5	1	1	3	4	6	9	11
A. NOT OPERATED	65	3.4	4	1	1	3	4	6	8	10
B. OPERATED	74	2.7	4	<1	<1	2	4	5	6	11
TOTAL 0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	5	1.8		1	1	2	2	2	2	2
13-19 YRS	128	3.0	4	<1	1	3	4	5	7	10
GRAND TOTAL	**139**	**3.0**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**	**10**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	8	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	10	1.2		<1	<1	1	1	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	111	1.5	1	<1	<1	1	2	2	3	7
1-5 YRS	449	1.5		<1	<1	1	2	2	3	4
6-12 YRS	151	1.5	1	<1	<1	1	2	3	3	4
13-19 YRS	294	2.3	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	1.6	2	<1	<1	1	1	4	5	5
1-5 YRS	46	1.5	2	<1	<1	1	1	3	3	8
6-12 YRS	9	1.3	1	<1	<1	1	2	3	3	3
13-19 YRS	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*										
0-27 DYS	6	1.8	1	1	1	2	2	4	4	4
1-11 MOS	117	2.6	40	<1	<1	2	2	3	6	48
1-5 YRS	448	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	176	1.8	1	<1	1	2	2	3	4	5
13-19 YRS	139	2.6	2	1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.3		<1	<1	1	1	2	3	3
B. *Operated*	1006	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	75	1.5	2	<1	<1	1	1	3	4	7
B. *Operated*	886	2.0	6	<1	<1	2	2	3	4	8
1. SINGLE DX	1029	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	961	1.9	6	<1	<1	2	2	3	4	8
A. NOT OPERATED	98	1.5	1	<1	<1	1	1	3	4	7
B. OPERATED	1892	1.8	4	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	9	2.3	3	<1	<1	2	3	5	6	6
1-11 MOS	250	2.0	19	<1	<1	1	2	3	4	10
1-5 YRS	953	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	338	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	440	2.4	2	1	1	2	3	4	5	6
GRAND TOTAL	**1990**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.3	3	1	1	3	4	6	7	7
6-12 YRS	74	2.9	4	<1	1	2	4	6	7	10
13-19 YRS	306	3.8	7	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	3	7.7	2	6	6	8	9	9	9	9
1-11 MOS	5	2.6	1	<1	<1	3	3	4	4	4
1-5 YRS	11	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	32	1.8	1	1	1	2	2	3	4	5
13-19 YRS	117	3.1	5	1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	7	1	1	5	6	6	6	6
1-5 YRS	8	3.8	7	1	1	3	6	8	8	8
6-12 YRS	30	3.1	7	1	1	2	4	5	10	13
13-19 YRS	120	4.1	7	1	1	3	5	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	7	<1	<1	2	3	8	8	8
1-5 YRS	8	3.5	6	1	1	3	5	7	8	8
6-12 YRS	22	3.9	11	1	1	3	4	9	12	14
13-19 YRS	85	3.7	6	1	1	3	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.6	7	1	1	3	5	7	8	12
B. *Operated*	168	2.8	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	161	3.9	7	1	1	3	5	8	10	13
B. *Operated*	121	3.7	7	1	1	3	5	8	9	12
1. SINGLE DX	557	3.4	6	1	1	3	4	7	8	11
2. MULTIPLE DX	282	3.8	7	1	1	3	5	8	9	13
A. NOT OPERATED	550	3.7	7	1	1	3	5	7	9	13
B. OPERATED	289	3.2	5	1	1	2	4	7	8	11
TOTAL 0-27 DYS	3	7.7	2	6	6	8	9	9	9	9
1-11 MOS	14	3.1	4	<1	<1	3	4	6	8	8
1-5 YRS	36	2.9	4	<1	1	2	4	7	8	8
6-12 YRS	158	2.8	5	1	1	2	4	5	8	13
13-19 YRS	628	3.7	7	1	1	3	5	7	9	12
GRAND TOTAL	**839**	**3.5**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	1.5	2	<1	<1	1	1	4	5	5
1-11 MOS	94	1.1		<1	<1	1	1	2	2	3
1-5 YRS	770	1.3		<1	<1	1	2	2	2	3
6-12 YRS	302	1.4		<1	<1	1	2	2	2	4
13-19 YRS	176	1.7	1	<1	<1	2	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS	119	1.2		<1	<1	1	1	2	2	3
1-5 YRS	657	1.3		<1	<1	1	2	2	2	3
6-12 YRS	272	1.3		<1	<1	1	2	2	2	3
13-19 YRS	169	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	36	1.8	3	<1	<1	1	2	3	5	9
1-5 YRS	194	1.5	1	<1	<1	1	2	2	3	7
6-12 YRS	61	1.4		<1	<1	1	2	2	3	4
13-19 YRS	49	1.8	2	<1	<1	1	2	3	3	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	47	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	249	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	95	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	76	1.8	1	<1	<1	2	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	1.4		<1	<1	1	2	2	2	4
B. *Operated*	1217	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	342	1.5	1	<1	<1	1	2	2	3	8
B. *Operated*	468	1.7	2	<1	<1	1	2	3	4	6
1. SINGLE DX	2571	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX	810	1.6	1	<1	<1	1	2	3	3	6
A. NOT OPERATED	1696	1.4	1	<1	<1	1	2	2	2	5
B. OPERATED	1685	1.4	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS	15	1.5	1	<1	<1	1	1	3	5	5
1-11 MOS	296	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	1870	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	730	1.4		<1	<1	1	2	2	2	4
13-19 YRS	470	1.7	1	<1	<1	2	2	2	3	5
GRAND TOTAL	**3381**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.8	3	1	1	3	4	6	6	6
1-11 MOS	12	3.0	6	<1	1	2	4	6	9	10
1-5 YRS	65	1.9	2	<1	<1	1	2	4	5	7
6-12 YRS	65	3.3	133	<1	<1	1	2	3	4	81
13-19 YRS	80	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*										
0-27 DYS	7	2.1	1	1	1	2	3	4	4	4
1-11 MOS	26	1.7	2	<1	<1	1	2	3	5	7
1-5 YRS	263	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	620	1.6	1	<1	1	1	2	2	3	5
13-19 YRS	1435	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.6	4	2	2	3	4	6	9	9
1-11 MOS	7	3.0	4	<1	<1	3	5	6	6	6
1-5 YRS	82	2.3	4	<1	<1	2	3	4	6	12
6-12 YRS	44	3.8	113	<1	<1	2	3	5	6	72
13-19 YRS	60	3.4	21	<1	1	2	4	8	10	29
B. *Operated*										
0-27 DYS	8	2.3	4	<1	<1	1	3	5	6	6
1-11 MOS	29	3.1	19	<1	<1	2	3	6	8	24
1-5 YRS	160	2.4	9	<1	<1	2	2	4	6	18
6-12 YRS	266	2.2	10	<1	1	2	2	4	5	11
13-19 YRS	543	2.8	8	1	1	2	3	5	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.4	39	<1	<1	1	2	4	5	10
B. *Operated*	2351	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	205	3.0	32	<1	<1	2	3	5	8	22
B. *Operated*	1006	2.6	9	<1	1	2	3	5	6	14
1. SINGLE DX	2582	1.9	5	<1	1	1	2	3	4	7
2. MULTIPLE DX	1211	2.7	13	<1	1	2	3	5	7	15
A. NOT OPERATED	436	2.7	36	<1	<1	2	3	5	7	13
B. OPERATED	3357	2.0	4	<1	1	2	2	4	5	9
TOTAL 0-27 DYS	36	2.8	3	1	1	2	4	5	6	9
1-11 MOS	74	2.6	10	<1	<1	2	3	5	7	21
1-5 YRS	570	1.9	4	<1	<1	1	2	3	4	11
6-12 YRS	995	2.0	17	<1	1	1	2	3	4	7
13-19 YRS	2118	2.2	4	<1	1	2	3	4	5	10
GRAND TOTAL	**3793**	**2.1**	**8**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	7	1.9		1	1	2	2	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	7	1.6	1	<1	<1	<1	2	3	3	3
13-19 YRS	211	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	65	2.4	2	<1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	1	1	2	3	4	4	4
B. *Operated*	228	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*	71	2.4	2	<1	1	2	3	4	6	8
1. SINGLE DX	233	1.7	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX	76	2.5	2	<1	1	2	3	5	6	8
A. NOT OPERATED	10	2.9	2	1	1	3	4	5	5	5
B. OPERATED	299	1.9	1	<1	<1	2	2	3	4	6
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	11	2.0	1	<1	<1	2	2	3	4	4
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	10	1.6		<1	<1	1	2	3	3	3
13-19 YRS	284	1.9	1	<1	<1	2	2	4	4	6
GRAND TOTAL	**309**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**4**	**4**	**6**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.4	2	2	2	3	4	5	6	6
1-11 MOS	9	4.1	3	2	2	4	5	7	7	7
1-5 YRS	7	4.1	5	2	2	3	6	8	8	8
6-12 YRS	10	5.2	18	<1	<1	4	6	12	13	13
13-19 YRS	43	3.4	3	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	8	2.3	4	<1	<1	1	3	6	7	7
6-12 YRS	74	2.5	1	<1	1	2	3	4	4	7
13-19 YRS	1256	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.1	3	2	2	4	5	7	7	7
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	5	3.6	7	<1	<1	4	5	7	7	7
6-12 YRS	7	3.6	15	1	1	2	4	10	12	12
13-19 YRS	40	3.3	6	<1	<1	2	5	7	8	9
B. *Operated*										
0-27 DYS	3	4.0	13	1	1	3	7	8	8	8
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS										
6-12 YRS	15	3.1	5	<1	<1	3	4	6	8	9
13-19 YRS	331	2.9	2	1	1	3	4	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.8	5	1	2	3	5	6	8	13
B. *Operated*	1343	2.6	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	65	3.4	6	<1	<1	3	5	7	8	12
B. *Operated*	352	2.9	2	1	1	3	4	4	5	9
1. SINGLE DX	1420	2.7	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	417	3.0	3	1	1	3	4	5	6	9
A. NOT OPERATED	142	3.6	6	<1	1	3	5	7	8	12
B. OPERATED	1695	2.7	2	<1	1	3	3	4	5	7
TOTAL 0-27 DYS	22	3.6	3	1	2	3	4	6	7	8
1-11 MOS	19	3.5	3	<1	1	3	5	6	7	7
1-5 YRS	20	3.3	5	<1	<1	3	5	7	8	8
6-12 YRS	106	2.9	5	<1	1	2	4	5	6	13
13-19 YRS	1670	2.7	2	<1	1	3	3	4	5	8
GRAND TOTAL	**1837**	**2.8**	**3**	**<1**	**1**	**3**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	77	2.3	2	1	1	2	3	4	5	9
13-19 YRS	1328	2.3	3	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	4	5.0	9	2	2	4	7	9	9	9
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	63	4.1	4	1	2	4	5	6	8	11
13-19 YRS	1541	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	43	2.9	4	1	1	2	4	5	8	9
13-19 YRS	883	2.8	3	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	7	5.3	10	<1	1	5	6	10	11	11
1-11 MOS	12	6.3	9	1	2	6	9	10	11	11
1-5 YRS	7	9.3	77	1	2	7	12	24	27	27
6-12 YRS	48	4.5	4	1	2	4	5	7	8	11
13-19 YRS	1611	4.7	7	1	2	4	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1410	2.3	3	1	1	2	3	4	5	7
B. *Operated*	1612	3.8	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	929	2.8	3	1	1	2	4	5	6	9
B. *Operated*	1685	4.7	7	1	2	4	6	8	9	13
1. SINGLE DX	3022	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	2614	4.0	6	1	1	4	5	7	9	12
A. NOT OPERATED	2339	2.5	3	1	1	2	3	5	6	9
B. OPERATED	3297	4.3	6	1	1	4	6	7	8	12
TOTAL 0-27 DYS	13	4.3	9	<1	<1	5	6	9	11	11
1-11 MOS	18	5.5	10	1	1	5	8	10	11	11
1-5 YRS	11	7.5	57	1	1	5	9	19	26	27
6-12 YRS	231	3.4	4	1	1	3	4	6	7	10
13-19 YRS	5363	3.5	5	1	1	3	5	6	8	11
GRAND TOTAL	**5636**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**11**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5		3	3	3	4	4	4	4
1-11 MOS	7	4.7	12	2	2	4	6	11	12	12
1-5 YRS	4	5.5	4	4	4	5	7	8	8	8
6-12 YRS	16	3.8	5	1	1	3	5	7	9	10
13-19 YRS	3193	4.0	4	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	13	2	2	4	8	9	9	9
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	15	6.1	8	3	3	6	8	10	11	12
13-19 YRS	672	4.9	9	1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	4	2	2	3	5	6	6	6
1-11 MOS	7	5.9	32	2	2	4	6	16	18	18
1-5 YRS										
6-12 YRS	11	6.7	10	2	3	6	8	12	13	13
13-19 YRS	2279	4.6	6	2	2	4	6	8	9	13
B. *Operated*										
0-27 DYS	3	5.7	4	4	4	5	7	8	8	8
1-11 MOS	4	6.8	6	4	4	6	8	10	10	10
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	27	8.4	45	2	3	7	11	15	23	32
13-19 YRS	1420	6.1	14	1	2	5	8	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3224	4.0	4	1	2	4	5	7	8	11
B. *Operated*	692	4.9	9	1	2	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	2300	4.6	6	2	2	4	6	8	9	13
B. *Operated*	1456	6.1	14	1	2	6	8	10	13	18
1. SINGLE DX	3916	4.2	5	1	2	4	5	7	8	12
2. MULTIPLE DX	3756	5.2	10	2	2	5	7	9	11	16
A. NOT OPERATED	5524	4.3	5	1	2	4	5	7	8	11
B. OPERATED	2148	5.7	13	1	2	5	7	10	12	17
TOTAL 0-27 DYS	10	4.2	3	2	2	4	5	7	8	8
1-11 MOS	21	5.5	16	2	2	4	7	11	15	18
1-5 YRS	8	6.0	9	2	2	5	8	10	11	11
6-12 YRS	69	6.6	25	2	2	5	8	12	14	30
13-19 YRS	7564	4.7	8	1	2	4	6	8	10	14
GRAND TOTAL	**7672**	**4.7**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	35	3.4	4	1	1	3	5	5	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	167	3.0	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	85	1	1	7	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	37	3.5	8	<1	1	3	4	5	11	14
B. *Operated*										
0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	13	6.2	8	<1	1	6	8	10	11	11
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	248	3.9	5	1	1	4	5	7	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.5	4	1	1	3	5	5	8	9
B. *Operated*	170	3.1	4	<1	<1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	39	3.7	10	<1	1	3	4	6	13	14
B. *Operated*	266	4.0	6	1	1	4	6	7	8	11
1. SINGLE DX	206	3.1	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	305	4.0	7	1	1	4	5	7	8	12
A. NOT OPERATED	75	3.6	7	<1	1	3	5	5	9	14
B. OPERATED	436	3.6	6	<1	1	3	5	7	8	11
TOTAL 0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	18	6.1	12	<1	1	6	8	11	13	14
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	487	3.5	5	<1	1	3	5	7	8	11
GRAND TOTAL	**511**	**3.6**	**6**	**<1**	**1**	**3**	**5**	**7**	**8**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	6	3.5	4	1	1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	1	<1	<1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	4.9	6	2	2	5	7	8	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	53	2.7	4	<1	1	2	3	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	3	1	1	3	5	6	6	6
B. *Operated*	15	2.1	1	<1	<1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	15	4.9	6	2	2	5	7	8	9	10
B. *Operated*	56	2.8	4	<1	1	2	3	6	7	10
1. SINGLE DX	22	2.5	2	<1	1	2	3	5	6	6
2. MULTIPLE DX	71	3.3	5	1	1	3	4	7	8	10
A. NOT OPERATED	22	4.4	6	1	2	4	6	8	9	10
B. OPERATED	71	2.7	3	<1	1	2	3	5	6	10
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS										
13-19 YRS	89	3.0	4	<1	1	2	4	6	7	10
GRAND TOTAL	**93**	**3.1**	**4**	**<1**	**1**	**2**	**4**	**6**	**7**	**10**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.2	1	1	1	2	3	3	3	3
1-5 YRS	13	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	20	2.0	1	<1	<1	2	3	4	4	5
13-19 YRS	157	3.3	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	2.7	3	<1	<1	2	3	5	6	6
6-12 YRS	9	2.3	5	1	1	2	2	6	8	8
13-19 YRS	248	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	23	4.6	11	1	2	3	5	8	14	15
6-12 YRS	21	3.3	5	<1	<1	3	5	6	8	10
13-19 YRS	204	3.9	7	1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	2.2	3	<1	<1	1	4	4	4	4
6-12 YRS	12	3.8	10	1	1	3	6	8	11	11
13-19 YRS	161	3.7	10	1	1	3	5	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.0	4	1	1	3	4	5	7	11
B. *Operated*	268	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	252	4.0	7	1	1	3	5	7	8	15
B. *Operated*	178	3.7	10	1	1	3	5	7	10	17
1. SINGLE DX	465	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	430	3.8	8	1	1	3	5	7	10	15
A. NOT OPERATED	449	3.5	6	1	1	3	4	6	7	13
B. OPERATED	446	2.7	6	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	3	6.3	16	4	4	4	9	11	11	11
1-11 MOS	9	3.6	11	1	1	2	4	9	11	11
1-5 YRS	51	3.4	7	<1	1	3	4	6	7	15
6-12 YRS	62	2.8	5	<1	1	2	4	6	7	11
13-19 YRS	770	3.1	6	1	1	2	4	6	7	12
GRAND TOTAL	**895**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	7	7.7	18	2	2	8	10	13	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	4	4.5	3	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	4	5.5	6	3	3	5	7	8	8	8
1-11 MOS	9	6.2	3	3	4	6	8	8	8	8
1-5 YRS	3	7.7	2	6	6	8	9	9	9	9
6-12 YRS	3	8.0	1	7	7	8	9	9	9	9
13-19 YRS	19	5.4	8	1	2	6	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	6.4	13	2	2	5	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	38	6.0	6	2	3	6	8	9	9	13
1. SINGLE DX	15	6.4	13	2	2	5	9	11	13	14
2. MULTIPLE DX	39	5.9	7	1	2	6	8	9	9	13
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	53	6.1	8	2	3	6	8	9	11	14
TOTAL 0-27 DYS	6	6.3	9	3	3	6	8	11	11	11
1-11 MOS	16	6.9	9	2	3	7	8	10	13	14
1-5 YRS	4	6.5	7	3	3	7	8	9	9	9
6-12 YRS	4	7.3	3	5	5	7	8	9	9	9
13-19 YRS	24	5.1	8	1	2	5	6	9	10	13
GRAND TOTAL	**54**	**6.0**	**8**	**2**	**2**	**6**	**8**	**9**	**11**	**14**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	23	1.9	2	<1	<1	1	3	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.5	1	1	1	3	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	2.9	3	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		1	1	1	2	2	2	2
B. *Operated*	24	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	2.5	1	1	1	3	3	4	5	5
B. *Operated*	26	2.9	3	1	1	2	4	6	6	6
1. SINGLE DX	29	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	41	2.8	2	1	1	2	4	5	6	6
A. NOT OPERATED	20	2.3	1	1	1	2	3	4	4	5
B. OPERATED	50	2.4	3	1	1	2	3	5	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	69	2.4	2	1	1	2	3	5	6	7
GRAND TOTAL	70	2.4	2	1	1	2	3	5	6	7

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	2.8	12	<1	<1	2	3	3	11	17
13-19 YRS	298	1.9	1	<1	1	1	2	3	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.0	4	<1	<1	1	2	5	7	7
13-19 YRS	566	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	2.9	3	1	1	2	4	5	7	8
13-19 YRS	402	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	3.2	4	<1	1	3	5	6	7	7
13-19 YRS	618	2.7	4	<1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	1.9	2	<1	1	1	3	3	5	7
B. *Operated*	577	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	443	2.6	3	1	1	2	3	5	6	9
B. *Operated*	637	2.7	4	<1	1	2	4	5	7	9
1. SINGLE DX	894	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1080	2.7	4	1	1	2	3	5	6	9
A. NOT OPERATED	760	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	1214	2.3	3	<1	1	2	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	90	2.8	5	<1	1	2	3	5	7	13
13-19 YRS	1884	2.3	3	<1	1	2	3	4	6	9
GRAND TOTAL	1974	2.3	3	<1	1	2	3	4	6	9

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	4	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	6	2.7	4	1	1	2	4	6	6	6
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	7	2.9	3	1	1	2	4	6	6	6
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	7	2.6	3	1	1	2	4	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	2.8	3	1	1	2	4	5	6	6
GRAND TOTAL	**8**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	4	3.5	4	2	2	3	5	6	6	6
1-5 YRS	13	2.5	2	<1	<1	2	4	4	5	5
6-12 YRS	22	2.3	5	<1	<1	1	3	5	8	10
13-19 YRS	124	2.3	3	<1	<1	2	3	4	5	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.0	2	<1	<1	2	3	4	4	4
1-5 YRS	8	2.1	5	<1	<1	1	3	6	7	7
6-12 YRS	41	2.7	4	<1	<1	2	3	6	7	9
13-19 YRS	386	2.8	6	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	3.1	9	1	1	2	5	8	9	9
6-12 YRS	29	4.1	29	1	1	3	5	7	8	30
13-19 YRS	134	2.6	3	<1	1	2	4	5	6	7
B. *Operated*										
0-27 DYS	4	4.3	3	2	2	4	5	6	6	6
1-11 MOS	19	5.8	14	<1	1	6	8	11	14	15
1-5 YRS	19	4.3	10	<1	1	4	6	9	11	11
6-12 YRS	44	3.8	4	1	1	4	5	6	7	9
13-19 YRS	426	3.9	9	<1	1	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.3	3	<1	<1	2	3	5	5	9
B. *Operated*	441	2.8	6	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	173	3.0	8	<1	1	2	4	6	7	14
B. *Operated*	512	4.0	9	<1	1	3	5	7	9	16
1. SINGLE DX	608	2.6	5	<1	<1	2	4	5	6	13
2. MULTIPLE DX	685	3.7	9	<1	1	3	5	7	8	15
A. NOT OPERATED	340	2.7	6	<1	1	2	4	5	6	10
B. OPERATED	953	3.4	8	<1	<1	3	5	6	8	15
TOTAL 0-27 DYS	10	3.9	19	1	1	2	5	10	15	15
1-11 MOS	29	4.8	12	<1	<1	4	7	9	12	15
1-5 YRS	48	3.2	7	<1	<1	2	5	7	9	11
6-12 YRS	136	3.3	10	<1	1	3	5	6	7	13
13-19 YRS	1070	3.2	7	<1	1	2	4	6	7	14
GRAND TOTAL	**1293**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	43	1.8	1	<1	1	2	2	3	4	5
13-19 YRS	670	1.9	2	<1	1	2	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	14	1	1	7	8	8	8	8
1-5 YRS										
6-12 YRS	9	3.0	5	<1	<1	3	4	7	7	7
13-19 YRS	371	2.5	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	24	2.0	1	<1	1	2	3	4	5	5
13-19 YRS	504	2.2	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	3	3.3	4	1	1	4	5	5	5	5
1-11 MOS	6	5.3	5	1	1	6	6	8	8	8
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	11	3.6	6	<1	<1	3	5	7	9	9
13-19 YRS	415	3.2	6	<1	1	2	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	716	1.9	2	<1	1	2	2	3	4	7
B. *Operated*	383	2.5	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	531	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	438	3.2	6	<1	1	2	5	6	8	11
1. SINGLE DX	1099	2.1	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	969	2.7	4	<1	1	2	3	5	7	10
A. NOT OPERATED	1247	2.1	2	<1	1	2	3	4	4	7
B. OPERATED	821	2.9	5	<1	<1	2	4	6	7	10
TOTAL 0-27 DYS	4	2.8	4	<1	<1	2	4	5	5	5
1-11 MOS	10	4.9	8	1	1	6	7	8	8	8
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	87	2.2	2	<1	<1	2	3	5	5	8
13-19 YRS	1960	2.4	3	<1	1	2	3	5	6	9
GRAND TOTAL	**2068**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	465	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	423	5.0	3	3	3	5	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*	466	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	9	2.2	1	<1	<1	2	3	4	4	4
B. *Operated*	424	5.0	3	3	3	5	6	7	8	11
1. SINGLE DX	486	4.3	3	1	2	4	5	6	7	9
2. MULTIPLE DX	433	4.9	3	3	3	5	6	7	8	11
A. NOT OPERATED	29	2.0	2	<1	<1	1	3	4	4	4
B. OPERATED	890	4.7	3	2	3	5	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	917	4.6	3	2	3	4	5	6	7	11
GRAND TOTAL	**919**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	124	1.6	1	<1	1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	1.8	3	<1	<1	1	2	3	6	8
13-19 YRS	4051	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	1.6	2	<1	<1	<1	2	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.3	6	1	1	2	6	7	7	7
13-19 YRS	1261	1.5	2	<1	<1	<1	1	2	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	4069	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	86	1.6	2	<1	<1	<1	2	3	4	9
B. *Operated*	1267	1.5	2	<1	<1	<1	1	2	4	8
1. SINGLE DX	4193	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1353	1.5	2	<1	<1	<1	1	2	4	8
A. NOT OPERATED	210	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	5336	1.4	1	<1	<1	<1	1	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.2	4	<1	<1	1	2	6	7	8
13-19 YRS	5522	1.4	1	<1	<1	<1	1	2	3	5
GRAND TOTAL	**5546**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
1. SINGLE DX	4	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX	1	6.0		6	6	6	6	6	6	6
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	3	1.7		1	1	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.0	4	1	1	2	4	6	6	6
GRAND TOTAL	**5**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**6**	**6**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	805	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.7	1	<1	<1	2	2	3	3	3
13-19 YRS	5581	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	173	2.0	10	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	924	2.1	3	<1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	808	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	5590	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	173	2.0	10	<1	<1	1	2	4	5	8
B. *Operated*	925	2.1	3	<1	1	2	3	4	5	8
1. SINGLE DX	6398	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1098	2.1	4	<1	1	2	2	4	5	8
A. NOT OPERATED	981	1.6	2	<1	<1	1	2	3	4	6
B. OPERATED	6515	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.8	1	<1	<1	2	2	3	4	4
13-19 YRS	7483	1.5	1	<1	<1	1	2	3	3	6
GRAND TOTAL	**7496**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	261	2.7	3	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	631	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	3.3	7	1	1	2	5	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	238	3.1	7	1	1	2	4	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	631	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	100	3.3	7	1	1	2	5	6	8	14
B. *Operated*	238	3.1	7	1	1	2	4	7	9	14
1. SINGLE DX	892	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	338	3.1	7	1	1	2	4	7	9	14
A. NOT OPERATED	361	2.9	4	<1	1	2	4	5	7	10
B. OPERATED	869	2.2	4	<1	<1	2	2	4	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1230	2.4	4	<1	1	2	3	5	6	11
GRAND TOTAL	**1230**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	743	2.0	2	<1	1	2	2	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	2.6	6	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	203	3.0	4	1	1	3	4	5	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	2.5	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	743	2.0	2	<1	1	2	2	4	4	6
B. *Operated*	26	2.6	6	<1	1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	203	3.0	4	1	1	3	4	5	6	12
B. *Operated*	12	2.5	2	1	1	2	3	5	6	6
1. SINGLE DX	769	2.0	2	<1	1	2	2	4	4	6
2. MULTIPLE DX	215	2.9	4	1	1	3	4	5	6	11
A. NOT OPERATED	946	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	38	2.6	5	<1	1	2	3	4	6	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	984	2.2	2	<1	1	2	3	4	5	7
GRAND TOTAL	**984**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*	3	2.0	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	15	2.1	1	1	1	2	3	3	4	4
B. *Operated*	2	2.5	5	1	1	2	4	4	4	4
1. SINGLE DX	50	2.0	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX	17	2.2	1	1	1	2	3	4	4	4
A. NOT OPERATED	62	2.0	1	<1	<1	2	3	3	4	8
B. OPERATED	5	2.2	2	<1	<1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	67	2.0	1	<1	<1	2	3	3	4	7
GRAND TOTAL	**67**	**2.0**	**1**	**<1**	**<1**	**2**	**3**	**3**	**4**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	916	3.0	4	1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	115	3.6	13	<1	<1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	289	3.2	5	<1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	64	3.7	9	<1	<1	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	917	3.0	4	1	1	2	4	5	7	11
B. *Operated*	115	3.6	13	<1	<1	3	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	290	3.2	5	<1	1	3	4	6	8	11
B. *Operated*	64	3.7	9	<1	<1	3	5	7	9	15
1. SINGLE DX	1032	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX	354	3.3	6	<1	1	3	4	6	8	14
A. NOT OPERATED	1207	3.1	5	1	1	3	4	6	7	11
B. OPERATED	179	3.6	11	<1	<1	3	5	7	10	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1384	3.1	5	<1	1	3	4	6	7	12
GRAND TOTAL	**1386**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1355	3.2	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.1	8	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	673	3.6	7	1	1	3	4	6	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.9	10	1	1	3	5	9	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	3.2	4	1	1	3	4	5	7	11
B. *Operated*	12	3.1	8	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	674	3.6	7	1	1	3	4	6	9	14
B. *Operated*	27	3.9	10	1	1	3	5	9	11	14
1. SINGLE DX	1369	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX	701	3.6	7	1	1	3	4	7	9	14
A. NOT OPERATED	2031	3.3	5	1	1	3	4	6	7	13
B. OPERATED	39	3.6	9	<1	1	3	4	8	10	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	2067	3.3	5	1	1	3	4	6	8	13
GRAND TOTAL	**2070**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	4774	1.1		<1	<1	<1	1	1	2	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	605	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	549	1.5	1	<1	<1	1	2	3	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	92	1.8	3	<1	<1	1	2	3	5	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4779	1.1		<1	<1	<1	1	1	2	4
B. Operated	605	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. Not Operated	549	1.5	1	<1	<1	1	2	3	4	6
B. Operated	92	1.8	3	<1	<1	1	2	3	5	11
1. SINGLE DX	5384	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	641	1.6	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	5328	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	697	1.3	1	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	6020	1.2	1	<1	<1	<1	1	1	2	4
GRAND TOTAL	**6025**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	174	2.6	4	<1	1	2	3	5	6	13
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	66	3.3	14	<1	<1	3	4	6	9	21
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	21	1	2	5	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	2.6	4	<1	1	2	3	5	6	13
B. Operated	10	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	66	3.3	14	<1	<1	3	4	6	9	21
B. Operated	8	6.1	21	1	2	5	8	13	15	15
1. SINGLE DX	184	2.5	4	<1	1	2	3	4	6	13
2. MULTIPLE DX	74	3.6	15	<1	<1	3	4	7	10	21
A. NOT OPERATED	240	2.8	7	<1	<1	2	4	5	7	15
B. OPERATED	18	3.6	15	<1	<1	2	4	9	13	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	258	2.9	8	<1	<1	2	4	6	7	15
GRAND TOTAL	**258**	**2.9**	**8**	**<1**	**<1**	**2**	**4**	**6**	**7**	**15**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	471	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	186	2.4	4	<1	<1	2	3	4	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	2.8	7	1	1	2	3	6	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	47	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	186	2.4	4	<1	<1	2	3	4	6	13
B. *Operated*	17	2.8	7	1	1	2	3	6	10	11
1. SINGLE DX	518	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	203	2.5	5	<1	<1	2	3	4	6	13
A. NOT OPERATED	657	2.0	3	<1	<1	1	2	4	5	8
B. OPERATED	64	1.7	2	<1	<1	1	2	3	4	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	721	1.9	2	<1	<1	1	2	4	5	8
GRAND TOTAL	**721**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1092	3.0	3	<1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	127	1.7	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1456	3.5	4	<1	1	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	120	3.5	11	<1	<1	2	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1093	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	127	1.7	3	<1	<1	<1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	1456	3.5	4	<1	1	3	5	6	7	10
B. *Operated*	121	3.4	11	<1	<1	2	5	7	10	17
1. SINGLE DX	1220	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	1577	3.5	5	<1	1	3	5	6	7	11
A. NOT OPERATED	2549	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	248	2.6	7	<1	<1	1	3	6	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2795	3.3	4	<1	<1	3	4	6	7	10
GRAND TOTAL	**2797**	**3.3**	**4**	**<1**	**<1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	313	3.1	10	<1	1	2	4	6	8	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	3.0	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1086	3.3	14	<1	<1	2	4	7	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	136	4.0	34	<1	<1	3	5	9	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.1	10	<1	1	2	4	6	8	21
B. *Operated*	30	3.0	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	1086	3.3	14	<1	<1	2	4	7	8	17
B. *Operated*	136	4.0	34	<1	<1	3	5	9	10	23
1. SINGLE DX	343	3.1	9	<1	1	2	4	6	8	21
2. MULTIPLE DX	1222	3.4	17	<1	<1	2	4	7	9	17
A. NOT OPERATED	1399	3.3	13	<1	1	2	4	6	8	19
B. OPERATED	166	3.8	29	<1	<1	3	5	7	9	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1565	3.3	15	<1	<1	2	4	7	8	18
GRAND TOTAL	**1565**	**3.3**	**15**	**<1**	**<1**	**2**	**4**	**7**	**8**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3417	2.1	5	<1	<1	1	3	4	5	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	827	2.2	5	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1580	2.8	9	<1	<1	2	3	5	7	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	485	3.0	12	<1	<1	2	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3418	2.1	5	<1	<1	1	3	4	5	12
B. *Operated*	828	2.2	5	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1580	2.8	9	<1	<1	2	3	5	7	18
B. *Operated*	485	3.0	12	<1	<1	2	4	6	9	19
1. SINGLE DX	4246	2.1	5	<1	<1	1	3	4	5	11
2. MULTIPLE DX	2065	2.9	10	<1	<1	2	3	5	8	18
A. NOT OPERATED	4998	2.3	6	<1	<1	1	3	4	6	13
B. OPERATED	1313	2.5	8	<1	<1	1	3	5	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	6309	2.4	7	<1	<1	1	3	5	6	13
GRAND TOTAL	**6311**	**2.4**	**7**	**<1**	**<1**	**1**	**3**	**5**	**6**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	382	2.8	1	1	2	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	180	3.5	5	2	2	3	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	530	3.0	2	1	2	3	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	657	5.0	47	2	2	3	5	7	12	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.8	1	1	2	3	3	4	4	6
B. *Operated*	180	3.5	5	2	2	3	4	6	7	16
2. MULTIPLE DX										
A. *Not Operated*	530	3.0	2	1	2	3	3	4	5	10
B. *Operated*	657	5.0	47	2	2	3	5	7	12	38
1. SINGLE DX	562	3.0	2	1	2	3	3	4	5	8
2. MULTIPLE DX	1187	4.1	28	1	2	3	4	6	8	30
A. NOT OPERATED	912	2.9	2	1	2	3	3	4	5	7
B. OPERATED	837	4.7	38	2	2	3	5	7	11	35
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1749	3.8	20	1	2	3	4	6	7	24
GRAND TOTAL	**1749**	**3.8**	**20**	**1**	**2**	**3**	**4**	**6**	**7**	**24**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.6	1	1	1	3	3	4	4	4
13-19 YRS	27097	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	5798	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	1024	2.8	1	1	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	613	2.9	1	1	2	3	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27111	2.5	1	1	1	3	3	4	4	5
B. *Operated*	5800	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1027	2.8	1	1	2	3	3	4	5	6
B. *Operated*	614	2.9	1	1	2	3	3	4	5	6
1. SINGLE DX	32911	2.5	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1641	2.8	1	1	2	3	3	4	5	6
A. NOT OPERATED	28138	2.5	1	1	1	3	3	4	4	5
B. OPERATED	6414	2.6	1	1	1	3	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	2.7	1	1	1	3	3	4	4	4
13-19 YRS	34532	2.5	1	1	1	3	3	4	4	5
GRAND TOTAL	**34552**	**2.5**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	16	2.7	3	1	1	2	3	4	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	50	4.7	7	2	2	5	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	21	2.8	3	1	1	3	3	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	116	6.2	32	2	3	5	7	10	13	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	3	1	1	2	3	4	7	8
B. *Operated*	50	4.7	7	2	2	5	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	21	2.8	3	1	1	3	3	5	7	8
B. *Operated*	116	6.2	32	2	3	5	7	10	13	38
1. SINGLE DX	67	4.2	7	1	2	4	5	7	8	17
2. MULTIPLE DX	137	5.7	29	1	2	4	7	9	13	35
A. NOT OPERATED	38	2.7	3	1	1	2	3	4	7	8
B. OPERATED	166	5.8	25	2	2	5	6	9	13	31
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	203	5.2	22	1	2	4	6	8	12	26
GRAND TOTAL	**204**	**5.2**	**22**	**1**	**2**	**4**	**6**	**8**	**11**	**26**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	141	2.2	1	<1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	140	4.1	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	123	2.6	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	406	4.5	10	1	2	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	2.2	1	<1	1	2	3	4	4	5
B. *Operated*	141	4.1	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	123	2.6	2	1	1	2	3	4	6	7
B. *Operated*	406	4.5	10	1	2	4	5	7	8	13
1. SINGLE DX	282	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	529	4.0	9	1	2	4	5	7	8	12
A. NOT OPERATED	264	2.4	2	1	1	2	3	4	5	7
B. OPERATED	547	4.4	9	1	2	4	5	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	810	3.7	7	1	1	3	5	6	7	11
GRAND TOTAL	**811**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	2.9	7	1	1	2	3	4	8	14
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	285	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.6	1	1	1	2	3	4	5	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	159	2.9	2	1	1	3	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.9	7	1	1	2	3	4	8	14
B. Operated	285	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	16	2.6	1	1	1	2	3	4	5	5
B. Operated	160	2.9	2	1	1	3	3	4	5	8
1. SINGLE DX	307	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX	176	2.8	2	1	1	3	3	4	5	8
A. NOT OPERATED	38	2.7	5	1	1	2	3	4	5	14
B. OPERATED	445	2.6	1	1	1	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	482	2.6	1	1	1	3	3	4	4	6
GRAND TOTAL	**483**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	149	2.6	1	1	1	3	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	88	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	98	3.0	2	1	2	3	4	4	5	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	141	3.0	1	1	2	3	4	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	2.6	1	1	1	3	3	4	4	5
B. Operated	88	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	98	3.0	2	1	2	3	4	4	5	7
B. Operated	141	3.0	1	1	2	3	4	4	5	6
1. SINGLE DX	237	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	239	3.0	1	1	2	3	4	4	5	7
A. NOT OPERATED	247	2.8	1	1	1	3	3	4	4	5
B. OPERATED	229	2.9	1	1	2	3	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	476	2.8	1	1	2	3	3	4	5	5
GRAND TOTAL	**476**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**5**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	2.9	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	3.8	6	1	1	3	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	41	3.3	10	1	1	3	4	5	7	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	229	5.9	23	2	2	5	6	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.9	1	1	1	3	3	4	4	5
B. *Operated*	30	3.8	6	1	1	3	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	41	3.3	10	1	1	3	4	5	7	21
B. *Operated*	229	5.9	23	2	2	5	6	10	15	30
1. SINGLE DX	70	3.3	3	1	1	3	4	5	6	13
2. MULTIPLE DX	270	5.5	22	2	2	4	6	9	14	29
A. NOT OPERATED	81	3.1	5	1	1	3	3	4	5	17
B. OPERATED	259	5.6	22	2	2	5	6	9	14	29
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	340	5.0	19	1	2	4	6	8	12	27
GRAND TOTAL	**340**	**5.0**	**19**	**1**	**2**	**4**	**6**	**8**	**12**	**27**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	76	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	899	4.5	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	966	5.0	5	2	3	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	2.2	1	1	1	2	3	3	4	5
B. *Operated*	899	4.5	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	47	2.6	3	1	1	2	3	5	6	9
B. *Operated*	967	5.0	5	2	3	5	6	7	9	13
1. SINGLE DX	975	4.3	2	2	2	4	5	6	7	9
2. MULTIPLE DX	1014	4.9	5	2	3	5	6	7	9	13
A. NOT OPERATED	123	2.4	2	1	1	2	3	4	5	8
B. OPERATED	1866	4.8	4	2	3	5	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1988	4.6	4	2	2	5	5	7	8	11
GRAND TOTAL	**1989**	**4.6**	**4**	**2**	**2**	**5**	**5**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	227	2.9	32	1	1	3	3	4	4	4
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	561	3.6	2	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	135	3.0	9	1	1	3	3	4	6	12
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1818	4.2	4	2	2	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	2.9	32	1	1	3	3	4	4	4
B. Operated	561	3.6	2	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. Not Operated	135	3.0	9	1	1	3	3	4	6	12
B. Operated	1819	4.2	4	2	2	4	5	6	7	11
1. SINGLE DX	788	3.4	11	1	2	3	4	5	6	8
2. MULTIPLE DX	1954	4.1	4	2	2	4	5	6	7	11
A. NOT OPERATED	362	2.9	24	1	1	3	3	4	4	8
B. OPERATED	2380	4.0	4	2	2	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2741	3.9	6	2	2	3	5	6	7	11
GRAND TOTAL	**2742**	**3.9**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	3.0	3	<1	1	3	3	5	7	9
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.3	2	4	4	5	6	7	7	7
13-19 YRS	1570	5.0	2	3	4	5	6	7	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	4.2	5	1	2	4	6	7	8	9
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.7	14	3	3	4	8	10	10	10
13-19 YRS	3761	5.6	4	3	4	5	6	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.0	3	<1	1	3	3	5	7	9
B. Operated	1573	5.0	2	3	4	5	6	7	7	10
2. MULTIPLE DX										
A. Not Operated	23	4.2	5	1	2	4	6	7	8	9
B. Operated	3764	5.6	4	3	4	5	6	8	9	13
1. SINGLE DX	1600	5.0	2	3	3	5	6	7	7	10
2. MULTIPLE DX	3787	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	50	3.5	4	1	1	3	5	7	8	9
B. OPERATED	5337	5.4	4	3	4	5	6	7	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	5.5	7	3	3	5	7	10	10	10
13-19 YRS	5381	5.4	4	3	4	5	6	7	9	13
GRAND TOTAL	**5387**	**5.4**	**4**	**3**	**4**	**5**	**6**	**7**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	446	2.8	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	692	3.7	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	291	3.0	2	1	2	3	4	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	1921	4.1	4	2	2	4	5	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	446	2.8	1	1	2	3	3	4	4	5
B. *Operated*	692	3.7	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	291	3.0	2	1	2	3	4	4	5	8
B. *Operated*	1923	4.1	4	2	2	4	5	6	8	11
1. SINGLE DX	1138	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX	2214	4.0	4	2	2	4	5	6	7	11
A. NOT OPERATED	737	2.9	1	1	2	3	3	4	5	7
B. OPERATED	2615	4.0	4	1	2	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	3350	3.8	4	1	2	3	5	6	7	10
GRAND TOTAL	**3352**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	49	2.6	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	160	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	2.9	3	1	1	3	3	4	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	438	4.9	6	2	2	5	6	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.6	1	1	1	2	3	4	4	7
B. *Operated*	160	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	35	2.9	3	1	1	3	3	4	5	11
B. *Operated*	438	4.9	6	2	2	5	6	7	8	14
1. SINGLE DX	209	3.8	3	1	2	4	5	6	6	9
2. MULTIPLE DX	473	4.8	6	2	2	5	6	7	8	14
A. NOT OPERATED	84	2.8	2	1	1	3	3	4	5	10
B. OPERATED	598	4.7	5	2	2	5	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	682	4.5	5	2	2	4	6	7	8	13
GRAND TOTAL	**682**	**4.5**	**5**	**2**	**2**	**4**	**6**	**7**	**8**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	31	2.6	2	1	1	2	3	5	6	8
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1441	5.0	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.6	2	1	1	3	3	4	5	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1050	5.3	7	3	3	5	6	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.6	2	1	1	2	3	5	6	8
B. Operated	1442	5.0	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	20	2.6	2	1	1	3	3	4	5	6
B. Operated	1051	5.3	7	3	3	5	6	7	8	12
1. SINGLE DX	1473	5.0	2	3	3	5	6	7	7	8
2. MULTIPLE DX	1071	5.2	7	3	3	5	6	7	8	12
A. NOT OPERATED	51	2.6	2	1	1	3	3	4	6	8
B. OPERATED	2493	5.1	4	3	3	5	6	7	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	2542	5.1	4	3	3	5	6	7	7	10
GRAND TOTAL	**2544**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	751	3.0	2	1	2	3	4	4	5	7
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	522	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	593	3.4	5	1	2	3	4	5	6	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1802	4.4	12	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	751	3.0	2	1	2	3	4	4	5	7
B. Operated	522	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	593	3.4	5	1	2	3	4	5	6	11
B. Operated	1803	4.4	12	2	2	4	5	7	9	16
1. SINGLE DX	1273	3.1	2	1	2	3	4	4	5	8
2. MULTIPLE DX	2396	4.2	11	2	2	3	5	7	8	16
A. NOT OPERATED	1344	3.2	3	1	2	3	4	5	6	9
B. OPERATED	2325	4.2	10	2	2	3	5	7	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3668	3.8	8	2	2	3	4	6	7	13
GRAND TOTAL	**3669**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2337	2.5	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1190	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	634	2.7	1	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1383	3.0	5	1	1	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2339	2.5	1	1	1	3	3	4	4	5
B. *Operated*	1190	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	634	2.7	1	1	1	3	3	4	4	6
B. *Operated*	1385	3.0	5	1	1	3	3	4	5	8
1. SINGLE DX	3529	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	2019	2.9	4	1	1	3	3	4	5	7
A. NOT OPERATED	2973	2.5	1	1	1	3	3	4	4	5
B. OPERATED	2575	2.8	3	1	1	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	5544	2.7	2	1	1	3	3	4	4	6
GRAND TOTAL	**5548**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	521	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	4194	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	2.6	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2080	2.7	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4196	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	172	2.6	1	1	1	2	3	4	4	7
B. *Operated*	2081	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	4717	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2253	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	693	2.3	1	1	1	2	3	3	4	5
B. OPERATED	6277	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	6967	2.5	1	1	1	2	3	4	4	5
GRAND TOTAL	**6970**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	329	2.6	1	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	4009	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	109	3.0	2	1	2	3	4	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.8	2	2	2	4	5	5	5	5
13-19 YRS	2696	3.1	3	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.6	1	1	1	3	3	4	4	6
B. *Operated*	4011	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	109	3.0	2	1	2	3	4	4	6	8
B. *Operated*	2700	3.1	3	1	2	3	3	4	5	8
1. SINGLE DX	4340	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	2809	3.1	3	1	2	3	3	4	5	8
A. NOT OPERATED	438	2.7	1	1	2	3	3	4	4	6
B. OPERATED	6711	2.8	2	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.5	2	2	2	4	4	5	5	5
13-19 YRS	7143	[illegible].8	2	1	2	3	3	4	4	6
GRAND TOTAL	**7149**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	275	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1569	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	125	2.7	1	1	2	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1220	2.9	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1570	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	125	2.7	1	1	2	3	3	4	4	7
B. *Operated*	1220	2.9	2	1	2	3	3	4	5	8
1. SINGLE DX	1845	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1345	2.9	2	1	2	3	3	4	5	8
A. NOT OPERATED	400	2.5	1	1	1	2	3	3	4	5
B. OPERATED	2790	2.7	1	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3189	2.7	1	1	2	3	3	4	4	6
GRAND TOTAL	**3190**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.4	4	1	1	3	5	7	7	7
13-19 YRS	4418	2.7	2	1	1	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	3.1	2	1	1	3	4	5	5	5
13-19 YRS	8966	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3053	3.0	4	1	1	3	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	4.3	6	2	2	4	5	9	9	9
13-19 YRS	12600	4.1	9	1	2	3	5	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4425	2.7	2	1	1	3	3	4	5	8
B. Operated	8973	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	3053	3.0	4	1	1	3	3	5	6	10
B. Operated	12606	4.1	9	1	2	3	5	7	9	15
1. SINGLE DX	13398	3.0	3	1	1	3	3	5	6	9
2. MULTIPLE DX	15659	3.9	8	1	2	3	5	6	8	14
A. NOT OPERATED	7478	2.8	3	1	1	3	3	4	5	9
B. OPERATED	21579	3.7	7	1	2	3	4	6	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	20	3.6	4	1	1	3	4	6	8	9
13-19 YRS	29037	3.5	6	1	2	3	4	6	7	12
GRAND TOTAL	**29057**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	165	3.4	2	1	2	3	4	6	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	3.3	7	2	2	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	94	4.3	9	2	2	4	5	7	8	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	5.1	13	1	2	4	6	8	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.4	2	1	2	3	4	6	6	8
B. *Operated*	7	3.3	7	2	2	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	94	4.3	9	2	2	4	5	7	8	20
B. *Operated*	23	5.1	13	1	2	4	6	8	13	18
1. SINGLE DX	172	3.4	2	2	2	3	4	6	6	9
2. MULTIPLE DX	117	4.5	10	2	2	4	5	7	9	21
A. NOT OPERATED	259	3.7	5	2	2	3	5	6	7	11
B. OPERATED	30	4.7	12	1	2	4	6	8	11	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	289	3.8	6	2	2	3	5	6	7	12
GRAND TOTAL	**289**	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**7**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	56	1.6	1	<1	1	1	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	133	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	38	2.3	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	105	2.5	4	1	1	2	3	4	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.6	1	<1	1	1	2	3	3	4
B. *Operated*	133	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	38	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	105	2.5	4	1	1	2	3	4	7	13
1. SINGLE DX	189	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	143	2.5	4	1	1	2	3	4	6	11
A. NOT OPERATED	94	1.9	2	<1	1	2	2	3	4	8
B. OPERATED	238	2.0	2	<1	1	2	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	332	2.0	2	<1	1	2	2	3	4	8
GRAND TOTAL	**332**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	72	3.4	5	1	1	3	4	6	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	126	3.5	13	1	1	3	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	52	4.3	19	1	1	3	5	9	16	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	12	3	3	3	8	9	9	9
13-19 YRS	91	4.0	21	1	1	3	4	8	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.5	6	1	1	3	4	6	9	11
B. *Operated*	126	3.5	13	1	1	3	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	53	4.3	18	1	1	3	5	9	16	21
B. *Operated*	94	4.0	20	1	1	3	4	9	12	28
1. SINGLE DX	199	3.5	10	1	1	3	4	6	10	15
2. MULTIPLE DX	147	4.1	19	1	1	3	4	9	13	21
A. NOT OPERATED	126	3.8	11	1	1	3	5	8	10	18
B. OPERATED	220	3.7	16	1	1	3	4	7	11	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	6.0	14	3	3	4	9	11	11	11
13-19 YRS	341	3.7	14	1	1	3	4	7	10	18
GRAND TOTAL	**346**	**3.8**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	4.3	7	1	2	4	5	8	10	12
1-11 MOS	219	4.0	4	1	2	4	5	7	8	11
1-5 YRS	830	3.7	4	1	2	3	5	6	8	11
6-12 YRS	822	3.8	5	2	2	3	5	7	8	12
13-19 YRS	824	4.0	5	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	5	3.6	3	1	1	4	5	5	5	5
1-11 MOS	104	4.9	20	<1	1	3	7	9	12	24
1-5 YRS	404	4.0	13	<1	1	3	5	8	10	19
6-12 YRS	282	4.6	13	1	1	4	6	9	11	18
13-19 YRS	423	5.0	18	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	45	5.6	17	1	2	4	6	12	13	21
1-11 MOS	390	4.8	14	2	2	4	6	8	10	15
1-5 YRS	1035	4.3	10	2	2	4	5	8	9	15
6-12 YRS	800	4.3	8	1	2	4	5	8	10	17
13-19 YRS	1040	4.6	9	2	2	4	5	8	11	16
B. *Operated*										
0-27 DYS	12	10.5	186	1	2	6	10	31	46	49
1-11 MOS	122	5.6	17	1	2	4	7	9	14	22
1-5 YRS	355	5.5	20	1	2	4	7	10	14	25
6-12 YRS	293	7.2	57	1	2	5	8	14	20	39
13-19 YRS	500	6.6	30	2	2	5	7	12	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2720	3.9	5	1	2	3	5	7	8	11
B. *Operated*	1218	4.6	15	1	1	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	3310	4.5	10	2	2	4	5	8	10	16
B. *Operated*	1282	6.4	34	1	2	5	7	12	17	29
1. SINGLE DX	3938	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	4592	5.0	17	2	2	4	6	9	12	22
A. NOT OPERATED	6030	4.2	8	2	2	4	5	7	9	14
B. OPERATED	2500	5.5	26	1	1	4	7	10	14	25
TOTAL 0-27 DYS	87	5.8	38	1	2	4	6	11	13	40
1-11 MOS	835	4.7	13	1	2	4	6	8	10	20
1-5 YRS	2624	4.3	10	1	2	3	5	8	10	16
6-12 YRS	2197	4.6	15	1	2	4	5	8	11	19
13-19 YRS	2787	4.9	14	2	2	4	6	8	11	20
GRAND TOTAL	**8530**	**4.6**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	116	3.3	4	1	1	3	4	5	6	12
1-11 MOS	68	4.2	5	1	2	4	5	8	9	10
1-5 YRS	388	4.1	5	1	2	4	5	7	8	11
6-12 YRS	187	3.9	4	1	2	3	5	7	8	11
13-19 YRS	176	4.1	11	1	2	3	5	7	8	22
B. *Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	39	3.8	11	<1	<1	2	6	9	11	14
1-5 YRS	206	3.3	9	<1	<1	2	4	8	9	15
6-12 YRS	185	3.5	8	<1	1	3	5	8	9	14
13-19 YRS	234	3.5	7	<1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	104	4.3	8	2	2	4	5	7	9	18
1-11 MOS	136	4.3	5	2	2	4	5	7	9	13
1-5 YRS	511	4.3	6	1	2	4	6	8	9	12
6-12 YRS	267	4.1	6	1	2	4	5	7	9	12
13-19 YRS	255	4.8	11	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS	4	4.3	6	1	1	4	6	7	7	7
1-11 MOS	74	5.1	14	<1	1	5	7	9	10	22
1-5 YRS	179	6.5	44	1	2	5	8	13	17	44
6-12 YRS	137	4.6	12	<1	1	4	6	9	12	16
13-19 YRS	222	5.0	20	1	1	4	6	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	935	3.9	6	1	2	3	5	7	8	12
B. *Operated*	666	3.5	8	<1	<1	3	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1273	4.4	7	1	2	4	6	8	9	14
B. *Operated*	616	5.4	25	1	1	4	7	10	14	24
1. SINGLE DX	1601	3.7	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	1889	4.7	13	1	2	4	6	9	10	17
A. NOT OPERATED	2208	4.2	7	1	2	4	5	7	9	13
B. OPERATED	1282	4.4	17	<1	1	3	6	9	11	19
TOTAL 0-27 DYS	226	3.8	6	1	2	3	4	6	7	15
1-11 MOS	317	4.4	8	1	1	4	6	8	10	14
1-5 YRS	1284	4.4	12	1	1	4	6	8	9	17
6-12 YRS	776	4.0	7	1	1	3	5	8	9	14
13-19 YRS	887	4.4	12	1	1	3	5	8	10	17
GRAND TOTAL	**3490**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**15**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	29	3.8	15	<1	1	3	4	5	14	19
B. *Operated*										
0-27 DYS	8	3.8	10	1	1	3	5	9	10	10
1-11 MOS	33	2.9	4	<1	1	2	4	6	7	9
1-5 YRS	27	2.1	3	<1	<1	2	2	4	6	8
6-12 YRS	36	3.5	5	1	2	3	4	7	7	12
13-19 YRS	2797	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	24	3.1	5	<1	<1	3	5	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	7.1	114	1	1	3	4	26	34	34
1-5 YRS	9	3.9	3	2	2	3	5	7	7	7
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	364	4.1	7	1	2	4	5	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.6	14	<1	1	2	4	5	14	19
B. *Operated*	2901	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	25	3.1	5	<1	<1	3	4	6	8	8
B. *Operated*	386	4.1	10	1	2	3	5	7	9	16
1. SINGLE DX	2932	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX	411	4.1	9	1	1	3	5	7	9	15
A. NOT OPERATED	56	3.4	10	<1	<1	3	4	6	8	19
B. OPERATED	3287	3.2	6	1	1	3	4	5	7	10
TOTAL 0-27 DYS	8	3.8	10	1	1	3	5	9	10	10
1-11 MOS	45	3.8	29	<1	1	2	4	6	11	34
1-5 YRS	37	2.6	3	<1	<1	2	3	6	7	8
6-12 YRS	39	3.5	5	1	1	3	4	6	7	12
13-19 YRS	3214	3.2	6	1	1	3	4	5	7	10
GRAND TOTAL	**3343**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	4	3.3	11	<1	<1	2	5	8	8	8
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	44	1.5	1	<1	<1	1	2	2	3	5
1-5 YRS	165	1.3		<1	<1	1	2	2	2	4
6-12 YRS	119	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	147	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	8	1.6	2	<1	<1	1	2	4	5	5
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	6	3.5	7	1	1	3	4	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	29	2.0	3	<1	<1	1	2	5	5	8
6-12 YRS	20	1.7	2	<1	<1	1	2	3	5	7
13-19 YRS	41	2.7	3	<1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	5	<1	<1	1	3	6	8	8
B. *Operated*	476	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	20	2.2	4	<1	<1	1	3	5	6	8
B. *Operated*	94	2.2	3	<1	<1	2	3	5	6	9
1. SINGLE DX	489	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	114	2.2	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	33	2.2	4	<1	<1	1	3	5	7	8
B. OPERATED	570	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	55	1.5	1	<1	<1	1	2	3	3	5
1-5 YRS	206	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	144	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	197	1.9	2	<1	<1	1	2	3	5	8
GRAND TOTAL	**603**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	27	3.3	3	1	1	3	4	6	7	7
1-11 MOS	164	3.2	5	1	1	3	4	6	7	14
1-5 YRS	530	3.1	6	1	1	3	4	6	7	13
6-12 YRS	296	3.8	15	1	1	3	4	7	12	21
13-19 YRS	386	4.8	27	1	1	3	6	10	15	26
B. *Operated*										
0-27 DYS	2	14.5	13	12	12	14	17	17	17	17
1-11 MOS	26	2.7	5	<1	<1	2	4	6	8	10
1-5 YRS	315	2.9	20	<1	<1	2	2	6	10	23
6-12 YRS	486	2.6	7	<1	<1	2	3	5	7	14
13-19 YRS	1009	3.0	27	<1	<1	2	3	5	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	62	4.1	5	1	2	4	5	7	9	11
1-11 MOS	280	4.2	14	1	1	3	5	8	10	23
1-5 YRS	683	3.9	11	1	1	3	5	7	10	15
6-12 YRS	410	4.7	20	1	1	3	6	10	14	23
13-19 YRS	499	6.4	64	1	1	4	7	15	22	43
B. *Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	40	6.9	53	<1	1	5	9	13	22	36
1-5 YRS	300	4.8	34	<1	<1	3	6	11	15	33
6-12 YRS	399	5.9	76	<1	1	2	7	13	20	44
13-19 YRS	765	8.9	195	<1	1	3	9	25	41	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1403	3.7	14	1	1	3	4	7	10	21
B. *Operated*	1838	2.9	20	<1	<1	2	3	5	9	21
2. MULTIPLE DX										
A. *Not Operated*	1934	4.8	28	1	1	3	5	9	13	26
B. *Operated*	1506	7.2	130	<1	1	3	8	17	31	61
1. SINGLE DX	3241	3.2	18	<1	<1	2	4	6	9	21
2. MULTIPLE DX	3440	5.9	74	1	1	3	6	12	20	48
A. NOT OPERATED	3337	4.3	22	1	1	3	5	8	12	23
B. OPERATED	3344	4.8	75	<1	<1	2	4	11	18	48
TOTAL 0-27 DYS	93	4.1	7	1	2	4	5	7	9	15
1-11 MOS	510	4.0	15	1	1	3	5	7	10	23
1-5 YRS	1828	3.7	15	<1	1	3	4	7	10	17
6-12 YRS	1591	4.2	31	<1	1	2	5	9	13	27
13-19 YRS	2659	5.6	88	<1	1	3	5	13	22	52
GRAND TOTAL	**6681**	**4.6**	**48**	**<1**	**1**	**3**	**5**	**9**	**15**	**39**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	6.8	67	2	2	3	11	19	19	19
6-12 YRS	42	4.2	14	<1	<1	3	6	11	13	14
13-19 YRS	89	5.3	19	1	1	4	7	10	16	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0		4	4	4	4	4	4	4
6-12 YRS	24	4.3	12	1	2	3	6	11	11	11
13-19 YRS	49	4.7	20	1	2	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	6	6.7	21	3	3	4	12	13	13	13
6-12 YRS	55	7.5	53	1	2	6	9	15	22	42
13-19 YRS	222	7.4	61	1	2	5	9	16	20	34
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	12.7	366	2	2	7	9	43	63	63
6-12 YRS	28	14.5	181	2	3	9	21	51	99+	99+
13-19 YRS	95	12.9	245	2	2	8	16	26	51	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	5.0	18	<1	1	4	7	11	14	22
B. *Operated*	76	4.5	16	1	2	3	6	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	284	7.5	58	1	2	5	9	16	20	35
B. *Operated*	134	13.2	233	2	2	8	17	30	57	99+
1. SINGLE DX	213	4.8	17	1	1	3	6	11	13	22
2. MULTIPLE DX	418	9.3	121	1	2	6	11	20	28	74
A. NOT OPERATED	421	6.6	47	1	1	5	8	14	19	32
B. OPERATED	210	10.0	172	2	2	6	12	22	38	96
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	3	7.7	114	1	1	2	15	20	20	20
1-5 YRS	22	8.8	166	2	2	4	8	15	37	63
6-12 YRS	149	7.4	72	1	2	4	9	18	26	99
13-19 YRS	455	7.9	94	1	2	5	9	17	22	58
GRAND TOTAL	**631**	**7.8**	**91**	**1**	**2**	**5**	**9**	**17**	**24**	**61**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	107	5.1	12	1	1	4	7	10	12	17
6-12 YRS	160	5.2	21	1	2	4	7	10	13	34
13-19 YRS	77	6.7	21	2	3	5	9	12	17	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	3.4	6	<1	<1	3	5	7	8	9
6-12 YRS	18	8.7	139	<1	1	4	10	32	38	39
13-19 YRS	49	7.0	32	1	1	4	10	15	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	7.8	27	1	1	8	11	15	17	17
1-5 YRS	97	6.4	29	1	1	5	7	14	18	25
6-12 YRS	111	8.8	95	2	2	5	9	19	28	54
13-19 YRS	84	7.4	46	1	2	5	9	15	23	32
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.8	77	2	2	6	12	24	24	24
1-5 YRS	15	12.5	93	3	4	7	22	27	28	29
6-12 YRS	21	9.4	58	1	2	7	12	20	26	30
13-19 YRS	54	10.4	140	1	2	6	13	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	5.5	18	1	2	4	7	10	13	24
B. *Operated*	83	6.6	52	1	1	4	9	15	21	38
2. MULTIPLE DX										
A. *Not Operated*	301	7.6	58	1	2	5	9	16	23	36
B. *Operated*	95	10.4	109	1	2	7	14	25	30	53
1. SINGLE DX	429	5.7	25	1	2	4	7	11	15	27
2. MULTIPLE DX	396	8.3	72	1	2	5	10	18	25	40
A. NOT OPERATED	647	6.4	38	1	2	5	8	12	17	32
B. OPERATED	178	8.7	86	1	1	5	11	22	28	40
TOTAL 0-27 DYS										
1-11 MOS	16	7.6	39	1	1	7	10	16	22	24
1-5 YRS	235	6.0	27	1	1	5	7	12	15	26
6-12 YRS	310	6.9	59	1	2	5	8	14	22	41
13-19 YRS	264	7.7	56	1	2	5	10	16	22	34
GRAND TOTAL	**825**	**6.9**	**49**	**1**	**2**	**5**	**8**	**14**	**22**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	8	5.4	11	<1	1	6	8	9	10	10
1-5 YRS										
6-12 YRS	4	3.5	14	<1	<1	2	6	9	9	9
13-19 YRS	43	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.5	16	1	1	5	8	12	12	12
1-5 YRS	4	9.8	41	5	5	7	14	19	19	19
6-12 YRS	4	9.0	89	3	3	5	14	23	23	23
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	3	13.3	12	10	10	13	16	17	17	17
1-11 MOS	18	8.9	43	1	2	10	14	19	20	20
1-5 YRS	2	9.5	5	8	8	9	11	11	11	11
6-12 YRS	5	8.6	12	4	4	8	11	13	13	13
13-19 YRS	58	5.2	62	<1	1	3	5	12	15	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.8	5	1	1	3	6	6	6	6
B. *Operated*	56	3.4	9	1	1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	16	7.1	38	1	1	5	8	18	22	23
B. *Operated*	86	6.5	56	1	1	4	9	14	17	44
1. SINGLE DX	61	3.4	8	1	1	2	4	8	9	15
2. MULTIPLE DX	102	6.6	53	1	1	4	9	14	18	39
A. NOT OPERATED	21	6.3	32	1	1	5	7	15	21	23
B. OPERATED	142	5.3	40	1	1	3	7	13	15	23
TOTAL 0-27 DYS	4	14.0	10	10	10	14	16	17	17	17
1-11 MOS	33	7.3	31	1	1	6	11	15	19	20
1-5 YRS	7	8.7	28	3	3	8	10	17	19	19
6-12 YRS	14	7.1	34	<1	1	6	9	14	21	23
13-19 YRS	105	4.0	37	1	1	2	4	9	13	34
GRAND TOTAL	**163**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**16**	**23**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	8.5	66	1	1	8	15	16	16	16
1-11 MOS	33	9.1	34	1	3	8	12	21	22	22
1-5 YRS	148	7.4	30	1	2	6	11	15	17	22
6-12 YRS	125	6.6	24	1	2	5	8	13	17	23
13-19 YRS	102	5.9	20	2	2	5	7	11	16	23
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	27	13.0	40	4	5	12	15	22	24	30
1-5 YRS	113	12.0	42	3	5	11	15	21	25	30
6-12 YRS	88	13.0	60	4	5	11	17	23	27	38
13-19 YRS	124	7.3	49	1	1	4	11	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	11.3	318	2	2	3	20	38	38	38
1-11 MOS	44	12.2	30	5	6	11	16	21	22	23
1-5 YRS	141	8.7	45	2	2	7	12	17	23	30
6-12 YRS	100	9.4	66	2	2	7	12	20	27	42
13-19 YRS	161	6.6	22	2	2	6	8	13	15	22
B. *Operated*										
0-27 DYS	6	21.2	61	15	15	19	24	34	35	35
1-11 MOS	66	15.3	88	3	6	13	21	24	38	43
1-5 YRS	121	14.1	53	4	7	13	19	24	28	33
6-12 YRS	108	16.7	77	5	6	15	24	29	35	99+
13-19 YRS	117	10.6	74	2	2	8	15	22	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	412	6.9	27	1	2	5	9	15	18	23
B. *Operated*	353	10.7	55	2	2	9	14	22	25	32
2. MULTIPLE DX										
A. *Not Operated*	450	8.4	44	2	2	7	11	17	22	29
B. *Operated*	418	14.1	76	3	4	13	20	27	31	42
1. SINGLE DX	765	8.7	43	1	2	7	12	19	22	29
2. MULTIPLE DX	868	11.2	68	2	2	9	15	22	28	41
A. NOT OPERATED	862	7.7	37	2	2	6	10	16	21	28
B. OPERATED	771	12.5	69	2	3	11	17	24	29	41
TOTAL 0-27 DYS	15	15.5	146	1	2	15	23	35	37	38
1-11 MOS	170	12.9	59	3	5	12	17	22	23	41
1-5 YRS	523	10.3	49	2	2	9	14	21	24	30
6-12 YRS	421	11.2	70	2	3	9	15	24	28	41
13-19 YRS	504	7.6	43	1	2	5	10	16	22	31
GRAND TOTAL	**1633**	**10.0**	**58**	**2**	**2**	**8**	**14**	**21**	**25**	**37**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.7	4	<1	<1	2	4	6	7	7
13-19 YRS	38	2.6	4	<1	1	2	3	5	8	9
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	8	2.6	4	<1	<1	2	3	6	7	7
1-5 YRS	10	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	88	2.8	4	<1	<1	2	4	5	7	65
13-19 YRS	2106	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	12	3.0	7	<1	<1	2	4	7	10	10
13-19 YRS	59	1.9	4	<1	<1	1	2	4	7	9
B. *Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	8	2.5	3	1	1	2	3	5	6	6
1-5 YRS	6	4.2	3	2	2	4	6	6	6	6
6-12 YRS	46	2.7	3	1	1	2	4	5	6	8
13-19 YRS	1720	2.6	3	<1	1	2	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.6	4	<1	1	2	3	6	7	9
B. *Operated*	2214	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	72	2.1	4	<1	<1	1	2	5	8	10
B. *Operated*	1784	2.6	3	<1	1	2	4	5	6	9
1. SINGLE DX	2262	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1856	2.6	3	<1	1	2	4	5	6	9
A. NOT OPERATED	120	2.3	4	<1	<1	1	3	5	8	10
B. OPERATED	3998	2.5	3	<1	<1	2	3	5	5	8
TOTAL 0-27 DYS	6	1.5	1	<1	<1	1	2	3	3	3
1-11 MOS	16	2.6	3	<1	1	2	3	6	7	7
1-5 YRS	17	2.9	3	<1	1	2	4	6	6	6
6-12 YRS	156	2.8	4	<1	1	2	4	5	7	11
13-19 YRS	3923	2.4	3	<1	<1	2	3	5	5	8
GRAND TOTAL	**4118**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	3.5	8	<1	1	3	4	9	10	11
1-5 YRS	198	3.2	7	1	1	3	4	6	8	13
6-12 YRS	205	3.5	7	1	1	3	4	7	9	13
13-19 YRS	130	3.6	12	<1	<1	3	5	7	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS	9	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	72	2.9	4	<1	1	2	4	6	7	9
6-12 YRS	221	2.8	4	<1	1	2	3	5	7	10
13-19 YRS	3307	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.6	21	1	1	3	10	11	11	11
1-11 MOS	17	2.9	3	<1	1	3	4	5	6	7
1-5 YRS	147	3.2	7	<1	1	2	4	6	9	11
6-12 YRS	170	3.8	9	<1	1	3	4	8	10	15
13-19 YRS	228	4.6	26	<1	1	3	5	11	15	37
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	2.6	5	1	1	2	3	5	8	9
1-5 YRS	267	4.7	29	1	2	3	5	8	12	23
6-12 YRS	397	5.1	27	1	2	4	5	10	14	24
13-19 YRS	1608	4.0	23	1	1	3	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	3.4	8	1	1	3	4	7	8	13
B. *Operated*	3609	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	567	3.9	15	<1	1	3	5	8	11	18
B. *Operated*	2286	4.3	25	1	1	3	5	8	11	24
1. SINGLE DX	4158	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2853	4.2	23	1	1	3	5	8	11	24
A. NOT OPERATED	1116	3.7	12	<1	1	3	4	8	10	17
B. OPERATED	5895	3.4	12	1	1	3	4	6	8	18
TOTAL 0-27 DYS	7	5.0	16	1	1	3	9	11	11	11
1-11 MOS	54	2.8	5	<1	1	2	4	5	8	11
1-5 YRS	684	3.7	16	1	1	3	4	7	9	20
6-12 YRS	993	4.0	15	1	1	3	5	8	11	19
13-19 YRS	5273	3.4	11	1	1	3	4	6	7	17
GRAND TOTAL	**7011**	**3.5**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	6	4.8	9	2	2	4	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	5.0	13	1	1	6	7	8	8	8
13-19 YRS	9	9.2	78	1	2	8	12	24	29	29
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	8	2	2	3	7	9	9	9
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	12	8.2	63	1	1	7	10	20	28	29
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	9	4.9	9	2	2	4	8	9	9	9
2. MULTIPLE DX	13	7.8	60	1	1	6	9	19	27	29
A. NOT OPERATED	19	6.8	45	1	1	4	9	14	23	29
B. OPERATED	3	5.3	10	3	3	4	8	9	9	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	5.0	13	1	1	6	7	8	8	8
13-19 YRS	18	7.1	45	1	2	4	9	14	24	29
GRAND TOTAL	**22**	**6.6**	**39**	**1**	**2**	**4**	**9**	**12**	**21**	**29**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	9	3.2	3	1	1	3	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	8	6	6	8	10	10	10	10
1-5 YRS										
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	10	3.3	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	15.3	260	2	2	10	26	38	38	38
1-5 YRS	4	8.3	64	2	2	5	13	20	20	20
6-12 YRS	3	6.7	10	3	3	8	9	9	9	9
13-19 YRS	13	4.8	29	1	2	3	4	11	20	22
B. *Operated*										
0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	2	13.0	32	9	9	13	17	17	17	17
1-5 YRS	1	37.0		37	37	37	37	37	37	37
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	4.0	4	2	2	4	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.1	3	1	1	3	4	5	6	6
B. *Operated*	14	4.1	7	1	1	3	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	24	7.4	73	1	2	4	8	20	27	38
B. *Operated*	16	7.4	79	2	2	4	8	16	31	37
1. SINGLE DX	25	3.6	5	1	1	3	5	7	8	10
2. MULTIPLE DX	40	7.4	73	2	2	4	8	18	29	38
A. NOT OPERATED	35	6.0	54	1	2	4	6	15	21	38
B. OPERATED	30	5.9	47	1	2	4	7	10	17	37
TOTAL 0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	8	12.9	127	2	3	9	16	32	38	38
1-5 YRS	5	14.0	214	2	2	6	24	37	37	37
6-12 YRS	8	4.5	10	1	1	4	7	9	9	9
13-19 YRS	42	3.9	11	1	2	3	5	6	8	22
GRAND TOTAL	**65**	**6.0**	**50**	**1**	**2**	**4**	**6**	**11**	**20**	**38**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	13	6.2	27	1	1	5	9	15	17	18
6-12 YRS	7	10.3	47	4	4	7	15	21	22	22
13-19 YRS	141	6.6	20	1	1	6	9	11	13	23
B. *Operated*										
0-27 DYS	6	6.7	44	1	1	4	9	18	19	19
1-11 MOS	20	8.5	33	1	2	7	11	17	20	22
1-5 YRS	5	6.8	50	2	2	3	10	19	19	19
6-12 YRS	8	6.1	39	1	2	4	6	17	21	21
13-19 YRS	586	5.7	22	1	1	4	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	5	4.6	10	<1	<1	5	7	9	9	9
1-5 YRS	5	10.0	116	3	3	4	16	28	28	28
6-12 YRS	5	8.2	17	4	4	9	11	13	13	13
13-19 YRS	63	7.1	27	1	3	6	9	12	18	32
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	6.8	34	3	3	5	9	17	17	17
1-5 YRS	5	14.8	56	6	6	12	22	24	24	24
6-12 YRS	6	6.0	6	3	3	6	8	9	9	9
13-19 YRS	144	7.6	46	1	2	6	11	15	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	6.6	22	1	1	6	9	12	14	22
B. *Operated*	625	5.8	23	1	1	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	81	7.0	30	1	2	6	9	12	18	32
B. *Operated*	161	7.7	45	1	2	6	11	15	18	33
1. SINGLE DX	790	6.0	23	1	1	5	8	12	16	22
2. MULTIPLE DX	242	7.5	40	1	2	6	10	14	18	34
A. NOT OPERATED	246	6.8	24	1	2	6	9	12	15	28
B. OPERATED	786	6.2	28	1	1	5	8	13	17	24
TOTAL 0-27 DYS	11	4.8	28	<1	<1	4	5	13	18	19
1-11 MOS	33	7.2	29	1	2	6	9	16	19	22
1-5 YRS	28	8.5	55	1	2	6	12	20	24	28
6-12 YRS	26	7.6	29	2	3	6	9	15	21	22
13-19 YRS	934	6.2	26	1	1	5	8	13	16	23
GRAND TOTAL	**1032**	**6.3**	**27**	**1**	**1**	**5**	**8**	**13**	**17**	**24**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	3.3	6	1	1	2	6	7	7	7
6-12 YRS	9	4.6	6	1	1	5	6	8	8	8
13-19 YRS	24	5.0	8	1	2	5	6	8	11	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.0	12	2	2	7	10	11	11	11
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	33	5.8	24	1	2	5	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	8	9.0	97	1	1	5	13	26	29	29
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.0	19	1	1	2	7	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	11	8.0	73	1	1	5	9	22	29	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.5	7	1	1	4	6	7	9	13
B. *Operated*	42	5.7	22	1	1	5	8	10	14	26
2. MULTIPLE DX										
A. *Not Operated*	13	6.6	67	1	1	4	6	21	27	29
B. *Operated*	17	6.5	53	1	1	4	8	15	25	30
1. SINGLE DX	85	5.1	15	1	1	4	7	8	11	22
2. MULTIPLE DX	30	6.5	57	1	1	4	7	17	29	30
A. NOT OPERATED	56	5.0	21	1	1	4	6	8	12	28
B. OPERATED	59	5.9	30	1	1	4	8	11	16	30
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	5.8	13	1	1	6	9	10	11	11
1-5 YRS	13	3.2	4	1	1	2	5	6	7	7
6-12 YRS	15	3.7	5	1	1	3	6	7	8	8
13-19 YRS	76	6.2	33	1	1	5	7	13	18	30
GRAND TOTAL	**115**	**5.5**	**26**	**1**	**1**	**4**	**7**	**10**	**15**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.5	41	11	11	15	20	20	20	20
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	23	4.8	14	1	2	3	6	11	13	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	9	4.7	24	1	1	3	5	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	3	16.7	112	7	7	15	25	28	28	28
13-19 YRS	25	7.8	25	2	2	7	10	14	17	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	11	6.6	38	1	1	5	8	15	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.5	23	1	1	4	7	13	15	20
B. *Operated*	11	4.4	21	1	1	3	5	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	29	8.8	37	2	2	8	12	16	21	28
B. *Operated*	13	6.2	32	1	2	5	8	13	21	23
1. SINGLE DX	37	5.1	22	1	1	3	6	13	16	20
2. MULTIPLE DX	42	8.0	36	2	2	7	10	15	22	28
A. NOT OPERATED	55	7.2	33	1	2	6	10	14	19	28
B. OPERATED	24	5.4	27	1	1	4	6	11	19	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	6	8.3	47	1	1	7	11	19	20	20
6-12 YRS	5	11.2	114	1	1	7	18	28	28	28
13-19 YRS	68	6.2	24	1	2	5	8	14	16	23
GRAND TOTAL	**79**	**6.7**	**31**	**1**	**2**	**5**	**9**	**14**	**19**	**27**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	3.8	3	<1	<1	5	5	5	5	5
13-19 YRS	21	5.5	9	2	2	5	7	10	12	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	24	6.5	23	1	2	6	9	12	15	23
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	6	5.7	22	1	1	5	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.1	8	1	2	5	6	10	11	13
B. *Operated*	14	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	27	6.2	23	1	1	5	9	11	14	23
B. *Operated*	9	5.1	16	1	1	3	8	11	12	12
1. SINGLE DX	41	4.2	7	1	2	3	5	7	10	13
2. MULTIPLE DX	36	5.9	21	1	1	5	8	12	12	23
A. NOT OPERATED	54	5.7	16	1	2	5	8	10	12	23
B. OPERATED	23	3.4	9	1	1	2	4	8	11	12
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	3	3.0	3	2	2	2	4	5	5	5
6-12 YRS	8	4.1	6	<1	<1	5	5	7	8	8
13-19 YRS	62	5.3	16	1	2	4	7	11	12	22
GRAND TOTAL	**77**	**5.0**	**14**	**1**	**1**	**4**	**7**	**10**	**12**	**20**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	25	1	1	4	8	8	8	8
1-11 MOS	7	5.1	8	1	1	4	8	9	9	9
1-5 YRS	45	2.8	43	<1	<1	1	2	4	6	45
6-12 YRS	75	3.0	5	1	1	2	4	6	8	11
13-19 YRS	291	4.2	8	1	1	3	6	8	9	12
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	4.1	28	<1	<1	2	4	14	16	16
1-5 YRS	12	2.9	5	<1	1	2	4	6	9	9
6-12 YRS	28	3.8	6	1	2	3	6	7	8	11
13-19 YRS	194	3.7	14	1	1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.0	16	3	3	7	10	11	11	11
1-11 MOS	12	6.3	28	<1	1	4	9	14	17	18
1-5 YRS	42	3.8	19	<1	1	3	4	10	14	22
6-12 YRS	58	4.3	12	1	1	4	5	10	15	92
13-19 YRS	364	4.9	17	<1	1	4	6	10	12	21
B. *Operated*										
0-27 DYS	3	8.0	21	4	4	7	11	13	13	13
1-11 MOS	10	10.6	91	1	1	9	14	26	29	29
1-5 YRS	7	6.0	36	2	2	3	6	17	19	19
6-12 YRS	20	7.2	91	1	1	5	9	11	28	45
13-19 YRS	162	5.9	70	1	1	4	7	11	15	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	3.8	12	1	1	3	6	8	9	12
B. *Operated*	242	3.7	13	1	1	2	4	8	12	17
2. MULTIPLE DX										
A. *Not Operated*	479	4.8	17	<1	1	4	6	10	13	22
B. *Operated*	202	6.3	71	1	1	4	8	12	17	51
1. SINGLE DX	662	3.8	12	1	1	3	5	8	9	16
2. MULTIPLE DX	681	5.2	33	1	1	4	6	10	14	30
A. NOT OPERATED	899	4.3	15	1	1	3	6	9	11	19
B. OPERATED	444	4.9	41	1	1	3	6	10	14	30
TOTAL 0-27 DYS	9	6.7	14	1	2	7	9	12	13	13
1-11 MOS	36	6.9	45	<1	1	4	9	16	22	29
1-5 YRS	106	3.4	29	<1	<1	2	3	6	11	32
6-12 YRS	181	4.0	18	1	1	3	5	8	11	35
13-19 YRS	1011	4.6	23	1	1	3	6	9	12	21
GRAND TOTAL	**1343**	**4.5**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	14	4.0	7	2	2	4	4	7	11	12
1-5 YRS	295	2.7	3	1	1	2	3	5	6	9
6-12 YRS	216	3.8	8	1	1	3	5	7	8	16
13-19 YRS	124	4.7	16	1	2	3	6	9	11	23
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	3.3	9	<1	<1	2	4	9	10	10
1-5 YRS	102	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	119	2.6	6	<1	<1	2	3	6	8	12
13-19 YRS	726	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	3.5	7	<1	1	3	4	8	9	9
1-5 YRS	139	3.8	7	1	1	3	5	7	9	13
6-12 YRS	108	4.2	10	1	1	3	5	8	9	18
13-19 YRS	126	4.5	12	1	1	4	6	9	12	17
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	21	3.0	5	<1	<1	3	4	6	9	10
6-12 YRS	64	4.5	20	1	1	3	5	8	11	29
13-19 YRS	361	3.4	17	<1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	3.5	8	1	1	3	4	6	8	14
B. *Operated*	964	2.4	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	386	4.1	9	1	1	3	5	8	9	16
B. *Operated*	451	3.5	17	<1	1	2	4	7	10	18
1. SINGLE DX	1614	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	837	3.8	13	1	1	3	5	7	10	17
A. NOT OPERATED	1036	3.7	8	1	1	3	5	7	9	14
B. OPERATED	1415	2.7	8	<1	<1	2	3	5	7	12
TOTAL 0-27 DYS	4	4.8	9	2	2	4	7	9	9	9
1-11 MOS	46	3.5	7	<1	1	3	4	8	10	12
1-5 YRS	557	2.8	5	<1	1	2	4	5	7	10
6-12 YRS	507	3.7	10	1	1	3	5	7	9	16
13-19 YRS	1337	3.0	9	<1	1	2	4	6	8	13
GRAND TOTAL	**2451**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.8		2	2	3	3	3	3	3
1-5 YRS	11	2.4	1	<1	<1	3	3	4	4	4
6-12 YRS	80	3.1	4	1	1	3	4	5	7	11
13-19 YRS	843	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	22	1.5	3	<1	<1	1	1	3	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.8	3	2	2	3	6	6	6	6
1-5 YRS	15	3.0	2	<1	<1	3	4	5	5	5
6-12 YRS	98	3.2	3	1	1	3	4	5	7	9
13-19 YRS	924	3.3	3	1	1	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	1	1	2	2	2
B. *Operated*	939	2.9	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	28	1.4	2	<1	<1	1	1	2	6	7
B. *Operated*	1043	3.3	3	1	1	3	4	5	6	9
1. SINGLE DX	947	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX	1071	3.2	3	1	1	3	4	5	6	9
A. NOT OPERATED	36	1.4	2	<1	<1	1	1	2	5	7
B. OPERATED	1982	3.1	2	1	1	3	4	5	6	8
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	11	3.4	2	2	2	3	3	6	6	6
1-5 YRS	27	2.7	2	<1	<1	3	4	5	5	5
6-12 YRS	184	3.1	3	1	1	3	4	5	7	9
13-19 YRS	1795	3.0	2	1	1	3	4	5	6	8
GRAND TOTAL	**2018**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.4		<1	<1	1	2	2	2	2
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	8	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	8	1.4		1	1	1	2	2	2	2
1-5 YRS	163	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	343	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	673	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	9	1.0		<1	<1	1	1	1	1	1
13-19 YRS	16	2.3	12	<1	<1	1	1	6	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	28	2.1	2	<1	1	2	2	3	5	8
13-19 YRS	113	2.0	1	<1	<1	2	2	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5		<1	<1	1	2	2	3	3
B. *Operated*	1189	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	29	1.8	7	<1	<1	1	1	3	7	14
B. *Operated*	151	2.0	1	<1	<1	2	2	3	4	6
1. SINGLE DX	1206	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	180	2.0	2	<1	<1	2	2	3	5	8
A. NOT OPERATED	46	1.7	5	<1	<1	1	2	2	5	14
B. OPERATED	1340	1.6	1	<1	<1	1	2	3	3	5
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	1.7	1	1	1	1	2	3	4	4
1-5 YRS	183	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	382	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	810	1.7	1	<1	<1	1	2	3	3	5
GRAND TOTAL	**1386**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	16.8	30	12	12	17	21	22	22	22
1-11 MOS	20	16.7	99	6	7	13	22	33	38	39
1-5 YRS	118	10.4	59	1	2	8	15	22	25	32
6-12 YRS	126	13.9	73	3	4	12	18	27	29	43
13-19 YRS	73	12.8	87	2	3	11	17	26	29	42
B. *Operated*										
0-27 DYS										
1-11 MOS	11	13.4	64	1	3	12	15	26	31	31
1-5 YRS	64	13.6	93	3	4	12	18	29	32	43
6-12 YRS	117	15.0	114	1	3	14	22	29	34	44
13-19 YRS	153	12.8	135	2	2	10	17	29	35	64
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	18.5	96	7	7	18	26	30	30	30
1-11 MOS	19	18.3	205	2	3	14	22	45	49	50
1-5 YRS	96	14.5	114	2	4	11	21	30	38	46
6-12 YRS	95	15.8	85	2	4	15	23	29	30	38
13-19 YRS	98	13.5	96	2	4	10	18	28	36	39
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	26	24.8	220	6	7	21	33	47	51	57
1-5 YRS	72	18.0	170	2	4	16	24	35	46	58
6-12 YRS	192	19.7	175	3	5	17	27	41	47	58
13-19 YRS	221	18.5	178	3	4	15	25	37	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	12.6	75	2	3	11	17	24	29	40
B. *Operated*	345	13.7	118	2	2	11	19	29	34	47
2. MULTIPLE DX										
A. *Not Operated*	312	14.9	105	2	4	13	22	29	34	45
B. *Operated*	512	19.2	179	3	5	16	26	39	46	58
1. SINGLE DX	686	13.2	97	2	3	11	18	27	31	43
2. MULTIPLE DX	824	17.6	155	3	4	15	24	34	43	55
A. NOT OPERATED	653	13.7	90	2	3	11	20	28	31	43
B. OPERATED	857	17.0	162	2	4	15	23	34	43	56
TOTAL 0-27 DYS	9	18.8	60	7	9	21	24	29	30	30
1-11 MOS	76	19.4	174	4	5	15	24	43	47	55
1-5 YRS	350	13.7	110	2	3	11	20	29	33	47
6-12 YRS	530	16.6	127	2	4	14	23	30	41	49
13-19 YRS	545	15.3	146	2	3	13	21	32	39	56
GRAND TOTAL	**1510**	**15.6**	**133**	**2**	**4**	**13**	**22**	**30**	**39**	**50**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	117	5.4	20	<1	1	4	7	12	15	20
6-12 YRS	238	5.6	27	<1	1	4	7	13	15	28
13-19 YRS	150	3.9	39	1	1	2	4	7	15	63
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	12	5.3	8	1	1	6	7	8	11	11
1-5 YRS	143	4.2	30	<1	1	3	5	9	13	22
6-12 YRS	1100	5.2	24	1	1	4	7	10	13	24
13-19 YRS	2204	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	14	5.8	16	1	1	5	9	12	14	14
1-5 YRS	50	5.9	34	1	2	4	7	10	17	37
6-12 YRS	156	7.8	137	1	1	4	8	18	29	80
13-19 YRS	199	4.9	38	<1	1	3	5	10	20	99+
B. *Operated*										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	8	6.0	39	1	1	4	8	17	19	19
1-5 YRS	71	4.4	26	<1	<1	3	5	9	11	27
6-12 YRS	355	7.1	60	1	1	5	8	15	23	42
13-19 YRS	1019	5.1	44	1	1	3	6	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	5.0	29	<1	1	3	7	11	15	26
B. *Operated*	3460	4.3	17	1	1	3	5	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	423	6.1	75	1	1	4	7	12	23	85
B. *Operated*	1455	5.6	48	1	1	3	6	12	19	36
1. SINGLE DX	3972	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX	1878	5.7	54	1	1	3	6	12	19	41
A. NOT OPERATED	935	5.5	50	<1	1	4	7	12	17	49
B. OPERATED	4915	4.7	26	1	1	3	6	9	13	27
TOTAL 0-27 DYS	11	3.7	16	1	1	2	5	9	15	15
1-11 MOS	37	5.4	17	1	1	5	6	11	13	19
1-5 YRS	381	4.8	27	<1	1	3	6	10	14	23
6-12 YRS	1849	5.9	42	1	1	4	7	12	16	35
13-19 YRS	3572	4.3	24	1	1	3	5	8	12	27
GRAND TOTAL	**5850**	**4.8**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	9	3.2	8	1	1	2	4	8	10	10
13-19 YRS	13	2.2	6	<1	<1	1	2	7	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	26	3.6	2	1	1	4	4	6	6	6
1-5 YRS	104	3.3	12	1	1	3	4	5	5	20
6-12 YRS	294	4.1	12	1	2	4	5	6	8	16
13-19 YRS	457	4.0	27	<1	1	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	113	1	1	8	16	16	16	16
1-5 YRS	24	2.5	5	<1	1	2	3	5	7	11
6-12 YRS	32	2.8	11	<1	<1	1	4	8	15	99+
13-19 YRS	33	6.5	78	1	1	3	8	18	26	42
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	15	3.5	1	2	2	3	4	5	6	6
1-5 YRS	264	3.7	8	1	1	3	4	6	7	25
6-12 YRS	572	5.2	48	1	2	4	5	8	10	48
13-19 YRS	634	5.5	37	1	2	4	6	9	12	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.4	6	<1	<1	1	3	6	9	10
B. *Operated*	881	4.0	19	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	91	4.2	38	<1	<1	2	4	13	18	76
B. *Operated*	1487	5.1	36	1	2	4	6	8	11	35
1. SINGLE DX	908	3.9	19	1	1	3	4	6	8	17
2. MULTIPLE DX	1578	5.0	36	1	1	4	5	8	11	36
A. NOT OPERATED	118	3.8	31	<1	<1	2	4	10	16	60
B. OPERATED	2368	4.7	30	1	2	4	5	7	10	31
TOTAL 0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	45	3.7	5	1	1	4	4	6	6	16
1-5 YRS	395	3.5	9	1	1	3	4	5	7	21
6-12 YRS	907	4.8	35	1	2	4	5	7	10	40
13-19 YRS	1137	4.9	34	1	1	4	5	9	11	26
GRAND TOTAL	**2486**	**4.6**	**30**	**1**	**1**	**4**	**5**	**7**	**10**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	10	1	1	2	6	7	7	7
13-19 YRS	8	3.4	2	<1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	6	3.7	5	1	1	4	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	3	12.7	185	2	2	8	23	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.4	4	<1	1	3	5	6	7	7
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	10	3.5	4	1	1	3	6	6	6	6
B. *Operated*	6	7.5	107	1	1	3	8	26	28	28
1. SINGLE DX	13	3.0	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX	16	5.0	42	1	1	3	6	8	22	28
A. NOT OPERATED	21	3.4	4	<1	1	3	5	6	7	7
B. OPERATED	8	5.9	85	<1	<1	2	6	22	28	28
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS										
6-12 YRS	8	2.6	4	1	1	2	3	6	7	7
13-19 YRS	19	4.7	36	<1	<1	3	5	7	19	28
GRAND TOTAL	**29**	**4.1**	**25**	**<1**	**1**	**3**	**5**	**7**	**9**	**28**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	9	2.1	2	1	1	2	3	4	5	5
1-5 YRS	67	2.2	2	<1	1	2	3	4	5	7
6-12 YRS	194	2.4	4	<1	1	2	3	5	7	11
13-19 YRS	414	3.1	21	1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	20	2.6	3	<1	<1	2	4	5	6	6
1-5 YRS	170	2.7	6	<1	<1	2	3	5	7	12
6-12 YRS	442	5.3	23	<1	1	3	9	11	13	21
13-19 YRS	1528	5.3	22	<1	1	3	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	17	3.0	4	<1	1	2	5	5	7	8
1-5 YRS	108	2.5	7	<1	1	2	3	6	7	14
6-12 YRS	206	3.9	24	1	1	3	4	7	10	28
13-19 YRS	443	4.4	35	<1	1	3	5	9	12	25
B. *Operated*										
0-27 DYS	2	18.5	613	1	1	18	36	36	36	36
1-11 MOS	31	5.4	136	<1	1	2	3	9	15	66
1-5 YRS	342	3.8	12	1	1	3	4	7	10	21
6-12 YRS	557	6.5	68	1	1	4	8	14	20	51
13-19 YRS	1680	5.6	66	1	1	3	7	13	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	2.8	14	1	1	2	3	6	8	12
B. *Operated*	2162	5.1	21	<1	1	3	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	776	4.0	28	<1	1	3	5	8	11	24
B. *Operated*	2612	5.6	61	1	1	3	7	13	18	43
1. SINGLE DX	2850	4.5	21	<1	1	2	7	11	13	20
2. MULTIPLE DX	3388	5.2	54	1	1	3	6	12	16	37
A. NOT OPERATED	1464	3.4	22	<1	1	2	4	7	9	18
B. OPERATED	4774	5.3	43	<1	1	3	8	12	15	30
TOTAL 0-27 DYS	10	5.3	117	<1	<1	2	3	20	36	36
1-11 MOS	77	3.8	57	<1	<1	2	4	6	8	52
1-5 YRS	687	3.2	9	<1	1	2	4	6	8	19
6-12 YRS	1399	5.2	40	1	1	3	7	11	15	33
13-19 YRS	4065	5.1	42	<1	1	3	7	11	15	28
GRAND TOTAL	**6238**	**4.9**	**39**	**<1**	**1**	**3**	**6**	**11**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	7	2:1	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	12	4	4	4	9	10	10	10
13-19 YRS	17	4.2	5	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	1	1	1	2	3	4	4	4
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	20	4.5	6	1	1	4	6	7	9	10
B. *Operated*	2	2.0		2	2	2	2	2	2	2
1. SINGLE DX	9	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX	22	4.2	6	1	1	4	6	7	8	10
A. NOT OPERATED	28	3.8	6	1	1	3	5	7	8	10
B. OPERATED	3	2.0		2	2	2	2	2	2	2
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	5.0	12	2	2	4	7	10	10	10
13-19 YRS	26	3.5	4	1	1	3	5	7	7	7
GRAND TOTAL	**31**	**3.6**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**10**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	4.8	25	1	1	2	8	13	13	13
1-11 MOS	36	2.3	6	<1	<1	2	2	5	7	13
1-5 YRS	79	2.2	15	<1	<1	1	2	5	6	25
6-12 YRS	18	2.9	8	<1	<1	2	3	6	10	13
13-19 YRS	36	3.8	30	1	1	2	4	7	17	28
B. *Operated*										
0-27 DYS	63	9.0	36	1	3	8	12	16	21	31
1-11 MOS	144	6.1	9	2	3	6	8	9	11	17
1-5 YRS	81	5.7	15	1	2	5	7	11	13	22
6-12 YRS	71	6.2	32	1	2	5	8	13	16	32
13-19 YRS	42	4.7	13	1	1	4	7	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	34	9.0	115	1	1	5	10	22	29	53
1-11 MOS	135	4.7	34	1	1	3	5	10	17	31
1-5 YRS	234	5.2	85	<1	1	3	5	11	15	81
6-12 YRS	86	7.7	208	1	1	4	8	28	94	99+
13-19 YRS	84	6.1	106	1	1	4	6	10	21	92
B. *Operated*										
0-27 DYS	54	19.2	244	3	5	14	27	50	56	98
1-11 MOS	166	11.6	182	2	2	7	12	30	39	91
1-5 YRS	227	8.3	80	1	2	6	10	19	25	84
6-12 YRS	179	10.1	144	2	2	5	11	24	37	62
13-19 YRS	107	9.7	67	2	2	7	14	22	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.7	16	<1	<1	1	3	6	8	26
B. *Operated*	401	6.4	21	2	2	6	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	573	5.8	97	<1	1	3	6	13	22	99
B. *Operated*	733	10.5	136	2	2	7	13	24	36	72
1. SINGLE DX	578	5.2	22	<1	1	4	7	10	14	24
2. MULTIPLE DX	1306	8.4	124	1	1	5	10	21	31	85
A. NOT OPERATED	750	5.1	80	<1	1	3	5	11	18	93
B. OPERATED	1134	9.0	99	2	2	6	10	20	29	57
TOTAL 0-27 DYS	159	12.2	147	1	2	9	15	28	47	60
1-11 MOS	481	7.3	86	1	1	5	8	15	25	44
1-5 YRS	621	6.0	69	<1	1	4	7	14	20	52
6-12 YRS	354	8.3	133	1	2	5	9	22	35	99
13-19 YRS	269	7.0	71	1	1	4	8	17	23	47
GRAND TOTAL	**1884**	**7.5**	**95**	**1**	**1**	**4**	**9**	**17**	**26**	**72**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	140	1.2		<1	<1	<1	1	2	2	4
1-5 YRS	170	1.3	1	<1	<1	<1	1	2	4	7
6-12 YRS	12	3.1	26	<1	<1	1	3	9	18	19
13-19 YRS	6	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-27 DYS	28	2.1	2	<1	1	2	2	3	5	7
1-11 MOS	210	1.9	4	<1	<1	1	2	3	4	8
1-5 YRS	708	1.9	3	<1	<1	2	2	3	4	9
6-12 YRS	604	1.9	2	<1	<1	2	2	3	4	7
13-19 YRS	345	2.1	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	5.1	24	1	1	4	7	13	15	15
1-11 MOS	48	1.7	2	<1	<1	1	2	4	4	7
1-5 YRS	105	1.7	3	<1	<1	1	1	3	5	10
6-12 YRS	22	1.8	2	<1	<1	1	2	3	5	6
13-19 YRS	15	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS	19	5.7	163	1	1	2	4	10	38	57
1-11 MOS	100	2.9	15	<1	<1	2	3	6	8	23
1-5 YRS	278	2.3	3	<1	1	2	3	4	6	9
6-12 YRS	228	2.6	9	<1	1	2	3	5	7	14
13-19 YRS	144	3.0	8	1	1	2	3	5	7	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	1.3	2	<1	<1	<1	1	2	4	6
B. *Operated*	1895	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	197	1.8	3	<1	<1	1	2	4	5	11
B. *Operated*	769	2.7	12	<1	1	2	3	5	7	15
1. SINGLE DX	2225	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	966	2.5	10	<1	<1	2	3	5	7	14
A. NOT OPERATED	527	1.5	2	<1	<1	1	1	3	4	8
B. OPERATED	2664	2.2	5	<1	<1	2	2	4	5	9
TOTAL 0-27 DYS	56	3.7	60	1	1	2	3	6	12	54
1-11 MOS	498	1.9	5	<1	<1	1	2	3	5	10
1-5 YRS	1261	1.9	3	<1	<1	2	2	3	5	8
6-12 YRS	866	2.1	4	<1	<1	2	2	4	5	9
13-19 YRS	510	2.3	3	<1	1	2	3	4	5	8
GRAND TOTAL	**3191**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	3.1	15	<1	1	3	3	4	6	24
1-11 MOS	58	3.2	15	<1	<1	2	4	6	9	21
1-5 YRS	44	2.4	4	<1	<1	1	3	6	7	8
6-12 YRS	23	2.3	3	<1	1	2	3	4	6	9
13-19 YRS	20	2.5	9	<1	<1	2	3	4	9	14
B. *Operated*										
0-27 DYS	34	7.5	24	1	1	8	10	13	16	21
1-11 MOS	576	5.5	27	1	1	4	8	11	14	25
1-5 YRS	1524	4.4	14	1	1	3	7	9	11	16
6-12 YRS	541	4.5	17	1	1	2	7	9	12	19
13-19 YRS	366	4.5	18	1	1	2	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	114	5.7	32	1	1	4	7	11	16	34
1-11 MOS	368	4.8	39	<1	1	3	6	10	14	25
1-5 YRS	359	3.7	38	<1	<1	2	4	7	11	36
6-12 YRS	73	2.7	5	<1	1	2	3	6	7	11
13-19 YRS	92	4.0	22	1	1	3	5	8	11	29
B. *Operated*										
0-27 DYS	225	13.5	176	2	2	10	17	30	41	84
1-11 MOS	1612	8.8	117	1	1	6	11	20	30	67
1-5 YRS	2359	6.1	51	1	1	3	8	13	18	37
6-12 YRS	786	5.7	45	1	1	3	8	12	15	36
13-19 YRS	508	6.1	52	1	1	2	8	13	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	2.8	10	<1	<1	2	3	5	7	21
B. *Operated*	3041	4.7	18	1	1	3	7	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	1006	4.3	35	<1	1	3	5	9	12	32
B. *Operated*	5490	7.1	78	1	1	5	9	16	23	51
1. SINGLE DX	3221	4.5	18	1	1	2	7	9	12	20
2. MULTIPLE DX	6496	6.7	72	1	1	3	9	15	21	49
A. NOT OPERATED	1186	4.0	31	<1	1	2	5	8	11	29
B. OPERATED	8531	6.3	58	1	1	4	8	13	19	40
TOTAL 0-27 DYS	408	9.9	126	1	2	7	13	22	32	76
1-11 MOS	2614	7.4	87	1	1	4	10	16	24	52
1-5 YRS	4286	5.2	38	1	1	2	7	11	15	32
6-12 YRS	1423	5.1	33	1	1	2	7	10	14	26
13-19 YRS	986	5.2	36	1	1	2	8	11	15	31
GRAND TOTAL	**9717**	**6.0**	**55**	**1**	**1**	**3**	**8**	**13**	**18**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0		6	6	6	6	6	6	6
1-11 MOS	13	2.0	3	<1	<1	1	3	5	5	5
1-5 YRS	8	2.4	8	<1	<1	1	2	7	9	9
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	28	3.5	4	1	1	3	5	7	7	8
1-11 MOS	778	3.9	4	2	2	3	5	7	7	8
1-5 YRS	662	3.6	3	1	2	3	5	6	7	8
6-12 YRS	225	2.9	2	1	1	3	4	5	5	7
13-19 YRS	175	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	5.3	21	<1	1	4	6	13	16	17
1-11 MOS	65	2.0	13	<1	<1	1	1	4	8	23
1-5 YRS	75	1.2		<1	<1	1	1	2	2	3
6-12 YRS	8	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	7	1.6	2	1	1	1	1	4	5	5
B. *Operated*										
0-27 DYS	14	6.4	52	2	2	4	6	17	26	28
1-11 MOS	481	4.6	21	2	2	4	5	7	8	23
1-5 YRS	708	4.2	8	2	2	4	5	7	8	13
6-12 YRS	230	3.3	10	1	2	3	4	5	6	9
13-19 YRS	227	3.5	4	1	2	3	5	7	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	5	<1	<1	1	4	6	7	9
B. *Operated*	1868	3.6	3	1	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	167	1.8	8	<1	<1	1	1	3	5	16
B. *Operated*	1660	4.1	12	1	2	3	5	7	8	14
1. SINGLE DX	1892	3.6	3	1	2	3	5	6	7	8
2. MULTIPLE DX	1827	3.9	12	1	1	3	5	7	8	14
A. NOT OPERATED	191	1.9	7	<1	<1	1	1	4	6	15
B. OPERATED	3528	3.8	7	1	2	3	5	6	7	11
TOTAL 0-27 DYS	56	4.7	20	1	2	4	6	7	14	27
1-11 MOS	1337	4.0	11	1	2	3	5	7	8	12
1-5 YRS	1453	3.8	6	1	2	3	5	6	7	11
6-12 YRS	463	3.1	6	1	1	3	4	5	6	7
13-19 YRS	410	3.2	3	1	1	3	4	6	7	10
GRAND TOTAL	**3719**	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	2.2	2	1	1	2	3	4	5	7
1-11 MOS	40	2.2	1	<1	<1	2	3	4	4	6
1-5 YRS	8	4.8	12	2	2	3	7	10	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	602	3.4	3	1	2	3	4	5	6	9
1-11 MOS	1359	3.3	3	1	2	3	4	5	6	9
1-5 YRS	178	4.3	4	2	2	4	6	7	8	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	23	2.6	2	1	1	2	4	4	5	6
1-11 MOS	39	3.0	4	1	1	2	4	6	7	9
1-5 YRS	10	4.2	4	2	2	3	6	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	158	5.3	12	2	2	4	6	10	12	19
1-11 MOS	388	4.5	9	2	2	4	5	7	9	11
1-5 YRS	50	7.5	30	3	4	6	9	13	17	34
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	2139	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	72	3.0	3	1	1	2	4	6	7	9
B. *Operated*	596	4.9	12	2	2	4	6	8	11	18
1. SINGLE DX	2217	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.7	12	2	2	4	6	8	10	17
A. NOT OPERATED	150	2.7	3	1	1	2	3	5	6	9
B. OPERATED	2735	3.8	5	2	2	3	4	6	7	12
TOTAL 0-27 DYS	813	3.7	5	1	2	3	4	6	7	12
1-11 MOS	1826	3.6	4	1	2	3	4	5	7	10
1-5 YRS	246	5.0	11	2	2	4	6	8	10	17
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2885**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	37	3.9	13	1	1	3	4	8	13	17
1-11 MOS	124	3.3	20	<1	<1	2	3	6	10	29
1-5 YRS	130	2.0	6	<1	<1	1	2	4	6	14
6-12 YRS	44	2.2	5	<1	<1	1	3	4	6	12
13-19 YRS	21	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS	76	8.9	46	1	2	8	11	18	24	36
1-11 MOS	348	6.5	39	1	1	5	9	15	18	28
1-5 YRS	439	4.6	19	<1	<1	3	7	10	12	21
6-12 YRS	198	3.8	11	<1	1	3	5	7	10	15
13-19 YRS	188	3.5	8	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	3.9	14	1	1	3	4	8	15	18
1-11 MOS	221	5.5	59	1	1	3	6	12	19	55
1-5 YRS	205	5.0	37	<1	1	3	6	11	15	39
6-12 YRS	31	4.1	20	<1	<1	3	4	10	14	21
13-19 YRS	29	5.3	59	<1	<1	3	5	10	23	39
B. *Operated*										
0-27 DYS	108	17.9	343	2	3	12	23	46	68	99+
1-11 MOS	397	11.0	156	1	2	7	13	25	35	60
1-5 YRS	499	8.4	90	1	1	6	10	17	27	64
6-12 YRS	230	5.7	31	1	1	4	7	12	16	27
13-19 YRS	224	4.3	14	1	1	3	6	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	2.7	12	<1	<1	2	3	6	8	17
B. *Operated*	1249	5.1	25	<1	1	3	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	535	5.1	44	<1	1	3	6	11	17	39
B. *Operated*	1458	8.7	118	1	1	6	10	19	29	67
1. SINGLE DX	1605	4.6	23	<1	<1	3	6	10	13	23
2. MULTIPLE DX	1993	7.8	100	1	1	5	9	16	26	58
A. NOT OPERATED	891	4.1	32	<1	<1	2	5	9	14	32
B. OPERATED	2707	7.1	78	1	1	5	9	15	22	53
TOTAL 0-27 DYS	270	10.9	190	1	2	6	13	25	40	93
1-11 MOS	1090	7.6	91	1	1	5	9	16	25	55
1-5 YRS	1273	5.9	53	<1	<1	4	8	12	17	41
6-12 YRS	503	4.5	21	<1	1	3	5	10	13	25
13-19 YRS	462	3.9	14	1	1	3	5	8	10	16
GRAND TOTAL	**3598**	**6.3**	**68**	**<1**	**1**	**4**	**8**	**14**	**21**	**47**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	10	1.1		<1	<1	<1	1	2	2	2
6-12 YRS	8	1.1		<1	<1	1	1	2	2	2
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	29	1.7	1	<1	<1	1	2	3	3	4
1-5 YRS	1179	1.7	1	<1	<1	2	2	3	4	5
6-12 YRS	1004	2.0	1	<1	1	2	3	3	4	6
13-19 YRS	316	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	99	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	40	1.3	1	<1	<1	1	1	3	3	4
13-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS	4	1.5		<1	<1	1	2	2	2	2
1-11 MOS	75	1.8	1	<1	<1	1	2	3	5	7
1-5 YRS	1326	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	852	2.4	2	<1	1	2	3	4	5	8
13-19 YRS	262	2.6	3	1	1	2	3	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	1.1		<1	<1	1	1	2	2	2
B. *Operated*	2529	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	150	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	2519	2.1	2	<1	<1	2	3	4	5	7
1. SINGLE DX	2552	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2669	2.1	2	<1	<1	2	3	4	5	7
A. NOT OPERATED	173	1.3		<1	<1	1	1	2	3	4
B. OPERATED	5048	2.0	2	<1	<1	2	2	4	4	7
TOTAL 0-27 DYS	6	1.3		<1	<1	1	2	2	2	2
1-11 MOS	109	1.8	1	<1	<1	1	2	3	4	6
1-5 YRS	2614	1.8	1	<1	<1	2	2	3	4	6
6-12 YRS	1904	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	588	2.5	2	1	1	2	3	4	5	8
GRAND TOTAL	**5221**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	1.7	1	<1	<1	1	2	3	4	4
1-11 MOS	11	2.4	4	<1	<1	1	4	5	5	5
1-5 YRS	47	1.8	3	<1	<1	1	2	4	7	8
6-12 YRS	17	3.5	12	1	1	2	4	9	12	14
13-19 YRS	22	2.2	2	<1	<1	2	2	4	5	6
B. *Operated*										
0-27 DYS	34	6.4	21	1	1	5	9	12	16	21
1-11 MOS	269	4.2	12	<1	1	3	6	9	12	15
1-5 YRS	1694	4.7	15	<1	1	4	7	10	12	15
6-12 YRS	423	4.4	15	<1	1	3	7	10	12	17
13-19 YRS	377	4.3	14	<1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	5.7	24	1	1	4	9	14	15	15
1-11 MOS	51	4.4	82	<1	<1	1	4	8	15	55
1-5 YRS	138	2.3	7	<1	<1	1	3	5	8	14
6-12 YRS	35	3.6	12	<1	<1	2	4	7	12	14
13-19 YRS	39	2.7	5	<1	<1	2	3	5	8	12
B. *Operated*										
0-27 DYS	39	9.9	57	2	2	8	13	22	26	33
1-11 MOS	229	7.2	42	<1	1	6	9	14	17	31
1-5 YRS	1100	5.9	29	<1	1	5	8	12	16	27
6-12 YRS	374	6.5	51	<1	1	4	8	13	17	39
13-19 YRS	422	6.3	28	1	1	5	8	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.2	4	<1	<1	1	2	5	7	11
B. *Operated*	2797	4.6	15	<1	1	3	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	276	3.1	23	<1	<1	1	3	7	11	15
B. *Operated*	2164	6.3	35	<1	1	5	8	13	16	31
1. SINGLE DX	2905	4.5	14	<1	1	3	7	10	12	16
2. MULTIPLE DX	2440	5.9	35	<1	1	4	8	12	16	31
A. NOT OPERATED	384	2.8	18	<1	<1	1	3	6	9	15
B. OPERATED	4961	5.3	24	<1	1	4	7	11	14	25
TOTAL 0-27 DYS	97	7.2	40	1	1	5	10	16	21	30
1-11 MOS	560	5.4	33	<1	1	4	7	12	14	28
1-5 YRS	2979	5.0	20	<1	1	4	7	11	13	22
6-12 YRS	849	5.3	32	<1	1	3	7	12	14	32
13-19 YRS	860	5.2	22	<1	1	4	7	12	14	21
GRAND TOTAL	**5345**	**5.2**	**24**	**<1**	**1**	**4**	**7**	**11**	**13**	**24**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	28	4	4	6	12	14	14	14
1-11 MOS	30	1.6	7	<1	<1	<1	1	2	2	15
1-5 YRS	19	1.2		<1	<1	<1	1	2	3	3
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	603	3.2	5	1	1	3	4	5	7	11
1-5 YRS	564	3.3	3	1	1	3	4	5	7	10
6-12 YRS	214	3.9	5	1	2	4	5	7	7	11
13-19 YRS	172	4.1	6	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	44	1.3	1	<1	<1	1	1	2	3	5
1-5 YRS	49	1.3	1	<1	<1	1	1	2	2	7
6-12 YRS	21	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	6	1.0		1	1	1	1	80	99+	99+
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	146	4.0	6	1	1	3	5	8	10	12
1-5 YRS	339	4.3	46	1	2	3	5	7	9	24
6-12 YRS	250	4.0	5	1	2	4	5	7	8	11
13-19 YRS	277	4.5	19	1	2	4	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	1.8	7	<1	<1	<1	1	3	6	15
B. *Operated*	1554	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	120	1.3	1	<1	<1	1	1	2	3	34
B. *Operated*	1013	4.2	23	1	2	3	5	7	9	15
1. SINGLE DX	1613	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1133	3.9	21	1	1	3	5	7	9	15
A. NOT OPERATED	179	1.5	3	<1	<1	1	1	2	4	15
B. OPERATED	2567	3.8	12	1	1	3	4	6	8	12
TOTAL 0-27 DYS	5	5.6	25	2	2	4	8	14	14	14
1-11 MOS	823	3.2	5	<1	1	3	4	5	7	12
1-5 YRS	971	3.5	18	<1	1	3	4	5	7	12
6-12 YRS	489	3.8	5	1	1	3	5	7	8	11
13-19 YRS	458	4.3	14	1	2	4	5	7	8	19
GRAND TOTAL	**2746**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.7	7	<1	<1	3	6	8	9	9
1-11 MOS	249	2.6	27	<1	<1	1	2	5	9	20
1-5 YRS	303	2.1	6	<1	<1	1	2	4	6	13
6-12 YRS	54	3.0	7	<1	<1	2	4	9	12	99+
13-19 YRS	85	4.8	91	<1	1	3	5	8	11	95
B. *Operated*										
0-27 DYS	26	6.1	46	<1	<1	4	7	13	19	33
1-11 MOS	938	5.0	20	<1	1	4	6	10	16	23
1-5 YRS	1799	3.6	15	<1	1	2	4	7	10	21
6-12 YRS	1223	3.7	16	1	1	3	5	7	9	17
13-19 YRS	1485	3.9	11	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	69	7.1	119	1	2	4	7	14	28	94
1-11 MOS	327	5.1	53	<1	1	3	6	12	16	40
1-5 YRS	410	4.1	61	<1	<1	2	4	8	15	40
6-12 YRS	168	4.0	25	<1	<1	2	4	10	14	33
13-19 YRS	131	6.3	161	<1	1	3	7	12	24	94
B. *Operated*										
0-27 DYS	43	16.7	145	2	3	15	28	34	42	99+
1-11 MOS	409	7.9	95	1	1	5	9	20	33	99+
1-5 YRS	1015	5.8	61	1	1	4	6	11	18	39
6-12 YRS	719	6.3	68	1	2	4	7	12	18	57
13-19 YRS	854	5.8	52	1	1	4	7	11	15	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	2.7	24	<1	<1	2	3	6	9	24
B. *Operated*	5471	4.0	15	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	1105	4.8	69	<1	<1	2	5	10	16	61
B. *Operated*	3040	6.4	67	1	1	4	7	13	20	50
1. SINGLE DX	6188	3.8	16	<1	1	3	5	7	10	20
2. MULTIPLE DX	4145	5.9	68	1	1	4	7	12	19	51
A. NOT OPERATED	1822	4.0	53	<1	<1	2	4	9	13	57
B. OPERATED	8511	4.8	35	1	1	3	6	9	14	32
TOTAL 0-27 DYS	164	8.9	119	1	1	5	11	27	33	95
1-11 MOS	1923	5.3	45	<1	1	3	6	12	17	39
1-5 YRS	3527	4.2	34	<1	1	2	5	8	12	27
6-12 YRS	2164	4.6	35	1	1	3	5	9	12	35
13-19 YRS	2555	4.7	36	1	1	3	6	9	12	28
GRAND TOTAL	**10333**	**4.7**	**38**	**<1**	**1**	**3**	**5**	**9**	**14**	**33**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7122	2.9	11	1	1	2	3	5	7	19
1-11 MOS	654	4.5	44	1	1	3	5	9	14	29
1-5 YRS	772	4.9	24	1	1	3	6	11	15	22
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	81	4.9	24	1	1	3	5	10	16	27
1-11 MOS	73	3.7	20	<1	<1	2	4	9	14	23
1-5 YRS	44	2.9	11	<1	<1	2	3	5	12	16
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3913	7.9	111	1	2	4	9	20	29	54
1-11 MOS	1133	9.8	160	1	1	5	11	26	38	71
1-5 YRS	862	11.0	149	1	2	6	14	28	36	62
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	413	20.2	448	3	4	12	28	61	89	99+
1-11 MOS	168	14.4	296	1	1	9	23	51	92	99+
1-5 YRS	122	19.2	568	1	2	9	29	76	99	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8548	3.2	16	1	1	2	3	5	9	21
B. *Operated*	198	4.0	20	<1	<1	2	4	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	5908	8.7	127	1	2	4	10	22	32	58
B. *Operated*	703	18.7	437	1	2	11	27	61	89	99+
1. SINGLE DX	8746	3.2	16	1	1	2	3	6	9	21
2. MULTIPLE DX	6611	9.8	170	1	2	5	11	26	39	77
A. NOT OPERATED	14456	5.5	68	1	1	3	5	12	21	45
B. OPERATED	901	15.4	382	1	1	8	21	52	78	99+
TOTAL 0-27 DYS	11529	5.2	75	1	1	3	4	11	20	51
1-11 MOS	2028	8.2	138	1	1	4	9	23	36	76
1-5 YRS	1800	8.8	137	1	2	4	10	21	32	72
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**15357**	**6.0**	**92**	**1**	**1**	**3**	**5**	**14**	**24**	**56**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	79	3.9	6	<1	1	3	5	7	8	11
1-11 MOS	817	3.0	7	1	1	2	4	5	7	15
1-5 YRS	2963	2.5	3	1	1	2	3	4	5	9
6-12 YRS	1380	2.6	4	1	1	2	3	5	6	10
13-19 YRS	1376	2.8	5	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	8	7.5	63	1	1	4	12	21	23	23
1-5 YRS	22	4.5	21	1	1	3	4	12	17	17
6-12 YRS	10	2.8	5	1	1	2	5	6	7	7
13-19 YRS	24	3.1	3	1	2	3	4	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	71	4.8	19	1	2	4	5	10	14	26
1-11 MOS	1581	3.6	14	1	1	3	4	6	9	18
1-5 YRS	6405	2.9	7	1	1	2	3	5	6	12
6-12 YRS	1244	3.4	11	1	1	3	4	6	9	16
13-19 YRS	1174	4.0	17	1	1	3	5	8	10	20
B. *Operated*										
0-27 DYS	4	5.8	18	3	3	4	8	12	12	12
1-11 MOS	67	8.7	106	2	2	5	11	19	26	64
1-5 YRS	94	6.1	36	1	2	4	6	15	24	70
6-12 YRS	37	8.7	154	2	2	5	9	16	41	61
13-19 YRS	61	7.0	57	1	2	5	7	16	27	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6615	2.6	4	1	1	2	3	5	6	10
B. *Operated*	64	4.1	18	1	1	3	4	9	16	22
2. MULTIPLE DX										
A. *Not Operated*	10475	3.2	10	1	1	2	4	6	8	15
B. *Operated*	263	7.3	75	1	2	5	8	17	25	59
1. SINGLE DX	6679	2.6	5	1	1	2	3	5	6	10
2. MULTIPLE DX	10738	3.3	12	1	1	3	4	6	8	16
A. NOT OPERATED	17090	3.0	8	1	1	2	4	5	7	13
B. OPERATED	327	6.7	65	1	2	4	7	16	24	52
TOTAL 0-27 DYS	154	4.4	12	1	1	4	5	8	12	16
1-11 MOS	2473	3.5	15	1	1	3	4	6	9	19
1-5 YRS	9484	2.8	6	1	1	2	3	5	6	11
6-12 YRS	2671	3.0	10	1	1	2	4	5	7	14
13-19 YRS	2635	3.4	12	1	1	3	4	6	8	16
GRAND TOTAL	**17417**	**3.0**	**9**	**1**	**1**	**2**	**4**	**5**	**7**	**14**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	183	2.9	2	1	1	3	4	4	5	8
1-11 MOS	676	2.7	2	1	1	2	3	4	5	7
1-5 YRS	761	2.9	8	1	1	2	3	5	6	11
6-12 YRS	275	2.7	2	1	1	3	3	5	5	7
13-19 YRS	159	3.6	5	1	2	3	4	7	9	11
B. *Operated*										
0-27 DYS	3	8.7	96	3	3	3	16	20	20	20
1-11 MOS	7	3.4	4	1	1	3	5	7	7	7
1-5 YRS	12	6.2	10	2	2	6	8	11	11	11
6-12 YRS	7	5.1	23	<1	<1	2	8	13	14	14
13-19 YRS	13	7.6	23	1	3	6	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	211	3.3	3	1	2	3	4	5	6	9
1-11 MOS	1189	3.1	5	1	1	3	4	5	6	11
1-5 YRS	1716	3.2	6	1	1	3	4	6	7	12
6-12 YRS	581	3.6	9	1	1	3	4	6	8	16
13-19 YRS	422	3.9	6	1	2	3	4	7	9	13
B. *Operated*										
0-27 DYS	5	4.0	3	2	2	4	5	6	6	6
1-11 MOS	38	6.6	48	1	2	4	8	13	19	38
1-5 YRS	60	6.7	68	1	2	4	7	13	22	45
6-12 YRS	29	8.7	32	3	3	8	11	14	23	28
13-19 YRS	26	8.5	26	1	2	8	12	13	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2054	2.8	4	1	1	2	3	5	6	9
B. *Operated*	42	6.2	21	1	2	5	8	14	15	20
2. MULTIPLE DX										
A. *Not Operated*	4119	3.3	6	1	1	3	4	6	7	12
B. *Operated*	168	7.3	47	1	2	5	9	13	20	41
1. SINGLE DX	2096	2.9	5	1	1	3	3	5	6	10
2. MULTIPLE DX	4287	3.5	8	1	1	3	4	6	8	15
A. NOT OPERATED	6173	3.2	6	1	1	3	4	5	7	11
B. OPERATED	210	7.1	42	1	2	5	9	14	18	40
TOTAL 0-27 DYS	402	3.2	3	1	1	3	4	5	6	8
1-11 MOS	1910	3.0	5	1	1	3	4	5	6	11
1-5 YRS	2549	3.2	8	1	1	3	4	5	7	12
6-12 YRS	892	3.5	8	1	1	3	4	6	8	15
13-19 YRS	630	4.1	9	1	2	3	5	8	10	15
GRAND TOTAL	**6383**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	38	1.7	1	<1	1	1	2	3	3	4
6-12 YRS	223	2.2	1	1	1	2	3	4	4	6
13-19 YRS	447	2.8	3	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	30	3.0	6	1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	6.2	22	2	2	4	10	13	13	13
1-5 YRS	73	2.5	5	1	1	2	3	5	7	13
6-12 YRS	303	2.8	3	1	1	2	3	5	6	10
13-19 YRS	628	3.3	6	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.0	139	2	2	9	21	25	25	25
6-12 YRS	13	5.2	20	2	2	3	6	11	17	18
13-19 YRS	36	6.4	50	1	1	3	9	14	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	710	2.5	3	1	1	2	3	5	5	9
B. *Operated*	35	2.9	5	1	1	2	3	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	1010	3.1	5	1	1	3	4	6	7	12
B. *Operated*	52	6.4	47	1	2	3	9	15	22	36
1. SINGLE DX	745	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	1062	3.3	8	1	1	3	4	6	8	14
A. NOT OPERATED	1720	2.9	4	1	1	2	4	5	6	11
B. OPERATED	87	5.0	33	1	1	3	7	10	18	32
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	6	5.7	19	2	2	4	9	13	13	13
1-5 YRS	115	2.5	8	<1	1	2	3	4	7	18
6-12 YRS	543	2.6	3	1	1	2	3	5	6	9
13-19 YRS	1141	3.2	7	1	1	3	4	6	7	12
GRAND TOTAL	**1807**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	19	1.5	1	<1	<1	1	2	2	4	5
6-12 YRS	42	2.3	2	<1	<1	2	3	4	5	8
13-19 YRS	34	2.9	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	30	1.3	1	<1	<1	1	1	3	5	99+
6-12 YRS	54	1.9	4	<1	<1	1	2	5	6	11
13-19 YRS	48	3.0	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	58	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	56	2.2	3	<1	<1	2	3	4	5	10
13-19 YRS	61	2.5	3	<1	1	2	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	25	2.3	4	<1	1	2	2	4	6	11
6-12 YRS	29	2.5	2	1	1	2	4	5	5	6
13-19 YRS	45	4.3	8	1	2	3	6	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.3	2	<1	<1	2	3	5	5	8
B. *Operated*	134	2.2	4	<1	<1	1	3	5	6	24
2. MULTIPLE DX										
A. *Not Operated*	178	2.3	2	<1	1	2	3	4	5	9
B. *Operated*	99	3.3	6	1	1	2	4	7	9	12
1. SINGLE DX	229	2.2	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX	277	2.6	4	<1	1	2	3	5	7	11
A. NOT OPERATED	273	2.3	2	<1	1	2	3	4	5	8
B. OPERATED	233	2.6	5	<1	<1	2	4	6	8	11
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	3.3	5	1	1	3	5	6	6	6
1-5 YRS	132	1.8	2	<1	<1	1	2	3	5	26
6-12 YRS	181	2.2	3	<1	<1	2	3	4	6	9
13-19 YRS	188	3.1	5	<1	1	2	4	6	8	11
GRAND TOTAL	**506**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.8	3	1	1	2	4	5	5	5
1-11 MOS	21	3.2	9	1	1	2	4	8	10	12
1-5 YRS	50	3.8	8	<1	1	3	6	8	9	12
6-12 YRS	39	2.6	4	<1	<1	2	3	6	7	9
13-19 YRS	50	3.6	14	1	1	3	4	7	10	25
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.3	10	<1	<1	2	5	8	9	9
1-5 YRS	143	1.9	3	<1	<1	1	2	3	5	9
6-12 YRS	160	1.8	2	<1	<1	1	2	3	5	8
13-19 YRS	314	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	4.8	32	<1	<1	3	5	13	20	20
1-11 MOS	37	6.8	56	<1	1	4	9	17	21	37
1-5 YRS	78	3.5	8	<1	1	3	4	6	10	14
6-12 YRS	61	3.8	30	1	1	2	4	6	8	37
13-19 YRS	96	3.2	6	<1	1	3	4	6	9	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	8.5	41	1	1	7	13	15	22	24
1-5 YRS	47	3.5	12	<1	1	3	4	7	12	19
6-12 YRS	49	3.2	17	1	1	2	3	5	12	23
13-19 YRS	112	3.7	11	1	1	2	5	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.3	9	<1	1	2	4	7	8	12
B. *Operated*	625	2.0	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	282	4.0	20	1	1	3	5	8	11	22
B. *Operated*	223	3.8	16	1	1	2	5	8	13	22
1. SINGLE DX	790	2.3	5	<1	<1	2	2	5	7	11
2. MULTIPLE DX	505	3.9	18	1	1	3	5	8	12	22
A. NOT OPERATED	447	3.7	16	1	1	3	5	7	10	21
B. OPERATED	848	2.5	7	<1	<1	2	3	5	7	14
TOTAL 0-27 DYS	16	4.2	21	<1	1	3	5	6	16	20
1-11 MOS	80	5.8	39	<1	1	4	8	13	17	33
1-5 YRS	318	2.8	7	<1	<1	2	4	6	8	13
6-12 YRS	309	2.5	11	<1	<1	2	3	5	6	19
13-19 YRS	572	2.8	7	<1	1	2	3	6	8	14
GRAND TOTAL	**1295**	**2.9**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**17**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	15	4.2	16	<1	<1	3	6	9	14	15
6-12 YRS	10	4.1	10	<1	<1	3	6	9	10	10
13-19 YRS	24	6.0	35	<1	<1	4	8	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	12	1	1	5	7	8	8	8
1-5 YRS	2	13.0	72	7	7	13	19	19	19	19
6-12 YRS										
13-19 YRS	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	5	14.4	267	1	1	14	21	41	41	41
1-5 YRS	14	9.8	77	<1	<1	10	14	21	27	29
6-12 YRS	15	7.9	76	<1	<1	4	11	26	27	27
13-19 YRS	37	7.2	77	<1	1	4	8	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	11.0	72	5	5	11	17	17	17	17
B. *Operated*	50	5.1	24	<1	<1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	8	6.0	35	1	1	5	7	16	19	19
B. *Operated*	71	8.4	88	<1	1	4	12	21	27	44
1. SINGLE DX	52	5.4	26	<1	<1	3	7	15	16	24
2. MULTIPLE DX	79	8.1	83	<1	1	4	11	20	27	44
A. NOT OPERATED	10	7.0	39	1	1	5	8	18	19	19
B. OPERATED	121	7.0	64	<1	<1	4	10	16	24	42
TOTAL 0-27 DYS										
1-11 MOS	9	10.4	160	1	1	8	14	31	41	41
1-5 YRS	32	7.6	54	<1	<1	3	12	19	20	29
6-12 YRS	26	6.3	50	<1	<1	4	9	15	26	27
13-19 YRS	64	6.5	58	<1	<1	4	8	16	23	42
GRAND TOTAL	**131**	**7.0**	**62**	**<1**	**<1**	**4**	**10**	**16**	**24**	**42**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	11	2.3	3	1	1	2	4	5	5	5
1-5 YRS	6	2.7	1	<1	<1	3	3	4	4	4
6-12 YRS	62	2.1	1	1	1	2	3	4	4	7
13-19 YRS	183	2.5	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.2	11	1	1	4	5	10	10	10
1-11 MOS	16	3.9	4	1	1	4	5	6	8	9
1-5 YRS	10	4.1	9	1	1	3	6	9	11	11
6-12 YRS	73	2.8	4	1	1	2	3	5	8	11
13-19 YRS	361	3.0	4	<1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.6	2	2	2	2	3	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	8.8	133	2	2	3	15	26	26	26
13-19 YRS	22	3.3	11	<1	1	2	5	6	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.4	2	1	1	2	3	4	5	7
B. *Operated*	9	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	466	3.0	4	1	1	3	4	5	7	11
B. *Operated*	32	3.8	24	1	1	2	4	6	15	26
1. SINGLE DX	274	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	498	3.1	5	1	1	3	4	5	7	11
A. NOT OPERATED	731	2.8	3	1	1	2	4	5	6	9
B. OPERATED	41	3.5	20	1	1	2	4	6	11	26
TOTAL 0-27 DYS	9	3.4	9	<1	<1	3	5	8	10	10
1-11 MOS	33	3.1	3	1	1	3	4	5	6	9
1-5 YRS	17	3.5	6	<1	1	3	4	6	9	11
6-12 YRS	142	2.7	7	1	1	2	3	5	6	12
13-19 YRS	571	2.8	3	1	1	2	4	5	6	9
GRAND TOTAL	**772**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	250	3.5	11	1	1	3	4	7	8	14
1-11 MOS	1176	3.0	8	1	1	2	4	6	7	13
1-5 YRS	313	2.7	9	1	1	2	3	5	9	17
6-12 YRS	44	2.6	4	1	1	2	3	4	7	10
13-19 YRS	66	2.5	6	<1	1	2	3	5	8	13
B. *Operated*										
0-27 DYS	3	4.0	9	1	1	4	6	7	7	7
1-11 MOS	28	3.5	8	1	1	3	4	7	9	14
1-5 YRS	32	2.1	3	<1	<1	1	3	5	5	6
6-12 YRS	22	2.2	4	<1	<1	1	2	6	7	7
13-19 YRS	28	3.4	8	1	1	2	4	7	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	196	4.3	18	1	1	3	6	8	11	18
1-11 MOS	1411	4.3	15	1	1	3	5	9	12	19
1-5 YRS	633	3.5	12	1	1	3	4	6	8	16
6-12 YRS	167	3.5	8	1	1	3	4	7	9	16
13-19 YRS	224	3.6	11	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	10	5.2	11	<1	<1	5	8	10	11	11
1-11 MOS	91	9.4	83	1	1	7	13	21	27	82
1-5 YRS	81	4.3	28	1	1	2	6	9	12	32
6-12 YRS	32	6.7	88	1	1	3	6	19	30	40
13-19 YRS	47	5.2	39	1	1	3	6	12	13	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1849	3.0	8	1	1	2	4	6	8	14
B. *Operated*	113	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	2631	4.0	14	1	1	3	5	8	11	19
B. *Operated*	261	6.6	60	1	1	4	9	14	22	40
1. SINGLE DX	1962	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2892	4.3	18	1	1	3	5	8	12	21
A. NOT OPERATED	4480	3.6	12	1	1	3	4	7	9	17
B. OPERATED	374	5.4	46	1	1	3	7	13	19	39
TOTAL 0-27 DYS	459	3.9	14	1	1	3	5	7	9	17
1-11 MOS	2706	3.9	15	1	1	3	5	8	11	20
1-5 YRS	1059	3.3	12	1	1	2	4	6	9	18
6-12 YRS	265	3.6	18	1	1	3	4	7	10	28
13-19 YRS	365	3.6	14	<1	1	2	4	7	10	16
GRAND TOTAL	**4854**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	46	2.0	2	1	1	2	2	3	5	8
6-12 YRS	53	2.0	2	1	1	1	3	4	5	6
13-19 YRS	170	2.2	2	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	68	1.9	4	<1	<1	1	2	4	6	11
6-12 YRS	138	2.2	13	<1	<1	1	2	3	7	19
13-19 YRS	60	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.3	9	<1	<1	2	6	8	8	8
1-11 MOS	10	3.1	6	1	1	2	5	7	8	8
1-5 YRS	59	2.1	3	<1	1	2	3	4	4	12
6-12 YRS	74	3.1	8	1	1	2	4	6	8	16
13-19 YRS	183	3.1	8	1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	102	2.2	8	<1	<1	1	2	4	6	18
6-12 YRS	182	2.7	10	<1	<1	2	3	6	8	19
13-19 YRS	128	5.3	27	1	1	4	7	12	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.1	2	1	1	2	3	4	5	8
B. *Operated*	267	2.2	8	<1	<1	1	2	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	332	2.9	7	1	1	2	3	6	7	13
B. *Operated*	414	3.4	17	<1	<1	2	4	7	11	23
1. SINGLE DX	540	2.2	5	<1	<1	2	2	4	6	11
2. MULTIPLE DX	746	3.2	12	<1	1	2	4	7	9	20
A. NOT OPERATED	605	2.6	5	1	1	2	3	5	6	10
B. OPERATED	681	2.9	14	<1	<1	2	3	6	9	21
TOTAL 0-27 DYS	9	4.0	21	<1	<1	2	6	12	14	14
1-11 MOS	14	3.3	5	1	1	3	5	6	8	8
1-5 YRS	275	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	447	2.6	10	<1	<1	2	3	6	7	17
13-19 YRS	541	3.2	11	<1	1	2	4	6	9	17
GRAND TOTAL	**1286**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**6**	**8**	**17**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	2.3	3	<1	1	2	3	4	6	9
1-11 MOS	114	2.4	2	1	1	2	3	4	5	7
1-5 YRS	495	1.8	1	<1	1	1	2	3	4	6
6-12 YRS	2425	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	4056	2.3	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.5	17	1	1	4	8	9	9	9
1-5 YRS	17	3.2	4	<1	1	3	4	6	8	9
6-12 YRS	185	3.2	2	1	2	3	4	5	6	8
13-19 YRS	575	3.7	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	2.6	4	1	1	2	3	5	7	10
1-11 MOS	134	2.5	2	1	1	2	3	4	5	8
1-5 YRS	430	2.4	3	<1	1	2	3	5	6	9
6-12 YRS	1698	2.5	3	1	1	2	3	4	6	9
13-19 YRS	3168	2.8	5	1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	4.4	15	2	2	2	6	11	11	11
1-5 YRS	28	3.1	3	1	1	3	4	5	7	8
6-12 YRS	156	4.4	10	1	2	4	6	8	10	19
13-19 YRS	516	4.5	18	1	1	4	5	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7113	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	781	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	5457	2.6	4	1	1	2	3	5	6	10
B. *Operated*	706	4.4	15	1	1	4	5	8	11	18
1. SINGLE DX	7894	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	6163	2.8	6	1	1	2	4	5	7	12
A. NOT OPERATED	12570	2.4	3	1	1	2	3	4	6	9
B. OPERATED	1487	4.0	10	1	1	3	5	7	9	15
TOTAL 0-27 DYS	51	2.5	4	1	1	2	3	5	7	10
1-11 MOS	257	2.5	3	1	1	2	3	5	5	9
1-5 YRS	970	2.1	2	<1	1	2	3	4	5	8
6-12 YRS	4464	2.3	3	1	1	2	3	4	5	9
13-19 YRS	8315	2.7	5	1	1	2	3	5	7	10
GRAND TOTAL	**14057**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	2.7	3	1	1	2	3	4	5	12
1-11 MOS	182	2.7	5	1	1	2	3	5	7	11
1-5 YRS	189	2.5	3	1	1	2	3	5	6	9
6-12 YRS	170	2.8	4	1	1	2	3	5	7	9
13-19 YRS	129	3.0	4	<1	1	2	4	6	8	10
B. Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	1.9	1	<1	<1	2	3	4	4	4
1-5 YRS	14	3.4	10	<1	1	2	3	9	11	12
6-12 YRS	24	4.4	18	<1	1	3	5	11	15	18
13-19 YRS	28	3.8	8	<1	<1	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	75	2.8	9	1	1	2	3	5	7	19
1-11 MOS	464	3.4	9	1	1	3	4	6	8	16
1-5 YRS	726	2.9	7	1	1	2	3	5	7	16
6-12 YRS	534	3.1	8	1	1	2	4	6	9	15
13-19 YRS	474	3.5	28	1	1	2	4	6	9	19
B. Operated										
0-27 DYS										
1-11 MOS	19	6.6	29	1	1	5	10	13	18	21
1-5 YRS	70	5.9	54	1	1	4	7	12	15	48
6-12 YRS	73	5.4	50	1	1	3	7	12	20	41
13-19 YRS	92	5.6	22	1	1	5	8	11	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	719	2.7	4	1	1	2	3	5	7	10
B. Operated	76	3.7	11	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. Not Operated	2273	3.2	12	1	1	2	4	6	8	17
B. Operated	254	5.7	39	1	1	4	8	12	15	30
1. SINGLE DX	795	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	2527	3.4	15	1	1	2	4	6	9	18
A. NOT OPERATED	2992	3.1	10	1	1	2	4	6	8	14
B. OPERATED	330	5.2	33	1	1	4	7	11	14	28
TOTAL 0-27 DYS	126	2.7	6	1	1	2	3	5	6	15
1-11 MOS	673	3.3	9	1	1	3	4	6	8	16
1-5 YRS	999	3.0	10	1	1	2	4	6	8	15
6-12 YRS	801	3.3	12	1	1	2	4	6	9	18
13-19 YRS	723	3.7	23	1	1	3	4	7	10	17
GRAND TOTAL	**3322**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	534	3.3	10	1	1	3	4	6	7	13
1-11 MOS	1142	4.3	15	1	1	3	5	8	12	20
1-5 YRS	1087	3.4	14	1	1	2	4	7	9	17
6-12 YRS	626	2.4	5	1	1	2	3	4	6	9
13-19 YRS	1215	3.0	16	<1	1	2	4	5	7	20
B. Operated										
0-27 DYS	17	6.6	40	1	2	3	11	15	20	22
1-11 MOS	50	6.9	134	<1	1	3	9	16	36	99+
1-5 YRS	110	2.4	5	<1	<1	2	3	4	8	12
6-12 YRS	110	2.4	4	<1	<1	2	3	4	6	12
13-19 YRS	159	2.9	12	<1	<1	2	3	5	7	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	481	5.0	22	1	2	4	6	9	13	29
1-11 MOS	2427	5.8	27	1	2	4	7	12	16	27
1-5 YRS	1945	4.7	42	1	1	3	5	9	12	26
6-12 YRS	931	3.2	8	1	1	2	4	6	8	15
13-19 YRS	2014	3.6	16	1	1	3	4	6	8	19
B. Operated										
0-27 DYS	13	6.4	10	1	2	6	8	11	13	13
1-11 MOS	171	14.9	261	1	3	10	20	37	67	99+
1-5 YRS	221	9.0	112	1	1	5	12	25	34	53
6-12 YRS	105	5.3	29	<1	1	3	7	12	18	24
13-19 YRS	232	5.8	88	1	1	3	6	12	21	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4604	3.4	13	1	1	2	4	6	8	18
B. Operated	446	3.2	25	<1	<1	2	3	6	10	22
2. MULTIPLE DX										
A. Not Operated	7798	4.6	26	1	1	3	5	9	12	24
B. Operated	742	8.8	138	1	1	4	11	23	35	83
1. SINGLE DX	5050	3.4	14	1	1	2	4	6	8	19
2. MULTIPLE DX	8540	5.0	38	1	1	3	6	10	14	31
A. NOT OPERATED	12402	4.1	22	1	1	3	5	8	11	23
B. OPERATED	1188	6.7	103	<1	1	3	8	17	27	72
TOTAL 0-27 DYS	1045	4.2	17	1	1	3	5	7	11	24
1-11 MOS	3790	5.8	40	1	1	4	7	12	16	33
1-5 YRS	3363	4.5	38	1	1	3	5	9	13	30
6-12 YRS	1772	3.0	8	1	1	2	4	6	8	15
13-19 YRS	3620	3.5	21	1	1	3	4	6	8	23
GRAND TOTAL	**13590**	**4.4**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	40	1.8	1	1	1	2	3	3	3	3
1-11 MOS	578	1.7	2	<1	1	1	2	3	4	8
1-5 YRS	508	2.0	3	1	1	1	2	4	5	10
6-12 YRS	244	2.6	3	1	1	2	3	5	6	10
13-19 YRS	90	3.4	7	<1	1	3	4	7	8	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	4.3	19	<1	1	3	5	9	12	25
1-5 YRS	80	5.6	32	1	1	4	6	10	18	30
6-12 YRS	123	5.1	8	2	2	5	6	9	11	14
13-19 YRS	50	5.6	11	2	2	5	7	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	3.8	15	1	1	2	5	10	12	16
1-11 MOS	323	2.8	7	1	1	2	3	6	7	15
1-5 YRS	394	2.9	9	1	1	2	3	6	9	15
6-12 YRS	218	3.6	16	1	1	2	4	7	9	21
13-19 YRS	168	4.6	17	1	1	3	6	10	14	19
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	29	10.7	109	<1	1	7	15	25	34	41
1-5 YRS	92	7.8	63	1	1	5	10	17	23	43
6-12 YRS	146	10.4	187	1	2	6	11	30	53	99+
13-19 YRS	180	13.0	207	1	2	8	16	36	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1460	2.1	3	1	1	1	2	4	5	10
B. *Operated*	297	5.2	17	1	2	4	6	9	13	25
2. MULTIPLE DX										
A. *Not Operated*	1127	3.3	11	1	1	2	4	7	10	17
B. *Operated*	448	10.9	167	1	2	7	13	29	46	99+
1. SINGLE DX	1757	2.6	7	1	1	2	3	5	7	13
2. MULTIPLE DX	1575	5.5	67	1	1	3	6	12	20	55
A. NOT OPERATED	2587	2.6	7	1	1	2	3	5	7	14
B. OPERATED	745	8.7	115	1	2	5	10	20	32	74
TOTAL 0-27 DYS	66	2.6	7	1	1	2	3	5	9	15
1-11 MOS	973	2.4	10	1	1	2	3	5	6	16
1-5 YRS	1074	3.1	15	1	1	2	3	6	10	22
6-12 YRS	731	4.9	53	1	1	3	5	9	14	53
13-19 YRS	488	7.6	102	1	1	4	9	16	30	67
GRAND TOTAL	**3332**	**3.9**	**37**	**1**	**1**	**2**	**4**	**8**	**13**	**36**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.3		1	1	1	2	2	2	2
1-11 MOS	91	1.5	1	1	1	1	2	3	3	7
1-5 YRS	280	1.9	2	1	1	1	2	4	5	8
6-12 YRS	234	2.4	3	1	1	2	3	5	6	9
13-19 YRS	138	3.6	7	<1	1	3	5	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	15	5.8	31	1	1	5	6	7	20	25
6-12 YRS	28	5.4	13	1	2	4	7	11	12	17
13-19 YRS	32	3.9	11	1	1	3	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	60	3.5	16	1	1	2	4	8	12	21
1-5 YRS	223	3.6	20	1	1	2	4	7	10	22
6-12 YRS	218	4.3	33	1	1	3	5	9	14	26
13-19 YRS	294	6.0	70	1	1	4	7	13	16	49
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	6	17.3	269	2	2	10	36	40	40	40
1-5 YRS	56	9.8	150	1	1	6	13	24	48	97
6-12 YRS	79	8.5	199	1	1	5	7	19	33	83
13-19 YRS	206	14.1	227	1	2	9	19	38	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	2.3	4	1	1	2	3	5	6	10
B. *Operated*	79	4.8	16	1	1	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	797	4.7	43	1	1	3	5	9	14	36
B. *Operated*	348	12.2	214	1	2	7	15	31	45	89
1. SINGLE DX	831	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	1145	7.0	107	1	1	3	7	16	25	59
A. NOT OPERATED	1549	3.5	25	1	1	2	4	7	10	21
B. OPERATED	427	10.9	186	1	2	6	13	28	43	80
TOTAL 0-27 DYS	12	4.3	63	1	1	2	4	13	27	29
1-11 MOS	161	2.9	24	1	1	1	3	5	9	34
1-5 YRS	574	3.4	29	1	1	2	4	7	11	29
6-12 YRS	559	4.2	47	1	1	2	4	8	12	28
13-19 YRS	670	7.9	121	1	1	4	8	18	30	58
GRAND TOTAL	**1976**	**5.1**	**69**	**1**	**1**	**3**	**5**	**11**	**18**	**48**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	1.7	1	<1	1	1	2	3	4	5
6-12 YRS	33	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	94	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	90	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	519	1.6	2	<1	<1	1	2	3	4	6
13-19 YRS	2023	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	41	2.8	6	1	1	2	3	7	8	11
6-12 YRS	78	2.2	3	<1	1	2	3	5	6	8
13-19 YRS	279	2.3	12	<1	<1	2	3	4	6	12
B. *Operated*										
0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	9	2.3	2	1	1	2	3	4	5	5
1-5 YRS	128	3.9	22	1	1	2	4	9	13	24
6-12 YR	434	3.1	12	<1	1	2	3	6	7	14
13-19 YRS	2151	3.8	18	1	1	3	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2641	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	401	2.3	10	<1	1	2	3	4	6	11
B. *Operated*	2726	3.7	17	1	1	3	4	7	10	21
1. SINGLE DX	2784	2.0	3	<1	<1	1	2	4	4	8
2. MULTIPLE DX	3127	3.5	16	1	1	2	4	7	9	20
A. NOT OPERATED	544	2.1	7	<1	<1	1	2	4	5	10
B. OPERATED	5367	2.8	11	<1	<1	2	3	5	8	16
TOTAL 0-27 DYS	5	2.2	1	1	1	2	3	3	3	3
1-11 MOS	21	1.9	2	<1	<1	1	2	4	5	5
1-5 YRS	274	3.0	13	<1	1	2	3	6	9	21
6-12 YRS	1064	2.3	6	<1	<1	2	3	4	6	10
13-19 YRS	4547	2.9	11	<1	1	2	3	5	8	16
GRAND TOTAL	**5911**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	20	5.0	59	1	1	2	7	9	22	35
6-12 YRS	126	3.2	5	1	1	2	4	7	8	11
13-19 YRS	613	4.2	12	1	1	3	6	8	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	16.0	200	6	6	16	26	26	26	26
6-12 YRS	6	8.5	32	3	3	7	10	18	19	19
13-19 YRS	103	9.1	33	2	3	8	11	17	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	18	<1	<1	3	7	7	7	7
1-11 MOS	2	7.0	72	1	1	7	13	13	13	13
1-5 YRS	15	7.1	34	1	3	6	8	11	22	26
6-12 YRS	81	3.9	11	1	1	3	5	7	10	17
13-19 YRS	670	5.2	27	1	1	4	7	10	14	37
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	15.7	133	9	9	9	24	29	29	29
6-12 YRS	9	11.2	66	2	2	9	18	22	23	23
13-19 YRS	286	13.6	188	2	3	9	17	30	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	4.1	12	1	1	3	5	8	10	17
B. *Operated*	112	9.1	34	2	3	8	11	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	770	5.1	26	1	1	4	6	10	13	31
B. *Operated*	298	13.6	183	2	3	9	17	29	42	69
1. SINGLE DX	874	4.7	18	1	1	4	6	10	13	21
2. MULTIPLE DX	1068	7.5	84	1	1	5	9	16	23	53
A. NOT OPERATED	1532	4.6	19	1	1	4	6	9	12	23
B. OPERATED	410	12.4	146	2	3	9	15	24	34	64
TOTAL 0-27 DYS	4	4.8	8	<1	<1	5	7	7	7	7
1-11 MOS	4	5.0	29	1	1	3	8	13	13	13
1-5 YRS	40	7.2	65	1	1	5	8	18	28	35
6-12 YRS	222	3.9	13	1	1	3	5	8	10	19
13-19 YRS	1672	6.5	61	1	1	4	8	13	19	46
GRAND TOTAL	**1942**	**6.2**	**56**	**1**	**1**	**4**	**7**	**13**	**18**	**42**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	5.4	26	1	1	5	7	9	18	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	10.7	69	4	4	8	17	20	20	20
13-19 YRS	20	12.2	99	<1	2	12	14	30	34	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	24	11.4	193	1	1	6	18	50	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	5	26.8	244	16	16	23	31	54	54	54
13-19 YRS	83	28.1	341	8	10	26	40	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.4	26	1	1	5	7	9	18	23
B. *Operated*	24	11.6	90	1	3	10	14	30	32	37
2. MULTIPLE DX										
A. *Not Operated*	25	11.1	187	1	1	6	18	49	99+	99+
B. *Operated*	89	27.9	331	8	11	24	39	74	99+	99+
1. SINGLE DX	42	9.0	71	1	1	6	12	21	30	37
2. MULTIPLE DX	114	24.2	346	2	5	21	38	68	99+	99+
A. NOT OPERATED	43	8.7	125	1	1	5	8	35	62	99+
B. OPERATED	113	24.4	323	3	6	21	37	61	93	99+
TOTAL 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	19.0	228	4	4	17	23	42	54	54
13-19 YRS	145	20.3	326	1	3	16	32	56	97	99+
GRAND TOTAL	**156**	**20.1**	**317**	**1**	**3**	**16**	**31**	**55**	**89**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	22	1.8	1	<1	1	2	3	3	4	4
13-19 YRS	76	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	13	5.9	12	1	2	5	7	10	14	15
1-5 YRS	21	5.7	73	1	1	3	5	12	27	39
6-12 YRS	49	3.7	28	1	1	2	5	8	9	36
13-19 YRS	245	3.1	6	1	1	2	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	2	20.5	481	5	5	20	36	36	36	36
1-5 YRS	6	5.7	14	1	1	5	9	11	11	11
6-12 YRS	17	6.6	49	1	1	4	8	14	24	30
13-19 YRS	113	8.0	93	1	2	5	10	17	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.0	2	<1	<1	2	3	4	5	7
B. *Operated*	5	3.0	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	330	3.5	14	1	1	2	4	7	9	16
B. *Operated*	138	7.9	88	1	2	5	10	16	24	55
1. SINGLE DX	108	2.0	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	468	4.8	40	1	1	3	5	10	13	35
A. NOT OPERATED	433	3.1	12	1	1	2	4	6	8	13
B. OPERATED	143	7.7	86	1	2	5	10	16	23	54
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	18	7.0	63	1	1	5	7	13	28	36
1-5 YRS	30	5.3	54	1	1	3	5	10	18	39
6-12 YRS	88	3.8	27	1	1	2	4	8	10	34
13-19 YRS	438	4.2	32	1	1	3	5	9	12	24
GRAND TOTAL	**576**	**4.3**	**34**	**1**	**1**	**3**	**5**	**9**	**12**	**30**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	7.0	12	3	3	9	9	9	9	9
1-5 YRS	36	2.8	2	1	1	3	3	5	6	7
6-12 YRS	68	4.1	9	1	1	3	5	7	12	15
13-19 YRS	257	5.6	25	1	2	4	7	11	16	24
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	11.7	285	1	1	5	11	41	49	49
13-19 YRS	31	12.1	173	1	2	8	13	37	46	48
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	8.0	49	3	3	5	13	16	16	16
1-5 YRS	46	5.0	14	1	1	4	7	11	13	16
6-12 YRS	98	5.9	20	1	2	4	8	13	15	21
13-19 YRS	412	8.1	46	1	2	7	10	15	22	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	5.6	19	2	2	4	6	13	17	17
6-12 YRS	26	14.3	178	2	3	10	19	30	41	60
13-19 YRS	266	18.8	301	3	4	12	24	44	59	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	5.1	20	1	2	4	6	10	13	22
B. *Operated*	38	12.1	187	1	2	7	12	40	47	49
2. MULTIPLE DX										
A. *Not Operated*	560	7.5	40	1	2	6	9	15	20	31
B. *Operated*	303	17.9	287	3	4	12	23	43	58	84
1. SINGLE DX	403	5.7	40	1	2	4	7	11	16	41
2. MULTIPLE DX	863	11.2	151	2	2	7	13	24	40	66
A. NOT OPERATED	925	6.5	33	1	2	5	8	13	18	29
B. OPERATED	341	17.3	278	2	3	11	23	43	54	84
TOTAL 0-27 DYS	2	7.5	85	1	1	7	14	14	14	14
1-11 MOS	6	7.5	25	3	3	7	9	15	16	16
1-5 YRS	93	4.2	11	1	2	3	5	9	12	17
6-12 YRS	199	6.6	55	1	2	4	8	14	18	43
13-19 YRS	966	10.5	142	1	2	7	12	23	39	65
GRAND TOTAL	1266	9.4	122	1	2	6	11	21	33	59

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	44	3.0	19	1	1	2	3	6	8	28
1-5 YRS	230	2.4	12	<1	1	1	2	4	9	19
6-12 YRS	269	3.1	23	<1	1	1	2	9	14	26
13-19 YRS	100	4.3	37	<1	<1	2	4	13	19	28
B. *Operated*										
0-27 DYS										
1-11 MOS	21	1.8	1	<1	1	2	2	3	3	3
1-5 YRS	1311	3.3	16	1	1	2	3	8	13	21
6-12 YRS	2102	3.6	22	1	1	2	3	9	15	23
13-19 YRS	1039	3.0	11	1	1	2	3	5	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.3	6	4	4	7	9	10	10	10
1-11 MOS	48	5.7	23	1	2	4	7	12	18	23
1-5 YRS	83	3.5	18	1	1	2	4	7	10	25
6-12 YRS	74	4.0	32	<1	1	2	5	9	13	30
13-19 YRS	88	3.2	15	<1	1	2	4	6	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS	9	12.3	116	2	2	13	21	28	32	32
1-5 YRS	223	5.4	36	1	1	3	6	14	18	27
6-12 YRS	542	6.2	50	1	1	3	7	17	22	29
13-19 YRS	427	6.8	66	1	1	4	8	17	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	644	3.0	21	<1	1	1	2	7	14	26
B. *Operated*	4473	3.4	18	1	1	2	3	7	13	21
2. MULTIPLE DX										
A. *Not Operated*	297	4.0	22	1	1	2	5	8	13	27
B. *Operated*	1201	6.3	54	1	1	4	7	17	22	35
1. SINGLE DX	5117	3.3	18	1	1	2	3	7	14	21
2. MULTIPLE DX	1498	5.9	48	1	1	3	7	15	21	32
A. NOT OPERATED	941	3.3	21	<1	1	2	3	7	14	26
B. OPERATED	5674	4.0	27	1	1	2	4	10	16	25
TOTAL 0-27 DYS	5	6.2	10	2	2	7	8	10	10	10
1-11 MOS	122	4.5	31	1	1	2	5	11	18	29
1-5 YRS	1847	3.4	19	1	1	2	3	8	14	21
6-12 YRS	2987	4.0	28	1	1	2	4	11	17	26
13-19 YRS	1654	4.1	29	1	1	2	4	9	16	28
GRAND TOTAL	6615	3.9	26	1	1	2	4	9	16	25

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.0	2	<1	<1	1	3	5	5	5
1-5 YRS	58	1.3		<1	<1	1	1	2	3	4
6-12 YRS	148	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	92	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	16	1.5	1	<1	<1	1	2	2	4	4
1-5 YRS	1103	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	4398	1.5	1	<1	1	1	2	3	3	6
13-19 YRS	2344	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	54	2	2	5	12	18	18	18
1-5 YRS	41	2.8	19	<1	<1	1	3	4	8	27
6-12 YRS	83	2.4	13	1	1	1	2	4	7	23
13-19 YRS	108	2.3	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	9	1	1	5	9	91	99+	99+
1-5 YRS	149	2.1	6	1	1	1	2	4	6	15
6-12 YRS	733	2.7	12	1	1	2	3	5	7	22
13-19 YRS	882	4.3	31	1	1	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	7863	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	236	2.5	11	<1	1	2	3	4	6	19
B. *Operated*	1769	3.5	22	1	1	2	4	7	10	26
1. SINGLE DX	8169	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	2005	3.4	20	1	1	2	4	7	10	25
A. NOT OPERATED	542	2.0	5	<1	<1	1	2	4	5	10
B. OPERATED	9632	2.0	6	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	32	2.8	11	<1	<1	2	3	7	17	99+
1-5 YRS	1351	1.5	2	<1	<1	1	1	2	3	6
6-12 YRS	5362	1.7	3	<1	1	1	2	3	4	8
13-19 YRS	3426	2.7	11	1	1	2	3	5	7	17
GRAND TOTAL	**10174**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	24	2.1	4	<1	<1	1	2	4	8	9
13-19 YRS	43	2.1	2	<1	<1	1	3	4	4	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	1.7	1	1	1	2	2	3	3	3
1-5 YRS	120	1.9	2	<1	<1	1	2	3	5	8
6-12 YRS	391	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	1301	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	5.1	75	1	1	2	4	13	29	33
6-12 YRS	35	2.7	3	<1	1	2	4	6	7	7
13-19 YRS	84	2.8	11	<1	1	2	3	5	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS	6	4.2	8	1	1	4	6	8	8	8
1-5 YRS	97	2.6	14	<1	1	2	3	5	8	22
6-12 YRS	168	3.2	17	<1	1	2	4	6	9	25
13-19 YRS	624	3.1	13	1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	3	<1	<1	1	3	4	4	9
B. *Operated*	1822	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	132	3.0	15	<1	1	2	3	5	7	23
B. *Operated*	895	3.1	14	<1	1	2	4	6	9	19
1. SINGLE DX	1903	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1027	3.1	14	<1	1	2	3	6	8	20
A. NOT OPERATED	213	2.6	11	<1	1	2	3	5	7	20
B. OPERATED	2717	2.2	6	<1	<1	1	2	4	6	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	2.7	5	1	1	2	4	6	7	8
1-5 YRS	244	2.4	11	<1	1	2	3	4	6	11
6-12 YRS	618	2.1	6	<1	<1	1	2	4	6	14
13-19 YRS	2052	2.2	6	<1	<1	1	2	4	6	13
GRAND TOTAL	**2930**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.0	2	<1	<1	1	3	5	5	5
1-5 YRS	58	1.3		<1	<1	1	1	2	3	4
6-12 YRS	148	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	92	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	16	1.5	1	<1	<1	1	2	2	4	4
1-5 YRS	1103	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	4398	1.5	1	<1	1	1	2	3	3	6
13-19 YRS	2344	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.5	54	2	2	5	12	16	18	18
1-5 YRS	41	2.8	19	<1	<1	1	3	4	8	27
6-12 YRS	83	2.4	13	1	1	1	2	4	7	23
13-19 YRS	108	2.3	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	9	1	1	5	9	91	99+	99+
1-5 YRS	149	2.1	6	1	1	1	2	4	6	15
6-12 YRS	733	2.7	12	1	1	2	3	5	7	22
13-19 YRS	882	4.3	31	1	1	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	7863	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	236	2.5	11	<1	1	2	3	4	6	19
B. *Operated*	1769	3.5	22	1	1	2	4	7	10	26
1. SINGLE DX	8169	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	2005	3.4	20	1	1	2	4	7	10	25
A. NOT OPERATED	542	2.0	5	<1	<1	1	2	4	5	10
B. OPERATED	9632	2.0	6	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	32	2.8	11	<1	<1	2	3	7	17	99+
1-5 YRS	1351	1.5	2	<1	<1	1	1	2	3	6
6-12 YRS	5362	1.7	3	<1	1	1	2	3	4	8
13-19 YRS	3426	2.7	11	1	1	2	3	5	7	17
GRAND TOTAL	**10174**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	24	2.1	4	<1	<1	1	2	4	8	9
13-19 YRS	43	2.1	2	<1	<1	1	3	4	4	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	1.7	1	1	1	2	2	3	3	3
1-5 YRS	120	1.9	2	<1	<1	1	2	3	5	8
6-12 YRS	391	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	1301	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	5.1	75	1	1	2	4	13	29	33
6-12 YRS	35	2.7	3	<1	1	2	4	6	7	7
13-19 YRS	84	2.8	11	<1	1	2	3	5	6	21
B. *Operated*										
0-27 DYS										
1-11 MOS	6	4.2	8	1	1	4	6	8	8	8
1-5 YRS	97	2.6	14	<1	1	2	3	5	8	22
6-12 YRS	168	3.2	17	<1	1	2	4	6	9	25
13-19 YRS	624	3.1	13	1	1	2	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.1	3	<1	<1	1	3	4	4	9
B. *Operated*	1822	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	132	3.0	15	<1	1	2	3	5	7	23
B. *Operated*	895	3.1	14	<1	1	2	4	6	9	19
1. SINGLE DX	1903	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1027	3.1	14	<1	1	2	3	6	8	20
A. NOT OPERATED	213	2.6	11	<1	1	2	3	5	7	20
B. OPERATED	2717	2.2	6	<1	<1	1	2	4	6	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	15	2.7	5	1	1	2	4	6	7	8
1-5 YRS	244	2.4	11	<1	1	2	3	4	6	11
6-12 YRS	618	2.1	6	<1	<1	1	2	4	6	14
13-19 YRS	2052	2.2	6	<1	<1	1	2	4	6	13
GRAND TOTAL	**2930**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	8.3	81	1	1	4	13	23	28	28
1-5 YRS	49	12.0	94	<1	1	13	20	25	28	29
6-12 YRS	58	16.9	283	1	2	11	27	38	49	85
13-19 YRS	38	17.8	392	1	1	7	32	41	55	87
B. *Operated*										
0-27 DYS										
1-11 MOS	6	11.3	51	2	2	13	15	20	21	21
1-5 YRS	48	12.6	79	1	2	13	19	23	27	36
6-12 YRS	155	10.5	108	2	3	7	12	23	30	47
13-19 YRS	169	9.7	84	2	3	7	11	20	27	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	8.2	151	<1	<1	2	11	30	32	32
1-5 YRS	35	12.5	118	<1	1	10	21	26	35	44
6-12 YRS	34	20.1	211	1	2	22	30	38	47	50
13-19 YRS	24	7.9	103	1	2	4	7	28	34	38
B. *Operated*										
0-27 DYS	6	17.7	51	9	9	16	25	27	27	27
1-11 MOS	24	14.0	34	2	7	15	17	19	22	30
1-5 YRS	47	16.0	93	2	5	13	24	31	35	37
6-12 YRS	79	15.8	143	4	5	12	23	32	38	54
13-19 YRS	190	15.0	138	3	5	12	18	31	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	15.1	242	1	1	9	24	35	42	86
B. *Operated*	378	10.4	93	2	3	7	13	22	29	49
2. MULTIPLE DX										
A. *Not Operated*	100	13.7	167	<1	1	8	23	32	38	48
B. *Operated*	346	15.3	124	3	5	13	20	30	35	55
1. SINGLE DX	532	11.8	141	1	2	8	16	27	34	55
2. MULTIPLE DX	446	14.9	134	2	3	12	21	31	36	52
A. NOT OPERATED	254	14.5	213	1	1	8	23	34	40	61
B. OPERATED	724	12.8	113	2	3	10	17	26	33	53
TOTAL 0-27 DYS	7	16.1	59	7	7	15	23	27	27	27
1-11 MOS	45	11.8	62	1	1	13	16	19	28	32
1-5 YRS	179	13.3	95	1	1	13	20	26	30	38
6-12 YRS	326	13.9	169	2	3	8	21	31	37	53
13-19 YRS	421	12.7	145	2	3	9	15	29	36	61
GRAND TOTAL	**978**	**13.2**	**140**	**2**	**3**	**9**	**18**	**29**	**35**	**54**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.3	23	2	2	5	9	13	13	13
1-11 MOS	171	8.5	58	1	1	6	14	20	23	28
1-5 YRS	771	14.4	90	1	2	16	21	25	29	39
6-12 YRS	499	22.4	167	2	3	23	29	37	44	60
13-19 YRS	173	22.6	374	1	1	23	35	48	58	75
B. *Operated*										
0-27 DYS										
1-11 MOS	71	5.3	42	1	1	2	8	16	20	28
1-5 YRS	514	10.9	104	1	1	7	19	25	29	41
6-12 YRS	527	17.4	174	1	2	18	27	34	41	50
13-19 YRS	707	11.8	137	1	2	8	15	27	37	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	9.0	109	2	2	4	17	21	21	21
1-11 MOS	90	9.9	59	1	1	8	16	20	23	34
1-5 YRS	282	14.8	115	1	2	15	21	28	35	44
6-12 YRS	243	24.2	299	2	2	23	32	47	58	90
13-19 YRS	139	21.7	389	1	2	14	38	50	58	81
B. *Operated*										
0-27 DYS										
1-11 MOS	32	11.5	83	1	2	10	17	27	29	31
1-5 YRS	231	15.3	128	2	2	15	22	30	34	52
6-12 YRS	458	21.8	189	3	4	22	30	40	48	57
13-19 YRS	1096	20.0	275	3	5	15	26	45	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	17.1	164	1	2	18	24	32	39	58
B. *Operated*	1819	12.9	144	1	1	9	20	30	36	50
2. MULTIPLE DX										
A. *Not Operated*	757	18.5	244	1	2	17	26	39	48	76
B. *Operated*	1817	19.7	236	2	4	16	27	42	50	78
1. SINGLE DX	3437	14.9	158	1	2	13	23	31	37	53
2. MULTIPLE DX	2574	19.3	239	2	3	16	27	41	50	78
A. NOT OPERATED	2375	17.5	190	1	2	17	24	34	42	63
B. OPERATED	3636	16.3	202	1	2	13	24	35	45	67
TOTAL 0-27 DYS	7	7.4	50	2	2	4	11	19	21	21
1-11 MOS	364	8.5	60	1	1	6	14	20	23	30
1-5 YRS	1798	13.6	106	1	1	14	21	26	30	43
6-12 YRS	1727	21.0	199	2	3	22	29	38	46	62
13-19 YRS	2115	17.6	262	2	3	12	24	42	51	79
GRAND TOTAL	**6011**	**16.8**	**197**	**1**	**2**	**14**	**24**	**34**	**44**	**66**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	17	3.2	21	<1	<1	1	5	7	15	19
1-5 YRS	232	1.8	2	<1	1	1	2	3	5	8
6-12 YRS	445	2.7	25	1	1	2	3	5	6	13
13-19 YRS	482	2.5	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	4	4.0	7	1	1	4	6	7	7	7
1-11 MOS	4	7.8	51	2	2	5	12	18	18	18
1-5 YRS	279	2.5	6	1	1	2	3	5	7	14
6-12 YRS	1034	3.1	7	1	1	2	4	6	7	13
13-19 YRS	1856	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	3.5	6	1	1	3	5	7	8	9
1-5 YRS	106	3.5	27	<1	1	2	4	6	9	32
6-12 YRS	130	5.1	81	1	1	3	5	8	13	45
13-19 YRS	189	4.4	44	1	1	3	4	8	11	44
B. *Operated*										
0-27 DYS	3	9.0	19	4	4	11	12	12	12	12
1-11 MOS	5	19.4	465	5	5	9	28	57	57	57
1-5 YRS	100	5.4	47	1	1	3	7	11	18	39
6-12 YRS	393	7.1	75	1	1	4	8	14	25	46
13-19 YRS	1131	9.4	121	1	2	6	11	19	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1176	2.4	12	1	1	2	3	5	6	10
B. *Operated*	3177	3.7	12	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	439	4.4	50	1	1	3	5	8	11	36
B. *Operated*	1632	8.6	108	1	2	5	10	17	29	55
1. SINGLE DX	4353	3.4	12	1	1	2	4	7	9	16
2. MULTIPLE DX	2071	7.7	99	1	1	5	9	16	25	55
A. NOT OPERATED	1615	3.0	23	1	1	2	3	5	7	16
B. OPERATED	4809	5.4	50	1	1	3	6	11	16	39
TOTAL 0-27 DYS	7	6.1	17	1	1	5	10	12	12	12
1-11 MOS	40	5.8	91	<1	1	3	6	13	19	57
1-5 YRS	717	2.8	15	1	1	2	3	6	8	19
6-12 YRS	2002	3.9	32	1	1	2	4	7	10	30
13-19 YRS	3658	5.6	55	1	1	4	6	11	16	42
GRAND TOTAL	**6424**	**4.8**	**44**	**1**	**1**	**3**	**5**	**9**	**14**	**36**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.7	14	<1	<1	1	2	9	11	11
1-5 YRS	69	2.2	4	<1	1	1	3	5	6	11
6-12 YRS	185	2.3	2	1	1	2	3	4	5	7
13-19 YRS	319	2.1	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	2.3	4	<1	<1	1	3	6	7	7
1-5 YRS	95	2.6	13	<1	1	2	3	5	7	23
6-12 YRS	757	2.8	5	1	1	2	4	5	7	10
13-19 YRS	2743	3.3	8	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	3.3	7	1	1	2	5	7	7	7
1-5 YRS	43	3.3	11	1	1	2	5	7	11	15
6-12 YRS	68	2.6	3	1	1	2	3	5	6	10
13-19 YRS	221	3.5	19	<1	1	2	4	6	10	17
B. *Operated*										
0-27 DYS	5	4.8	6	2	2	5	6	8	8	8
1-11 MOS	10	4.3	5	2	2	4	6	8	9	9
1-5 YRS	67	5.7	35	1	1	4	7	12	18	31
6-12 YRS	294	5.7	52	1	1	4	6	10	16	37
13-19 YRS	1544	5.7	36	1	1	4	6	11	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	3605	3.2	7	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	337	3.3	15	<1	1	2	4	6	9	14
B. *Operated*	1920	5.7	38	1	1	4	6	11	17	33
1. SINGLE DX	4185	3.0	7	1	1	2	4	6	7	11
2. MULTIPLE DX	2257	5.3	36	1	1	4	6	10	16	32
A. NOT OPERATED	917	2.6	7	<1	1	2	3	5	7	11
B. OPERATED	5525	4.0	20	1	1	3	5	7	10	25
TOTAL 0-27 DYS	7	4.6	7	1	1	5	7	8	8	8
1-11 MOS	30	3.2	7	<1	<1	2	4	7	9	11
1-5 YRS	274	3.4	18	1	1	2	4	7	11	23
6-12 YRS	1304	3.4	16	1	1	2	4	6	8	19
13-19 YRS	4827	4.0	19	1	1	3	5	7	10	25
GRAND TOTAL	**6442**	**3.8**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	17	2.1	3	<1	1	1	3	4	6	7
6-12 YRS	26	1.8	3	<1	1	1	2	3	6	8
13-19 YRS	74	1.7	1	<1	1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	25	2.4	2	1	1	2	3	4	5	6
13-19 YRS	165	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	14	4.1	8	1	1	4	6	8	10	10
1-5 YRS	51	2.6	6	<1	1	2	3	5	9	13
6-12 YRS	65	2.6	4	1	1	2	3	6	7	9
13-19 YRS	256	2.8	6	<1	1	2	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.8	1	4	4	5	5	6	6	6
6-12 YRS	29	3.0	5	1	1	2	4	6	7	11
13-19 YRS	134	6.1	53	1	1	4	7	13	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	194	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	387	2.8	6	<1	1	2	3	6	8	13
B. *Operated*	167	5.5	45	1	1	3	6	12	19	40
1. SINGLE DX	315	2.1	2	1	1	2	3	4	4	8
2. MULTIPLE DX	554	3.6	19	1	1	2	4	7	11	23
A. NOT OPERATED	508	2.6	5	<1	1	2	3	5	7	12
B. OPERATED	361	3.8	24	1	1	2	4	7	11	28
TOTAL 0-27 DYS	3	4.7	21	2	2	2	8	10	10	10
1-11 MOS	18	3.5	7	1	1	3	5	7	9	10
1-5 YRS	74	2.6	5	<1	1	2	3	5	7	12
6-12 YRS	145	2.5	4	1	1	2	3	6	6	9
13-19 YRS	629	3.2	17	1	1	2	4	6	10	21
GRAND TOTAL	**869**	**3.1**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	11	2.2	3	1	1	2	3	5	6	6
1-5 YRS	14	2.1	1	1	1	2	3	4	4	4
6-12 YRS	9	2.2	1	1	1	2	3	4	4	4
13-19 YRS	7	4.6	17	1	1	4	7	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	16.5	313	4	4	16	29	29	29	29
6-12 YRS	4	4.5	26	1	1	2	7	12	12	12
13-19 YRS	12	6.6	14	1	2	6	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.9	29	1	1	5	10	14	17	18
1-5 YRS	19	6.6	336	<1	1	2	3	6	48	82
6-12 YRS	5	5.2	34	1	1	1	11	13	13	13
13-19 YRS	11	13.9	748	1	1	4	14	96	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS	4	11.8	147	2	2	8	21	28	28	28
6-12 YRS	10	19.5	589	3	3	9	29	57	82	82
13-19 YRS	24	14.4	127	2	3	13	26	44	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.6	4	1	1	2	3	4	7	12
B. *Operated*	19	7.1	42	1	1	6	10	13	22	29
2. MULTIPLE DX										
A. *Not Operated*	48	7.9	309	1	1	3	8	15	83	99+
B. *Operated*	40	15.2	232	2	3	12	26	37	89	99+
1. SINGLE DX	62	4.0	20	1	1	2	4	9	12	27
2. MULTIPLE DX	88	11.2	284	1	1	5	14	31	82	99+
A. NOT OPERATED	91	5.4	171	1	1	2	4	11	16	98
B. OPERATED	59	12.6	183	1	2	9	17	31	62	99+
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	27	4.6	21	1	1	3	6	12	15	18
1-5 YRS	39	6.0	195	1	1	2	4	11	29	82
6-12 YRS	28	9.3	266	1	1	3	10	24	38	82
13-19 YRS	54	11.3	218	1	1	7	15	33	98	99+
GRAND TOTAL	**150**	**8.2**	**187**	**1**	**1**	**4**	**10**	**23**	**34**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	14	2.0	2	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	10	2.7	1	<1	<1	3	3	4	5	5
13-19 YRS	400	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	20	2.7	2	<1	1	2	3	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	98	2	2	9	16	16	16	16
1-5 YRS	3	6.0	49	1	1	3	11	14	14	14
6-12 YRS	4	3.3	1	2	2	3	4	4	4	4
13-19 YRS	93	2.9	5	1	1	2	4	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	2	<1	1	2	3	4	5	5
B. *Operated*	416	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	24	2.7	2	<1	1	2	3	4	5	6
B. *Operated*	102	3.2	7	1	1	2	4	5	7	15
1. SINGLE DX	434	2.4	2	<1	1	2	3	4	5	6
2. MULTIPLE DX	126	3.1	6	1	1	2	4	5	7	15
A. NOT OPERATED	42	2.4	2	<1	1	2	3	4	5	6
B. OPERATED	518	2.6	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	4	5.8	47	2	2	3	9	16	16	16
1-5 YRS	5	4.6	29	1	1	3	6	14	14	14
6-12 YRS	22	2.6	1	<1	1	3	3	4	5	5
13-19 YRS	527	2.5	2	<1	1	2	3	4	5	7
GRAND TOTAL	**560**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	1.7	1	1	1	1	2	4	4	4
13-19 YRS	60	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	6	3.7	1	3	3	3	5	5	5	5
6-12 YRS	104	2.6	3	<1	1	2	3	5	6	9
13-19 YRS	2273	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	78	2.7	35	<1	<1	1	3	5	8	86
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	4	3.3	1	2	2	3	4	4	4	4
6-12 YRS	51	2.4	2	<1	<1	2	4	5	5	6
13-19 YRS	1733	2.9	6	<1	1	2	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.0	2	<1	<1	2	2	4	4	8
B. *Operated*	2389	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	83	2.7	33	<1	<1	1	3	5	7	84
B. *Operated*	1791	2.9	6	<1	1	2	4	5	6	11
1. SINGLE DX	2457	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1874	2.9	7	<1	1	2	4	5	7	12
A. NOT OPERATED	151	2.3	19	<1	<1	1	2	4	6	51
B. OPERATED	4180	2.6	4	<1	1	2	3	5	6	9
TOTAL 0-27 DYS	3	6.3	70	1	1	2	12	16	16	16
1-11 MOS	6	3.3	10	<1	<1	2	5	9	9	9
1-5 YRS	11	3.4	1	2	2	3	4	5	5	5
6-12 YRS	167	2.5	3	<1	1	2	3	5	5	7
13-19 YRS	4144	2.6	5	<1	1	2	3	5	6	9
GRAND TOTAL	**4331**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	13	2.4	6	<1	<1	1	3	6	8	9
6-12 YRS	39	2.6	6	<1	1	2	3	6	7	12
13-19 YRS	79	4.1	23	<1	1	2	5	10	15	23
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	6.8	45	1	1	4	12	17	17	17
1-5 YRS	73	3.4	16	<1	<1	2	4	7	12	22
6-12 YRS	232	2.2	8	<1	1	1	2	5	7	12
13-19 YRS	450	2.9	14	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	11	3.1	6	<1	<1	3	4	7	9	9
6-12 YRS	34	4.1	34	<1	1	2	3	13	17	27
13-19 YRS	99	5.4	37	<1	1	4	7	11	18	35
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS	49	5.4	58	<1	<1	4	6	9	17	43
6-12 YRS	108	7.6	122	1	1	4	8	18	24	63
13-19 YRS	350	7.6	84	1	1	5	9	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.5	16	<1	1	2	4	7	12	22
B. *Operated*	764	2.8	13	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*	147	4.9	34	<1	1	3	6	11	17	28
B. *Operated*	512	7.4	89	1	1	4	9	16	24	52
1. SINGLE DX	898	2.9	13	<1	1	2	3	6	9	20
2. MULTIPLE DX	659	6.8	78	1	1	4	8	15	23	44
A. NOT OPERATED	281	4.2	26	<1	1	3	5	9	15	26
B. OPERATED	1276	4.6	48	<1	1	2	5	11	16	36
TOTAL 0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	17	4.4	26	<1	<1	2	5	15	17	17
1-5 YRS	146	4.0	29	<1	<1	2	5	8	11	33
6-12 YRS	413	3.8	45	<1	1	2	4	8	14	31
13-19 YRS	978	5.0	47	<1	1	3	6	11	18	36
GRAND TOTAL	**1557**	**4.5**	**44**	**<1**	**1**	**2**	**5**	**11**	**16**	**34**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	2.3	1	1	1	2	3	4	4	4
6-12 YRS	27	2.4	3	<1	1	2	3	5	6	8
13-19 YRS	91	1.9	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	4	2.5		2	2	2	3	3	3	3
6-12 YRS	47	3.0	3	1	1	3	4	5	6	10
13-19 YRS	1355	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	11	2.7	2	1	1	3	4	5	6	6
6-12 YRS	21	3.1	3	1	1	3	4	5	7	8
13-19 YRS	94	2.5	3	<1	1	2	3	6	6	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.5	3	<1	<1	2	29	99+	99+	99+
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	44	3.7	8	<1	1	3	6	7	8	15
13-19 YRS	1518	3.8	6	1	1	4	5	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.0	2	<1	<1	2	3	4	5	8
B. *Operated*	1410	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	128	2.6	3	1	1	2	4	5	6	8
B. *Operated*	1568	3.7	6	1	1	3	5	6	7	14
1. SINGLE DX	1543	2.9	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1696	3.7	6	1	1	3	5	6	7	13
A. NOT OPERATED	261	2.3	2	<1	1	2	3	4	6	3
B. OPERATED	2978	3.4	5	<1	1	3	5	6	7	10
TOTAL 0-27 DYS	3	4.3	5	3	3	3	6	7	7	7
1-11 MOS	8	2.4	2	<1	<1	2	4	62	99+	99+
1-5 YRS	31	2.5	1	1	1	2	3	4	4	6
6-12 YRS	139	3.1	5	1	1	3	4	6	7	11
13-19 YRS	3058	3.3	5	<1	1	3	4	6	7	10
GRAND TOTAL	**3239**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	6.4	15	1	1	6	9	11	11	11
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	29	3.5	6	1	1	3	4	7	8	13
13-19 YRS	324	4.3	9	1	1	4	6	8	11	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	25	5.7	18	1	2	4	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.3	22	2	2	9	10	11	11	11
1-11 MOS	6	5.0	6	3	3	4	7	9	9	9
1-5 YRS	4	8.3	14	3	3	9	11	12	12	12
6-12 YRS	22	2.7	5	<1	1	2	4	6	7	8
13-19 YRS	336	4.8	10	1	1	4	7	9	11	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	28	8.7	59	1	2	6	10	20	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	4.3	9	1	1	3	6	8	11	13
B. *Operated*	26	5.5	18	1	1	4	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*	371	4.8	10	1	1	4	7	9	11	14
B. *Operated*	30	8.4	56	1	2	6	9	20	21	35
1. SINGLE DX	387	4.4	9	1	1	4	6	8	11	15
2. MULTIPLE DX	401	5.0	15	1	1	4	7	9	11	20
A. NOT OPERATED	732	4.5	10	1	1	4	6	9	11	14
B. OPERATED	56	7.1	40	1	1	5	9	16	20	34
TOTAL 0-27 DYS	4	6.5	18	2	2	6	10	11	11	11
1-11 MOS	11	5.6	10	1	2	5	8	10	11	11
1-5 YRS	6	6.0	21	1	1	6	9	12	12	12
6-12 YRS	54	3.2	6	1	1	3	4	7	7	13
13-19 YRS	713	4.8	12	1	1	4	6	9	11	19
GRAND TOTAL	**788**	**4.7**	**12**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.5	38	1	1	5	11	15	15	15
1-5 YRS	44	1.8	2	1	1	1	2	3	4	8
6-12 YRS	131	2.3	4	<1	1	2	3	4	6	11
13-19 YRS	548	2.9	6	<1	1	2	4	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	8.5	25	5	5	8	12	12	12	12
13-19 YRS	31	5.1	17	1	1	4	8	10	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	6.9	44	1	2	5	7	19	23	24
1-5 YRS	21	3.6	6	<1	1	3	5	7	8	9
6-12 YRS	105	3.1	5	1	1	2	5	6	7	10
13-19 YRS	927	4.2	12	1	1	3	6	8	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	9	3.7	9	<1	<1	3	5	8	10	10
13-19 YRS	66	4.7	13	1	1	4	7	10	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	727	2.8	6	<1	1	2	3	6	7	13
B. *Operated*	34	5.2	17	1	1	4	8	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	1069	4.1	12	1	1	3	6	8	10	17
B. *Operated*	77	4.9	18	1	1	4	7	11	14	19
1. SINGLE DX	761	2.9	6	<1	1	2	4	6	8	14
2. MULTIPLE DX	1146	4.2	13	1	1	3	6	8	11	18
A. NOT OPERATED	1796	3.6	10	1	1	3	5	7	10	14
B. OPERATED	111	5.0	17	1	1	4	7	11	15	19
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	21	7.1	44	1	1	5	9	18	21	24
1-5 YRS	66	2.7	8	1	1	2	3	6	8	18
6-12 YRS	247	2.7	5	<1	1	2	3	6	7	12
13-19 YRS	1572	3.8	11	1	1	3	5	8	10	15
GRAND TOTAL	**1907**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**15**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	3	3.0	7	1	1	2	5	6	6	6
1-5 YRS	28	2.5	6	<1	<1	2	3	5	7	12
6-12 YRS	65	2.8	5	1	1	2	3	6	8	13
13-19 YRS	183	2.4	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	7	6.3	122	1	1	2	5	26	31	31
6-12 YRS	30	2.2	1	1	1	2	3	3	4	5
13-19 YRS	531	2.2	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	27	3.1	16	<1	<1	1	4	7	10	20
6-12 YRS	39	2.7	11	<1	1	2	3	5	6	21
13-19 YRS	195	2.8	7	<1	1	2	3	5	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	10	3.1	14	<1	<1	1	2	10	11	11
6-12 YRS	14	2.0	2	<1	<1	2	3	4	5	6
13-19 YRS	264	2.8	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	574	2.3	3	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	263	2.9	8	<1	1	2	3	5	8	19
B. *Operated*	289	2.7	4	<1	1	2	3	5	6	10
1. SINGLE DX	854	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	552	2.8	6	<1	1	2	3	5	7	11
A. NOT OPERATED	543	2.7	6	<1	1	2	3	5	8	12
B. OPERATED	863	2.4	3	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	3	4.3	16	2	2	2	7	9	9	9
1-11 MOS	10	2.8	7	<1	<1	2	3	7	9	9
1-5 YRS	72	3.2	21	<1	<1	2	3	7	11	29
6-12 YRS	148	2.6	6	<1	1	2	3	4	7	13
13-19 YRS	1173	2.5	3	<1	1	2	3	4	6	9
GRAND TOTAL	**1406**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.0		<1	<1	1	1	1	1	1
1-11 MOS	162	1.3	1	<1	<1	1	1	2	3	4
1-5 YRS	1705	1.3		<1	1	1	1	2	2	4
6-12 YRS	3082	1.3	1	1	1	1	1	2	3	4
13-19 YRS	2947	1.6	1	<1	1	1	2	3	3	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	15	2.5	11	1	1	1	2	10	11	11
13-19 YRS	23	2.8	13	<1	1	1	2	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.0	2	1	1	2	3	4	4	4
1-11 MOS	141	1.8	1	1	1	1	2	3	4	6
1-5 YRS	1254	1.8	2	1	1	1	2	3	4	8
6-12 YRS	2614	1.8	3	1	1	1	2	3	4	8
13-19 YRS	5297	2.2	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	3.8	18	1	1	2	4	12	14	14
1-5 YRS	136	2.7	13	1	1	2	3	5	8	21
6-12 YRS	378	2.9	26	1	1	2	3	5	8	31
13-19 YRS	1540	3.4	27	<1	1	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7904	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	46	2.5	10	1	1	1	2	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	9312	2.0	4	<1	1	1	2	4	5	9
B. *Operated*	2066	3.3	26	<1	1	2	3	6	10	27
1. SINGLE DX	7950	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	11378	2.3	8	<1	1	2	2	4	6	13
A. NOT OPERATED	17216	1.8	2	<1	1	1	2	3	4	8
B. OPERATED	2112	3.2	25	<1	1	2	3	6	10	26
TOTAL 0-27 DYS	16	1.6	1	<1	<1	1	2	4	4	4
1-11 MOS	314	1.6	2	<1	1	1	2	3	4	7
1-5 YRS	3102	1.5	2	<1	1	1	2	3	4	7
6-12 YRS	6089	1.6	3	1	1	1	2	3	4	7
13-19 YRS	9807	2.2	7	<1	1	1	2	4	6	12
GRAND TOTAL	**19328**	**1.9**	**5**	**<1**	**1**	**1**	**2**	**3**	**5**	**10**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.7	12	<1	<1	1	2	10	11	11
1-11 MOS	225	1.4	1	<1	1	1	1	2	3	6
1-5 YRS	940	1.4	1	<1	1	1	1	2	3	6
6-12 YRS	1030	1.6	2	<1	1	1	2	3	4	9
13-19 YRS	877	2.0	5	<1	1	1	2	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	14	8.9	29	2	4	7	12	15	21	23
1-5 YRS	27	6.1	28	1	2	5	7	9	15	29
6-12 YRS	49	9.4	213	1	2	5	10	15	27	99
13-19 YRS	72	11.2	135	1	2	7	14	22	40	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	2.6	7	1	1	2	3	8	9	9
1-11 MOS	242	3.2	31	<1	1	2	3	6	10	34
1-5 YRS	1109	2.4	12	<1	1	1	2	5	6	18
6-12 YRS	1181	2.2	8	1	1	1	2	4	6	13
13-19 YRS	1806	3.7	48	<1	1	2	3	7	11	43
B. *Operated*										
0-27 DYS										
1-11 MOS	46	11.0	118	1	1	8	16	29	41	99+
1-5 YRS	153	8.1	150	1	1	3	9	26	44	99+
6-12 YRS	200	8.6	207	1	1	4	10	29	71	99+
13-19 YRS	674	14.0	361	<1	1	6	20	48	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3084	1.6	3	<1	1	1	2	3	4	9
B. *Operated*	162	9.6	133	1	2	6	12	20	30	55
2. MULTIPLE DX										
A. *Not Operated*	4351	2.9	27	<1	1	2	3	6	8	28
B. *Operated*	1073	12.0	298	1	1	5	16	42	67	99+
1. SINGLE DX	3246	2.0	12	<1	1	1	2	4	6	14
2. MULTIPLE DX	5424	4.7	94	<1	1	2	4	10	22	70
A. NOT OPERATED	7435	2.4	18	<1	1	1	2	4	7	20
B. OPERATED	1235	11.7	277	1	1	5	15	38	63	99+
TOTAL 0-27 DYS	25	2.6	9	<1	1	1	2	9	10	11
1-11 MOS	527	3.3	33	<1	1	1	3	7	13	34
1-5 YRS	2229	2.4	20	<1	1	1	2	4	7	26
6-12 YRS	2460	2.6	30	1	1	1	2	5	8	30
13-19 YRS	3429	5.4	120	<1	1	2	4	13	28	85
GRAND TOTAL	**8670**	**3.7**	**65**	**<1**	**1**	**1**	**3**	**7**	**14**	**54**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	5	3.0	3	1	1	3	4	5	5	5
6-12 YRS	18	1.7	1	<1	1	2	2	3	3	3
13-19 YRS	90	2.9	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	12	4.5	5	2	2	4	6	8	9	9
13-19 YRS	140	5.3	10	2	2	5	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	4.5	15	1	1	3	7	10	10	10
1-5 YRS	32	4.6	47	1	1	3	5	7	14	39
6-12 YRS	40	4.3	8	1	1	3	5	10	11	12
13-19 YRS	218	3.5	6	1	1	3	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	28	7.9	16	3	3	7	11	14	15	15
6-12 YRS	45	6.2	9	2	3	5	7	10	13	15
13-19 YRS	355	9.9	115	2	3	7	11	19	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.7	3	1	1	2	4	5	6	9
B. *Operated*	154	5.2	10	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	295	3.8	11	1	1	3	5	8	10	12
B. *Operated*	429	9.4	98	2	3	7	10	17	25	60
1. SINGLE DX	271	4.1	9	1	1	4	5	8	10	15
2. MULTIPLE DX	724	7.1	70	1	2	5	8	13	19	43
A. NOT OPERATED	412	3.5	9	1	1	3	4	7	9	12
B. OPERATED	583	8.3	78	2	3	6	9	15	22	50
TOTAL 0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	7	3.9	10	1	1	3	5	9	10	10
1-5 YRS	67	5.8	32	1	1	4	7	13	15	35
6-12 YRS	115	4.6	10	1	1	4	6	9	11	15
13-19 YRS	803	6.6	64	1	2	5	8	12	18	41
GRAND TOTAL	**995**	**6.3**	**55**	**1**	**2**	**4**	**7**	**11**	**16**	**39**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	83	3.0	8	<1	1	2	4	7	9	12
6-12 YRS	253	3.4	10	1	1	2	5	7	9	14
13-19 YRS	563	3.3	8	1	1	2	4	7	9	13
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	34	6.0	21	1	1	6	7	9	11	27
6-12 YRS	125	6.4	18	2	3	6	8	10	12	24
13-19 YRS	259	6.6	11	3	4	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	3.0	4	<1	<1	3	3	6	8	8
1-5 YRS	103	4.1	10	1	1	3	6	9	11	12
6-12 YRS	326	3.9	10	1	1	3	5	8	10	16
13-19 YRS	732	3.8	16	1	1	3	5	7	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	5	14.8	108	7	7	10	21	32	32	32
1-5 YRS	95	10.9	94	3	4	8	13	22	28	55
6-12 YRS	244	10.1	73	2	4	8	11	20	27	38
13-19 YRS	963	11.6	123	3	4	8	12	22	33	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	902	3.3	8	1	1	2	4	7	9	13
B. *Operated*	420	6.5	14	2	3	6	8	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1172	3.8	13	1	1	3	5	8	10	17
B. *Operated*	1307	11.3	112	3	4	8	12	22	32	61
1. SINGLE DX	1322	4.3	12	1	1	4	6	8	10	16
2. MULTIPLE DX	2479	7.7	79	1	1	6	9	15	23	48
A. NOT OPERATED	2074	3.6	11	1	1	3	5	7	10	16
B. OPERATED	1727	10.1	92	3	4	7	11	19	28	57
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	19	5.7	57	<1	1	3	8	14	25	32
1-5 YRS	315	6.1	46	1	1	5	8	12	17	36
6-12 YRS	948	5.7	35	1	1	4	7	11	16	29
13-19 YRS	2517	7.0	69	1	1	5	8	13	20	45
GRAND TOTAL	**3801**	**6.6**	**58**	**1**	**1**	**5**	**8**	**13**	**19**	**39**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	14	1.4	1	<1	<1	1	1	3	4	4
6-12 YRS	22	2.2	5	<1	<1	1	3	5	7	10
13-19 YRS	28	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	1.7	2	<1	<1	1	2	4	5	5
1-5 YRS	271	2.2	3	<1	1	1	3	5	6	7
6-12 YRS	219	2.4	3	<1	1	2	3	5	6	7
13-19 YRS	245	2.9	4	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	35	2.7	3	<1	1	2	4	5	6	7
6-12 YRS	33	2.7	2	1	1	3	4	5	5	5
13-19 YRS	47	2.9	4	<1	<1	2	4	6	7	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	3.6	14	<1	<1	1	7	9	9	9
1-5 YRS	201	2.8	6	1	1	2	4	6	7	14
6-12 YRS	247	3.6	7	1	1	3	5	7	9	13
13-19 YRS	357	3.8	15	1	1	3	5	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.4	4	<1	<1	1	3	5	6	10
B. *Operated*	742	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	116	2.8	3	<1	1	2	4	5	6	8
B. *Operated*	811	3.5	11	1	1	3	5	7	9	14
1. SINGLE DX	807	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	927	3.4	10	1	1	3	4	6	8	14
A. NOT OPERATED	181	2.6	3	<1	<1	2	4	5	6	9
B. OPERATED	1553	3.0	7	1	1	2	4	6	7	12
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	2.8	7	<1	<1	1	5	6	8	9
1-5 YRS	521	2.4	4	<1	1	2	3	5	7	10
6-12 YRS	521	3.0	5	1	1	2	4	6	7	11
13-19 YRS	677	3.3	10	1	1	3	4	6	8	13
GRAND TOTAL	**1734**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	1.1		<1	<1	1	1	2	2	2
1-5 YRS	146	2.0	2	<1	1	1	2	4	5	7
6-12 YRS	76	2.3	2	1	1	2	3	4	6	7
13-19 YRS	107	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	32	1.8	3	<1	<1	1	2	4	5	9
1-5 YRS	647	1.6	2	<1	<1	1	2	3	4	8
6-12 YRS	276	1.9	2	<1	1	1	2	4	5	7
13-19 YRS	311	2.1	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	29	3.0	23	<1	1	2	3	5	7	27
1-5 YRS	203	3.0	26	<1	1	2	3	5	8	14
6-12 YRS	162	2.8	18	1	1	2	3	5	6	29
13-19 YRS	422	2.5	4	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	32	2.4	9	<1	<1	1	3	5	6	17
1-5 YRS	605	2.5	17	1	1	1	3	5	7	22
6-12 YRS	488	2.7	15	1	1	2	3	5	7	21
13-19 YRS	1304	3.0	19	<1	1	2	3	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	2.0	2	<1	1	1	3	4	5	7
B. *Operated*	1268	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	817	2.7	13	<1	1	2	3	5	7	12
B. *Operated*	2431	2.8	18	<1	1	2	3	6	8	20
1. SINGLE DX	1607	1.8	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	3248	2.8	16	<1	1	2	3	5	8	18
A. NOT OPERATED	1156	2.5	10	<1	1	2	3	5	6	11
B. OPERATED	3699	2.5	13	<1	1	1	3	5	7	16
TOTAL 0-27 DYS	6	3.2	6	1	1	2	5	7	7	7
1-11 MOS	102	2.3	10	<1	<1	1	2	4	6	22
1-5 YRS	1601	2.2	11	<1	1	1	2	4	6	13
6-12 YRS	1002	2.5	11	1	1	2	3	5	6	14
13-19 YRS	2144	2.7	13	<1	1	2	3	5	7	16
GRAND TOTAL	**4855**	**2.5**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	41	2.4	22	<1	<1	1	2	3	8	30
6-12 YRS	101	2.0	2	<1	1	1	2	4	5	8
13-19 YRS	297	1.9	1	<1	<1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	104	2.0	6	<1	<1	1	2	3	6	14
6-12 YRS	177	2.0	3	<1	1	1	2	4	5	10
13-19 YRS	335	2.9	7	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	4.5	6	1	1	4	6	8	9	9
1-5 YRS	33	2.8	7	1	1	2	3	7	10	11
6-12 YRS	41	2.4	2	<1	1	2	3	5	5	6
13-19 YRS	223	2.5	5	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	9	11.4	360	1	1	6	9	42	61	61
1-5 YRS	71	3.4	16	<1	1	2	4	7	9	24
6-12 YRS	128	3.5	11	<1	1	2	4	9	10	15
13-19 YRS	452	6.3	57	1	1	4	7	11	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	442	1.9	3	<1	<1	2	2	3	4	7
B. *Operated*	618	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	306	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	660	5.5	50	1	1	4	7	10	14	41
1. SINGLE DX	1060	2.3	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	966	4.6	37	1	1	3	6	9	12	34
A. NOT OPERATED	748	2.2	4	<1	1	2	3	4	6	10
B. OPERATED	1278	4.1	31	<1	1	2	5	9	11	27
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	7.0	156	<1	1	3	6	11	33	61
1-5 YRS	249	2.6	12	<1	<1	1	3	5	9	20
6-12 YRS	447	2.4	5	<1	1	2	3	5	7	12
13-19 YRS	1307	3.8	26	<1	1	2	4	8	10	24
GRAND TOTAL	**2026**	**3.4**	**22**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.0	2	1	1	3	4	5	5	5
1-5 YRS	72	3.2	5	<1	1	3	4	6	7	11
6-12 YRS	99	2.6	3	1	1	2	3	5	6	10
13-19 YRS	284	2.5	3	<1	1	2	3	5	5	9
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	1.9	1	<1	<1	2	2	3	4	5
1-5 YRS	510	1.9	4	<1	<1	1	2	3	5	11
6-12 YRS	672	2.0	4	<1	1	1	2	4	5	11
13-19 YRS	1707	2.2	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.3	6	<1	<1	3	4	8	8	8
1-5 YRS	47	2.8	5	<1	1	2	3	4	8	11
6-12 YRS	88	2.8	3	1	1	2	4	5	7	9
13-19 YRS	297	3.4	16	<1	1	3	4	6	8	17
B. *Operated*										
0-27 DYS	6	1.8	1	1	1	2	2	4	4	4
1-11 MOS	16	2.9	6	1	1	2	4	6	9	10
1-5 YRS	308	2.4	7	<1	1	2	3	5	7	11
6-12 YRS	531	2.7	13	1	1	2	3	5	7	19
13-19 YRS	1677	3.1	21	<1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	2920	2.1	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	439	3.3	12	<1	1	3	4	6	7	16
B. *Operated*	2538	2.9	17	<1	1	2	3	6	9	19
1. SINGLE DX	3380	2.2	5	<1	1	2	2	4	6	11
2. MULTIPLE DX	2977	3.0	17	<1	1	2	3	6	8	18
A. NOT OPERATED	899	2.9	8	<1	1	2	4	5	7	11
B. OPERATED	5458	2.5	11	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	8	2.1	2	1	1	2	3	4	4	4
1-11 MOS	57	2.4	3	<1	1	2	3	5	6	10
1-5 YRS	937	2.2	5	<1	1	1	2	4	7	11
6-12 YRS	1390	2.4	8	<1	1	2	3	4	6	14
13-19 YRS	3965	2.7	13	<1	1	2	3	5	7	16
GRAND TOTAL	**6357**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	5	1	1	1	4	5	5	5
1-5 YRS	74	2.7	7	<1	1	2	3	5	9	15
6-12 YRS	163	3.2	7	<1	1	2	4	6	9	17
13-19 YRS	322	2.9	6	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	8	3.6	6	1	1	3	4	8	9	9
1-5 YRS	300	3.6	15	<1	<1	2	5	8	11	20
6-12 YRS	717	3.6	18	<1	1	2	4	8	11	21
13-19 YRS	1025	3.8	17	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.3	34	1	1	3	10	12	12	12
1-5 YRS	53	4.3	13	<1	1	3	6	8	12	20
6-12 YRS	113	4.4	19	1	1	3	5	8	11	27
13-19 YRS	188	4.7	29	1	1	4	5	8	11	33
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	131	6.2	66	1	1	3	7	15	21	44
6-12 YRS	303	6.8	71	1	1	4	8	14	23	50
13-19 YRS	683	6.3	76	1	1	4	7	12	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	562	2.9	7	<1	1	2	4	6	8	14
B. *Operated*	2052	3.7	17	<1	1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	357	4.5	23	1	1	3	5	8	11	25
B. *Operated*	1121	6.4	73	1	1	4	7	14	21	50
1. SINGLE DX	2614	3.5	15	<1	1	2	4	7	10	20
2. MULTIPLE DX	1478	6.0	62	1	1	4	7	12	19	48
A. NOT OPERATED	919	3.5	14	1	1	3	4	7	9	19
B. OPERATED	3173	4.7	39	1	1	3	5	9	14	32
TOTAL 0-27 DYS	3	3.3	4	1	1	4	5	5	5	5
1-11 MOS	17	3.5	9	1	1	3	4	8	11	12
1-5 YRS	558	4.1	27	<1	1	2	5	9	13	28
6-12 YRS	1296	4.4	31	1	1	3	5	9	14	30
13-19 YRS	2218	4.5	36	1	1	3	5	9	13	31
GRAND TOTAL	**4092**	**4.4**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	10	2.5	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	3.6	19	1	1	2	4	11	13	13
6-12 YRS	11	3.3	7	1	1	2	6	7	7	7
13-19 YRS	33	3.4	13	1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	1.6	1	1	1	1	2	3	3	3
6-12 YRS	8	2.5	4	1	1	2	4	6	6	6
13-19 YRS	19	7.1	39	1	1	6	9	18	23	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.3	14	1	1	2	6	11	12	13
6-12 YRS	32	5.5	24	1	1	4	8	12	16	19
13-19 YRS	146	7.7	113	1	1	4	8	18	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	2	<1	<1	2	2	4	6	6
B. *Operated*	52	3.4	12	1	1	2	5	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	35	4.8	28	1	1	3	6	9	20	23
B. *Operated*	193	7.0	91	1	1	4	8	16	25	52
1. SINGLE DX	72	3.0	10	<1	1	2	4	7	8	17
2. MULTIPLE DX	228	6.7	82	1	1	4	8	15	23	51
A. NOT OPERATED	55	3.8	21	<1	1	2	5	8	10	23
B. OPERATED	245	6.3	77	1	1	4	7	13	22	51
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	33	3.3	11	1	1	2	3	9	12	13
6-12 YRS	56	4.3	17	1	1	3	6	11	13	19
13-19 YRS	208	6.7	88	1	1	4	7	16	25	52
GRAND TOTAL	**300**	**5.8**	**67**	**1**	**1**	**3**	**7**	**12**	**21**	**51**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	9	2.8	6	<1	<1	1	5	7	7	7
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	28	5.0	28	<1	<1	3	6	12	17	21
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	58	5.2	28	<1	1	3	7	12	15	28
6-12 YRS	106	3.6	15	<1	1	2	4	8	11	23
13-19 YRS	251	3.3	14	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	14	4.5	32	<1	1	3	4	12	20	22
6-12 YRS	22	4.4	19	<1	<1	3	6	12	14	16
13-19 YRS	55	9.4	168	1	2	4	12	38	53	99+
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	25	5.4	58	<1	1	3	5	11	19	38
6-12 YRS	52	5.0	73	<1	1	3	5	8	13	60
13-19 YRS	246	4.6	49	1	1	3	4	8	17	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.1	21	<1	<1	2	5	12	14	21
B. *Operated*	418	3.6	17	<1	1	2	4	7	11	21
2. MULTIPLE DX										
A. *Not Operated*	93	7.4	113	1	1	3	7	23	44	99+
B. *Operated*	327	4.7	53	1	1	3	4	8	14	72
1. SINGLE DX	462	3.7	17	<1	1	2	4	8	11	21
2. MULTIPLE DX	420	5.3	67	1	1	3	5	11	23	99+
A. NOT OPERATED	137	6.4	86	<1	1	3	6	17	28	99+
B. OPERATED	745	4.1	33	1	1	3	4	8	11	38
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	3.3	4	<1	1	3	5	6	7	7
1-5 YRS	106	5.0	33	<1	1	3	6	11	14	33
6-12 YRS	184	4.0	32	<1	1	2	4	8	12	23
13-19 YRS	580	4.5	47	1	1	3	4	8	15	63
GRAND TOTAL	**882**	**4.4**	**42**	**1**	**1**	**3**	**4**	**9**	**14**	**53**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	4	<1	<1	2	4	5	5	5
1-5 YRS	114	3.6	4	1	1	3	5	6	7	11
6-12 YRS	375	4.0	4	1	2	4	5	6	7	10
13-19 YRS	412	3.9	5	1	1	4	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.3	12	1	1	4	8	10	10	10
6-12 YRS	19	6.7	30	1	1	5	11	13	17	21
13-19 YRS	8	6.5	15	<1	1	6	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.7	6	1	1	3	6	7	8	8
1-5 YRS	70	3.1	4	1	1	3	4	5	6	11
6-12 YRS	220	3.8	5	1	1	3	5	7	8	12
13-19 YRS	274	3.8	6	1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	5.5	12	2	2	5	6	11	14	14
6-12 YRS	33	5.3	11	1	2	5	7	11	12	13
13-19- YRS	53	4.7	6	1	1	5	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	905	3.9	4	1	1	4	5	6	7	10
B. *Operated*	35	6.3	22	1	1	5	10	12	13	21
2. MULTIPLE DX										
A. *Not Operated*	575	3.7	5	1	1	3	5	6	8	12
B. *Operated*	98	5.0	8	1	2	5	6	9	11	14
1. SINGLE DX	940	4.0	5	1	1	4	5	6	8	11
2. MULTIPLE DX	673	3.9	6	1	1	4	5	7	8	12
A. NOT OPERATED	1480	3.8	5	1	1	4	5	6	8	11
B. OPERATED	133	5.4	12	1	2	5	7	10	12	15
TOTAL 0-27 DYS										
1-11 MOS	15	3.5	5	<1	1	3	5	7	8	8
1-5 YRS	204	3.6	5	1	1	3	5	6	8	11
6-12 YRS	647	4.1	5	1	1	4	5	7	8	12
13-19 YRS	747	3.9	5	1	1	4	5	6	8	12
GRAND TOTAL	**1613**	**3.9**	**5**	**1**	**1**	**4**	**5**	**6**	**8**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	1.4	1	<1	<1	1	2	3	3	3
1-11 MOS	79	1.5	1	<1	1	1	2	3	4	5
1-5 YRS	479	1.7	2	<1	1	1	2	3	4	6
6-12 YRS	613	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	1141	1.9	2	<1	1	1	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.6	2	<1	<1	2	4	5	5	5
1-5 YRS	60	2.1	5	<1	<1	1	2	3	6	13
6-12 YRS	121	2.2	5	<1	<1	2	2	4	7	13
13-19 YRS	217	2.9	7	<1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	2.1	2	<1	1	2	3	5	6	6
1-11 MOS	163	2.2	3	<1	1	2	3	4	6	9
1-5 YRS	814	2.2	3	1	1	2	3	4	6	9
6-12 YRS	971	2.1	3	1	1	2	2	4	5	9
13-19 YRS	2506	2.3	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	12	3.4	8	1	1	3	4	7	10	11
1-5 YRS	90	4.0	29	1	1	2	5	8	16	31
6-12 YRS	140	3.8	20	1	1	2	5	8	11	24
13-19 YRS	401	3.8	22	<1	1	2	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2319	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	405	2.6	6	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	4471	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	644	3.8	22	1	1	2	5	8	11	22
1. SINGLE DX	2724	1.9	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	5115	2.4	6	<1	1	2	3	5	6	12
A. NOT OPERATED	6790	2.1	3	<1	1	1	2	4	5	9
B. OPERATED	1049	3.3	16	<1	1	2	4	7	9	19
TOTAL 0-27 DYS	25	2.1	2	<1	1	1	3	5	6	6
1-11 MOS	261	2.0	3	<1	1	1	2	4	5	9
1-5 YRS	1443	2.1	5	<1	1	1	2	4	6	9
6-12 YRS	1845	2.1	4	<1	1	1	2	4	5	11
13-19 YRS	4265	2.3	6	<1	1	2	3	5	6	11
GRAND TOTAL	**7839**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	69	2.2	8	1	1	1	2	3	8	18
6-12 YRS	38	2.1	2	1	1	2	2	5	6	6
13-19 YRS	60	2.2	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	21	4.9	50	<1	<1	2	6	15	24	26
6-12 YRS	19	4.2	105	<1	1	1	2	6	28	46
13-19 YRS	64	3.6	14	<1	1	2	4	9	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	46	2.5	3	<1	1	2	3	5	6	8
6-12 YRS	20	2.7	3	<1	1	2	3	4	7	9
13-19 YRS	55	3.8	15	1	1	3	4	8	12	19
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	43	4.6	50	<1	1	2	5	9	11	46
6-12 YRS	39	8.4	78	1	1	5	12	21	30	32
13-19 YRS	111	7.6	66	1	1	4	10	17	29	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.2	5	1	1	2	2	4	6	12
B. *Operated*	105	4.0	36	<1	1	2	4	9	14	35
2. MULTIPLE DX										
A. *Not Operated*	125	3.1	9	1	1	2	4	6	8	18
B. *Operated*	195	7.1	66	1	1	4	9	17	28	39
1. SINGLE DX	272	2.9	18	1	1	2	3	6	9	22
2. MULTIPLE DX	320	5.6	47	1	1	3	7	13	19	33
A. NOT OPERATED	292	2.6	7	1	1	2	3	5	7	16
B. OPERATED	300	6.0	58	1	1	3	7	15	21	39
TOTAL 0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	5	2.2	2	1	1	2	3	4	4	4
1-5 YRS	179	3.2	23	1	1	2	3	7	9	25
6-12 YRS	116	4.7	51	1	1	2	4	11	20	37
13-19 YRS	290	4.9	36	1	1	3	6	11	17	33
GRAND TOTAL	**592**	**4.3**	**35**	**1**	**1**	**2**	**5**	**10**	**16**	**33**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	24	1.1		<1	<1	1	1	1	2	2
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	6	1.7	1	1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	1.0		<1	<1	<1	1	1	2	2
6-12 YRS	12	1.8	2	<1	<1	1	2	4	6	6
13-19 YRS	9	2.6	5	1	1	1	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	2.8	3	1	1	4	4	4	4	4
13-19 YRS	5	2.8	6	1	1	2	3	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.2		<1	<1	1	1	2	2	3
B. *Operated*	42	1.6	2	<1	<1	1	1	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	8	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	12	2.5	4	1	1	2	4	5	7	7
1. SINGLE DX	79	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX	20	2.2	3	<1	<1	2	3	4	6	7
A. NOT OPERATED	45	1.3		<1	<1	1	1	2	3	4
B. OPERATED	54	1.8	2	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	49	1.1		<1	<1	1	1	1	2	2
6-12 YRS	29	1.8	2	<1	<1	1	2	4	4	6
13-19 YRS	21	2.3	4	1	1	2	3	6	7	7
GRAND TOTAL	**99**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	59	1.8	1	<1	1	1	2	3	5	6
1-11 MOS	286	1.5	1	<1	<1	1	2	2	3	5
1-5 YRS	1216	1.2	1	<1	<1	1	1	2	2	5
6-12 YRS	446	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	216	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	58	1.9	3	<1	1	1	2	4	5	9
1-5 YRS	476	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	98	1.8	3	<1	<1	1	2	4	5	11
13-19 YRS	73	2.3	4	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	53	2.4	5	1	1	2	3	5	8	12
1-11 MOS	144	2.5	7	<1	1	2	3	5	6	15
1-5 YRS	284	2.0	3	<1	1	1	2	4	5	9
6-12 YRS	81	2.0	3	<1	<1	1	2	4	5	11
13-19 YRS	88	2.3	4	<1	<1	2	3	5	7	9
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	34	4.5	19	1	1	3	7	11	12	22
1-5 YRS	169	3.7	33	<1	1	2	4	7	10	34
6-12 YRS	38	3.7	17	<1	1	2	5	7	13	21
13-19 YRS	47	4.0	14	<1	<1	2	6	11	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2223	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	705	1.8	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	650	2.2	4	<1	1	1	3	4	6	10
B. *Operated*	289	3.9	26	<1	1	2	5	8	12	22
1. SINGLE DX	2928	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	939	2.7	12	<1	1	2	3	6	8	14
A. NOT OPERATED	2873	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	994	2.4	10	<1	<1	1	3	5	7	13
TOTAL 0-27 DYS	113	2.2	4	<1	1	1	3	4	6	12
1-11 MOS	522	2.0	5	<1	<1	1	2	4	5	11
1-5 YRS	2145	1.6	4	<1	<1	1	2	3	4	8
6-12 YRS	663	1.6	3	<1	<1	1	2	3	4	9
13-19 YRS	424	2.1	4	<1	<1	1	2	5	6	12
GRAND TOTAL	**3867**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	9.3	40	3	3	6	14	18	21	22
1-5 YRS	70	6.0	34	1	1	5	8	13	16	33
6-12 YRS	29	6.5	26	1	1	6	9	14	18	19
13-19 YRS	31	6.5	30	1	1	4	10	16	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS	14	12.8	235	1	2	6	13	38	46	48
1-5 YRS	99	10.2	121	1	2	6	15	23	33	54
6-12 YRS	100	8.5	66	1	2	7	9	17	30	39
13-19 YRS	94	8.7	64	1	1	6	11	20	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	33	8.2	79	1	2	5	10	19	31	38
1-5 YRS	137	8.3	66	1	1	7	10	19	26	36
6-12 YRS	50	7.2	47	1	1	5	8	15	19	34
13-19 YRS	76	6.8	30	1	1	5	10	14	15	25
B. *Operated*										
0-27 DYS										
1-11 MOS	43	15.0	179	1	2	12	22	36	41	57
1-5 YRS	215	16.9	190	1	3	14	24	34	47	79
6-12 YRS	139	18.9	349	2	4	13	23	41	59	98
13-19 YRS	203	16.3	223	2	3	12	21	38	49	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	6.5	32	1	1	5	9	15	17	23
B. *Operated*	307	9.3	91	1	2	6	11	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	296	7.7	55	1	1	6	10	15	25	34
B. *Operated*	600	17.0	237	2	3	13	23	38	49	92
1. SINGLE DX	452	8.4	74	1	1	6	10	18	26	42
2. MULTIPLE DX	896	13.9	196	1	2	10	18	32	44	83
A. NOT OPERATED	441	7.3	48	1	1	5	10	15	22	33
B. OPERATED	907	14.4	201	1	2	9	20	34	44	83
TOTAL 0-27 DYS										
1-11 MOS	105	11.7	141	1	2	7	14	32	37	52
1-5 YRS	521	11.9	142	1	2	8	16	27	36	63
6-12 YRS	318	12.7	213	1	2	8	15	31	39	90
13-19 YRS	404	12.0	154	1	2	8	15	26	38	64
GRAND TOTAL	**1348**	**12.1**	**162**	**1**	**2**	**8**	**15**	**28**	**38**	**66**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	3.0	2	1	1	3	4	4	4	4
1-11 MOS	162	3.8	14	1	1	3	5	8	12	19
1-5 YRS	622	4.8	19	1	1	3	7	10	13	20
6-12 YRS	159	5.1	22	1	1	4	7	11	15	20
13-19 YRS	207	4.0	15	1	1	3	5	9	11	22
B. *Operated*										
0-27 DYS	2	13.0	162	4	4	13	22	22	22	22
1-11 MOS	26	7.3	48	1	1	4	11	18	20	27
1-5 YRS	120	8.6	75	1	1	6	11	20	30	40
6-12 YRS	57	10.3	167	1	2	7	12	21	31	78
13-19 YRS	71	9.3	132	1	2	7	12	16	20	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	4	2	2	4	5	6	6	6
1-11 MOS	363	5.4	21	1	1	4	8	12	15	20
1-5 YRS	1389	5.9	36	1	1	4	8	12	16	24
6-12 YRS	360	5.7	26	1	1	4	8	12	15	24
13-19 YRS	602	4.6	19	1	1	3	6	10	12	21
B. *Operated*										
0-27 DYS	3	29.3	1785	2	2	8	60	78	78	78
1-11 MOS	50	10.9	143	1	1	6	12	26	38	54
1-5 YRS	290	11.6	138	1	2	8	15	25	34	61
6-12 YRS	121	12.9	158	1	2	8	19	28	40	59
13-19 YRS	188	9.6	89	1	2	7	12	24	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1155	4.5	18	1	1	3	6	10	13	20
B. *Operated*	276	9.0	106	1	1	6	11	20	24	46
2. MULTIPLE DX										
A. *Not Operated*	2717	5.5	29	1	1	4	7	12	15	23
B. *Operated*	652	11.3	135	1	2	8	14	25	35	55
1. SINGLE DX	1431	5.4	38	1	1	4	7	12	16	28
2. MULTIPLE DX	3369	6.6	55	1	1	5	8	14	19	37
A. NOT OPERATED	3872	5.2	26	1	1	4	7	11	15	22
B. OPERATED	928	10.6	128	1	2	7	13	24	32	55
TOTAL 0-27 DYS	13	10.8	436	1	2	4	6	33	70	78
1-11 MOS	601	5.5	33	1	1	4	7	12	16	26
1-5 YRS	2421	6.4	50	1	1	5	8	14	19	33
6-12 YRS	697	7.2	68	1	1	5	9	16	22	43
13-19 YRS	1068	5.7	43	1	1	4	8	12	16	31
GRAND TOTAL	**4800**	**6.3**	**50**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	2.7	3	1	1	2	4	5	5	5
6-12 YRS	24	1.7	1	<1	1	1	2	3	5	5
13-19 YRS	83	3.3	27	<1	1	2	4	6	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	28	2.2	4	<1	1	2	3	5	6	10
6-12 YRS	42	2.0	2	<1	1	2	2	4	5	7
13-19 YRS	152	2.1	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	6.7	52	1	1	4	9	18	24	24
6-12 YRS	30	2.6	9	1	1	2	3	4	5	17
13-19 YRS	101	4.7	45	1	1	3	5	8	14	43
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.6	202	<1	<1	1	10	33	33	33
1-5 YRS	35	5.9	216	<1	<1	2	3	13	22	85
6-12 YRS	61	4.5	134	<1	1	2	3	6	35	97
13-19 YRS	267	3.1	23	<1	<1	2	3	5	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.9	21	<1	1	2	3	5	9	25
B. *Operated*	225	2.1	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	140	4.4	38	1	1	3	5	8	14	34
B. *Operated*	368	3.6	62	<1	1	2	3	6	11	45
1. SINGLE DX	339	2.4	9	<1	1	2	3	4	6	13
2. MULTIPLE DX	508	3.8	56	<1	1	2	4	7	12	44
A. NOT OPERATED	254	3.7	31	1	1	2	4	7	11	32
B. OPERATED	593	3.0	40	<1	1	2	3	4	9	38
TOTAL 0-27 DYS										
1-11 MOS	9	5.1	110	<1	<1	1	3	21	33	33
1-5 YRS	78	4.4	106	<1	1	2	4	9	17	68
6-12 YRS	157	3.0	55	1	1	2	3	4	6	76
13-19 YRS	603	3.1	23	<1	1	2	3	6	9	25
GRAND TOTAL	**847**	**3.2**	**37**	**<1**	**1**	**2**	**3**	**6**	**9**	**33**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	23	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	205	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	319	2.1	3	<1	1	1	2	4	6	10
13-19 YRS	501	2.2	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	38	5.1	42	<1	1	3	6	14	17	33
6-12 YRS	57	3.3	12	<1	1	2	4	7	12	19
13-19 YRS	187	3.7	21	<1	1	2	4	7	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	20	3.4	8	1	1	2	5	8	9	9
1-5 YRS	195	3.2	9	1	1	2	4	6	8	18
6-12 YRS	289	3.0	18	1	1	2	3	5	9	18
13-19 YRS	618	3.0	18	<1	1	2	3	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.3	193	<1	<1	3	17	30	30	30
1-5 YRS	46	6.0	35	1	1	4	7	16	17	27
6-12 YRS	87	6.5	70	<1	1	3	8	14	24	42
13-19 YRS	254	7.2	86	1	1	4	8	15	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1050	2.1	3	<1	1	1	2	4	6	9
B. *Operated*	283	3.8	22	<1	1	2	4	8	13	27
2. MULTIPLE DX										
A. *Not Operated*	1124	3.0	16	1	1	2	3	6	8	16
B. *Operated*	391	6.9	77	1	1	4	8	15	25	54
1. SINGLE DX	1333	2.4	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	1515	4.0	35	1	1	2	4	8	13	34
A. NOT OPERATED	2174	2.6	10	<1	1	2	3	5	7	14
B. OPERATED	674	5.6	56	<1	1	3	6	13	19	43
TOTAL 0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	48	3.0	20	<1	<1	2	4	7	9	30
1-5 YRS	484	3.1	13	1	1	2	3	6	9	18
6-12 YRS	752	3.1	19	1	1	2	3	6	10	20
13-19 YRS	1560	3.5	28	<1	1	2	4	7	10	32
GRAND TOTAL	**2848**	**3.3**	**23**	**<1**	**1**	**2**	**4**	**7**	**10**	**25**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.9	13	1	1	1	3	9	12	12
1-11 MOS	153	1.4	2	<1	<1	1	1	2	3	11
1-5 YRS	3051	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	353	1.9	3	<1	1	1	2	3	5	10
13-19 YRS	2899	1.9	2	<1	<1	1	2	4	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.4	5	<1	<1	2	3	6	8	8
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	4.2	3	2	2	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	114	3.1	25	1	1	2	3	5	9	31
1-5 YRS	1163	2.0	5	<1	1	1	2	4	5	9
6-12 YRS	456	3.7	32	1	1	2	4	7	10	38
13-19 YRS	5962	3.9	44	<1	1	2	4	7	13	37
B. *Operated*										
0-27 DYS										
1-11 MOS	3	18.3	202	2	2	25	27	28	28	28
1-5 YRS	22	6.0	22	1	2	4	9	12	16	20
6-12 YRS	6	5.8	44	1	1	4	5	18	19	19
13-19 YRS	73	11.9	217	1	1	6	17	41	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6465	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	15	2.9	5	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	7698	3.6	38	<1	1	2	3	6	11	33
B. *Operated*	104	10.5	171	1	1	5	13	28	47	99+
1. SINGLE DX	6480	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	7802	3.6	40	<1	1	2	4	7	11	36
A. NOT OPERATED	14163	2.7	22	<1	1	1	3	5	7	24
B. OPERATED	119	9.6	156	1	1	5	11	27	44	99+
TOTAL 0-27 DYS	12	2.9	10	1	1	2	3	7	11	12
1-11 MOS	270	2.3	16	<1	1	1	2	4	7	29
1-5 YRS	4245	1.5	2	<1	<1	1	2	3	4	7
6-12 YRS	816	2.9	20	1	1	2	3	5	8	23
13-19 YRS	8939	3.3	33	<1	1	2	3	6	10	31
GRAND TOTAL	**14282**	**2.7**	**24**	**<1**	**1**	**1**	**3**	**5**	**8**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		1	1	1	1	2	2	2
1-11 MOS	136	1.5	1	<1	<1	1	2	3	3	6
1-5 YRS	1989	2.0	4	<1	1	1	2	5	6	10
6-12 YRS	444	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	653	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	19	3.2	7	1	1	2	5	6	9	11
6-12 YRS	6	2.8	13	1	1	2	2	9	10	10
13-19 YRS	16	4.1	7	1	2	3	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.2	30	1	1	2	10	14	14	14
1-11 MOS	63	2.9	12	<1	1	2	3	8	10	18
1-5 YRS	1003	2.9	12	1	1	2	3	6	7	14
6-12 YRS	162	3.0	30	<1	1	2	4	6	7	13
13-19 YRS	531	3.3	41	<1	1	2	3	5	10	37
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	17	10.3	142	1	1	6	13	32	37	38
6-12 YRS	9	16.9	299	2	3	10	25	47	49	49
13-19 YRS	40	7.8	87	<1	1	5	10	14	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3228	1.8	3	<1	1	1	2	4	6	9
B. *Operated*	42	3.4	7	1	1	2	5	7	10	11
2. MULTIPLE DX										
A. *Not Operated*	1765	3.0	22	<1	1	2	3	6	8	22
B. *Operated*	67	9.8	132	1	1	6	11	26	39	50
1. SINGLE DX	3270	1.9	3	<1	1	1	2	4	6	9
2. MULTIPLE DX	1832	3.3	28	<1	1	2	3	6	9	30
A. NOT OPERATED	4993	2.3	10	<1	1	1	2	5	6	13
B. OPERATED	109	7.3	93	1	1	4	8	16	31	49
TOTAL 0-27 DYS	13	4.2	29	1	1	1	5	14	16	16
1-11 MOS	200	1.9	5	<1	1	1	2	3	6	13
1-5 YRS	3028	2.3	8	<1	1	1	2	5	7	13
6-12 YRS	621	2.2	16	<1	1	1	2	4	6	11
13-19 YRS	1240	2.6	23	<1	<1	1	2	4	7	29
GRAND TOTAL	**5102**	**2.4**	**13**	**<1**	**1**	**1**	**2**	**5**	**7**	**14**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	2.0	2	<1	<1	1	3	4	5	5
1-11 MOS	114	2.3	7	<1	1	2	3	4	5	15
1-5 YRS	607	2.3	15	1	1	1	2	4	6	19
6-12 YRS	319	2.5	6	<1	1	2	3	5	7	12
13-19 YRS	424	2.1	5	<1	1	2	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	5.9	13	1	1	5	9	11	11	11
6-12 YRS	6	2.5	2	<1	<1	2	3	5	5	5
13-19 YRS	12	6.8	21	<1	1	7	9	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	4.3	11	1	1	4	5	7	12	16
1-11 MOS	250	4.1	15	1	1	2	5	9	12	19
1-5 YRS	676	4.0	29	1	1	2	5	8	12	33
6-12 YRS	387	3.6	39	1	1	2	4	6	9	33
13-19 YRS	583	3.2	12	1	1	2	4	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	19	16.4	347	<1	1	8	21	49	52	54
1-5 YRS	36	18.0	302	2	3	13	33	55	82	99+
6-12 YRS	26	5.7	88	<1	1	2	7	21	53	99+
13-19 YRS	38	11.4	257	1	1	5	14	41	51	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1474	2.3	9	<1	1	2	3	4	6	12
B. *Operated*	28	5.4	16	<1	1	5	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	1916	3.7	24	1	1	2	4	8	11	24
B. *Operated*	119	13.0	264	1	1	6	17	47	55	99+
1. SINGLE DX	1502	2.4	10	<1	1	2	3	4	6	14
2. MULTIPLE DX	2035	4.2	42	1	1	2	4	9	13	44
A. NOT OPERATED	3390	3.1	18	1	1	2	3	6	9	21
B. OPERATED	147	11.5	225	1	1	5	14	44	55	99+
TOTAL 0-27 DYS	30	3.5	9	<1	1	3	4	6	8	16
1-11 MOS	384	4.1	37	1	1	2	5	9	13	39
1-5 YRS	1328	3.6	36	1	1	2	4	7	12	42
6-12 YRS	738	3.2	26	1	1	2	3	6	9	26
13-19 YRS	1057	3.1	21	<1	1	2	3	6	9	23
GRAND TOTAL	**3537**	**3.4**	**29**	**1**	**1**	**2**	**4**	**7**	**10**	**30**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	31	2.5	4	<1	<1	2	3	5	7	10
1-5 YRS	77	2.5	8	<1	1	1	3	6	8	15
6-12 YRS	60	3.2	9	<1	1	2	4	8	10	14
13-19 YRS	85	3.6	7	<1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	8	4.8	13	2	2	4	5	11	13	13
1-11 MOS	191	5.6	35	1	1	4	7	12	19	31
1-5 YRS	383	4.6	16	1	1	4	5	9	14	22
6-12 YRS	366	4.2	14	<1	1	3	5	8	11	21
13-19 YRS	509	4.2	17	<1	1	3	5	9	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	84	5.7	41	1	1	3	7	14	19	34
1-5 YRS	219	5.2	36	<1	1	3	6	12	18	30
6-12 YRS	135	5.2	24	1	1	4	7	11	15	25
13-19 YRS	189	5.2	26	1	1	4	7	10	15	23
B. *Operated*										
0-27 DYS	15	14.1	123	2	3	12	24	37	81	99+
1-11 MOS	438	10.2	116	2	2	6	14	25	31	53
1-5 YRS	847	8.3	100	1	1	5	10	20	27	53
6-12 YRS	685	7.0	61	1	1	4	8	16	23	43
13-19 YRS	865	7.9	69	1	2	5	10	18	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	3.1	7	<1	1	2	4	7	9	13
B. *Operated*	1457	4.5	19	<1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	628	5.2	31	1	1	3	7	12	17	26
B. *Operated*	2850	8.2	85	1	2	5	10	19	27	49
1. SINGLE DX	1711	4.3	17	<1	1	3	5	8	12	25
2. MULTIPLE DX	3478	7.7	77	1	1	5	9	18	25	46
A. NOT OPERATED	882	4.6	25	1	1	3	6	10	14	25
B. OPERATED	4307	6.9	66	1	1	4	8	16	24	43
TOTAL 0-27 DYS	25	10.3	99	1	2	6	13	31	50	99+
1-11 MOS	744	8.2	88	1	2	5	10	19	27	44
1-5 YRS	1526	6.6	69	1	1	4	8	15	22	45
6-12 YRS	1246	5.8	43	1	1	4	7	13	19	33
13-19 YRS	1648	6.2	48	1	1	4	8	14	20	35
GRAND TOTAL	**5189**	**6.5**	**59**	**1**	**1**	**4**	**8**	**15**	**22**	**40**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	14	1.2		<1	<1	1	1	2	2	2
1-5 YRS	197	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	326	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	289	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	173	1.6	2	<1	<1	1	2	3	4	7
6-12 YRS	259	1.4		<1	1	1	2	2	3	4
13-19 YRS	324	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	14	2.9	4	1	1	3	4	5	7	8
1-5 YRS	54	2.1	4	<1	1	1	2	4	7	10
6-12 YRS	63	1.9	2	<1	1	2	2	4	4	8
13-19 YRS	85	3.0	8	1	1	2	4	7	8	16
B. *Operated*										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	5	2.2	1	<1	<1	3	3	3	3	3
1-5 YRS	51	2.5	7	1	1	2	3	5	9	15
6-12 YRS	72	2.2	5	1	1	1	3	4	5	13
13-19 YRS	73	3.4	15	1	1	2	4	9	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	1.6	1	<1	<1	1	2	3	3	7
B. *Operated*	765	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	221	2.4	5	<1	1	2	3	5	7	10
B. *Operated*	203	2.7	9	1	1	2	3	5	10	16
1. SINGLE DX	1594	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	424	2.6	7	1	1	2	3	5	8	15
A. NOT OPERATED	1050	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	968	1.9	4	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	11	1.9	1	<1	<1	2	2	3	4	4
1-11 MOS	41	2.0	2	<1	1	1	3	4	5	8
1-5 YRS	475	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	720	1.6	1	<1	<1	1	2	3	4	5
13-19 YRS	771	2.2	5	<1	1	1	2	4	6	13
GRAND TOTAL	**2018**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7209	3.6	10	1	1	3	4	6	8	15
1-11 MOS	22179	3.6	14	<1	<1	3	4	7	10	19
1-5 YRS	72797	2.7	12	<1	<1	2	3	6	8	19
6-12 YRS	83520	2.9	16	<1	1	2	3	6	8	21
13-19 YRS	217085	3.1	14	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	28752	11.4	244	2	2	5	12	32	53	99+
1-11 MOS	29886	6.2	62	1	1	4	7	12	19	47
1-5 YRS	79940	4.1	35	<1	1	2	4	9	13	31
6-12 YRS	63469	4.5	49	<1	1	2	5	9	15	39
13-19 YRS	160824	5.2	53	1	1	3	5	10	15	43
TOT. SINGLE DX	402790	3.0	14	<1	1	2	3	5	8	18
" MULTIPLE DX	362871	5.4	68	1	1	3	6	11	18	50
TOTAL 0-27 DYS	35961	9.9	207	1	2	5	10	27	46	97
1-11 MOS	52065	5.1	43	<1	1	3	6	10	15	36
1-5 YRS	152737	3.5	25	<1	<1	2	4	7	11	25
6-12 YRS	146989	3.6	31	<1	1	2	4	7	11	29
13-19 YRS	377909	4.0	32	1	1	3	4	7	10	30
GRAND TOTAL	765661	4.1	41	<1	1	3	4	8	12	36

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.4	8	1	1	3	4	8	10	10
1-11 MOS	17	3.9	7	1	1	3	6	7	9	10
1-5 YRS	52	4.5	11	1	2	4	6	8	11	18
6-12 YRS	79	4.8	7	1	2	4	6	9	10	13
13-19 YRS	162	4.7	10	1	2	4	6	9	11	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	6.8	32	1	1	5	10	16	16	16
1-5 YRS	50	5.7	25	<1	1	4	8	12	19	22
6-12 YRS	89	7.2	42	2	2	5	9	14	19	39
13-19 YRS	138	7.5	27	1	3	6	10	14	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.5	3	1	1	3	4	6	8	8
1-11 MOS	22	7.1	19	2	2	5	11	13	15	18
1-5 YRS	69	4.2	12	1	1	3	5	8	11	19
6-12 YRS	81	6.2	17	2	2	5	8	11	15	21
13-19 YRS	150	6.1	20	2	2	5	8	11	15	26
B. *Operated*										
0-27 DYS	4	11.5	63	4	4	10	18	21	21	21
1-11 MOS	11	10.7	104	<1	<1	5	20	25	29	29
1-5 YRS	62	9.5	69	1	1	8	13	20	25	44
6-12 YRS	76	10.6	78	2	2	8	14	19	25	45
13-19 YRS	196	12.5	151	2	3	9	15	24	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	4.6	9	1	2	4	6	9	11	14
B. *Operated*	287	7.1	31	1	2	6	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*	332	5.7	18	1	2	5	7	11	14	21
B. *Operated*	349	11.5	119	1	2	9	15	23	28	56
1. SINGLE DX	605	5.8	21	1	2	5	7	11	14	21
2. MULTIPLE DX	681	8.7	78	1	2	6	11	18	24	49
A. NOT OPERATED	650	5.2	14	1	2	4	7	10	12	18
B. OPERATED	636	9.5	84	1	2	7	12	18	25	51
TOTAL 0-27 DYS	23	4.8	23	1	1	3	4	11	17	21
1-11 MOS	59	6.8	37	1	1	5	10	16	20	28
1-5 YRS	233	6.0	34	1	1	4	8	13	18	26
6-12 YRS	325	7.1	39	2	2	5	9	14	18	39
13-19 YRS	646	8.0	68	2	2	6	10	15	21	50
GRAND TOTAL	**1286**	**7.3**	**53**	**1**	**2**	**5**	**9**	**15**	**19**	**38**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	23	2.7	3	1	1	2	4	5	6	6
1-5 YRS	62	2.3	4	<1	1	2	3	5	7	12
6-12 YRS	37	2.5	9	1	1	1	3	5	7	17
13-19 YRS	93	3.5	10	1	1	2	5	8	11	14
B. *Operated*										
0-27 DYS	4	4.5	19	1	1	4	8	10	10	10
1-11 MOS	18	5.4	26	<1	1	4	7	11	17	21
1-5 YRS	78	4.8	23	<1	1	3	6	12	15	23
6-12 YRS	56	3.9	29	<1	<1	2	3	7	13	32
13-19 YRS	125	4.8	30	<1	1	3	6	10	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.7	44	<1	<1	2	4	17	18	18
1-11 MOS	34	3.9	14	1	1	3	5	8	14	17
1-5 YRS	160	3.0	14	<1	1	2	3	6	11	27
6-12 YRS	101	3.6	52	1	1	2	3	7	11	45
13-19 YRS	183	3.3	10	1	1	2	5	7	10	15
B. *Operated*										
0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	60	11.3	266	1	1	5	12	32	49	99+
1-5 YRS	152	6.0	50	<1	1	4	7	15	23	40
6-12 YRS	115	4.7	48	<1	1	2	6	11	14	43
13-19 YRS	191	7.1	69	1	1	4	9	18	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.9	7	1	1	2	4	6	8	14
B. *Operated*	281	4.7	27	<1	1	3	6	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	484	3.3	21	1	1	2	4	7	11	22
B. *Operated*	520	6.7	85	1	1	3	8	17	26	51
1. SINGLE DX	501	3.9	19	<1	1	2	5	8	12	23
2. MULTIPLE DX	1004	5.1	57	1	1	2	6	12	19	40
A. NOT OPERATED	704	3.2	17	1	1	2	4	7	10	18
B. OPERATED	801	6.0	65	1	1	3	7	14	22	40
TOTAL 0-27 DYS	17	4.1	23	<1	<1	2	4	12	16	18
1-11 MOS	135	7.2	139	1	1	4	7	21	30	96
1-5 YRS	452	4.2	29	<1	1	2	5	10	16	33
6-12 YRS	309	3.9	42	1	1	2	4	9	13	35
13-19 YRS	592	4.9	36	1	1	3	6	11	17	31
GRAND TOTAL	**1505**	**4.7**	**45**	**1**	**1**	**2**	**5**	**11**	**17**	**34**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	25	1.7	1	1	1	2	2	2	3	5
1-5 YRS	57	2.7	6	1	1	2	3	5	6	16
6-12 YRS	21	2.8	3	1	1	2	3	5	7	9
13-19 YRS	18	3.0	4	<1	1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	34	2.6	3	<1	1	2	4	5	7	8
1-5 YRS	71	3.0	3	1	1	2	4	5	6	8
6-12 YRS	21	3.8	15	1	1	3	4	8	13	17
13-19 YRS	31	5.2	91	1	1	3	5	7	12	55
B. *Operated*										
0-27 DYS										
1-11 MOS	3	16.7	602	2	2	3	34	45	45	45
1-5 YRS	5	11.2	80	4	4	7	16	26	26	26
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	6	32.3	510	<1	1	38	44	60	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.6	4	1	1	2	3	5	6	11
B. *Operated*	3	1.7		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	158	3.4	22	1	1	2	4	6	7	17
B. *Operated*	15	20.5	398	<1	2	11	40	45	58	62
1. SINGLE DX	124	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	173	4.9	76	1	1	3	4	7	13	53
A. NOT OPERATED	279	3.1	15	1	1	2	4	6	7	15
B. OPERATED	18	17.3	380	<1	1	7	34	45	55	62
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	63	2.9	31	1	1	2	3	5	6	40
1-5 YRS	135	3.1	9	1	1	2	4	6	7	18
6-12 YRS	43	3.4	9	1	1	3	4	7	9	17
13-19 YRS	55	7.5	177	<1	1	3	6	12	43	62
GRAND TOTAL	**297**	**3.9**	**47**	**1**	**1**	**2**	**4**	**6**	**8**	**45**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.8	3	<1	<1	<1	2	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	45	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	4	3.8	4	1	1	4	5	5	5	5
13-19 YRS	55	2.6	4	<1	<1	2	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	52	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	60	2.7	4	<1	<1	2	4	5	6	11
1. SINGLE DX	52	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	64	2.6	4	<1	1	2	4	5	6	11
A. NOT OPERATED	4	1.0		1	1	1	1	1	1	1
B. OPERATED	112	2.4	3	<1	<1	2	3	5	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	1.8	3	<1	<1	1	2	5	5	5
1-5 YRS										
6-12 YRS	5	3.4	3	1	1	4	5	5	5	5
13-19 YRS	104	2.3	3	<1	<1	2	3	4	5	9
GRAND TOTAL	**116**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**5**	**9**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	8.5	1	8	8	8	9	9	9	9
1000-1499	6	35.7	188	18	19	34	50	52	52	52
1500-1749	14	17.1	51	7	8	20	23	24	27	28
1750-2499	6625	3.0	3	1	1	3	4	5	6	10
2500+	443868	2.7	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	5	38.0	220	15	15	39	46	56	56	56
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	11	12.5	50	1	2	14	16	20	25	25
2500+	184	4.6	35	1	2	3	5	8	11	44
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	152	63.5	486	17	37	68	86	99	99+	99+
1000-1499	905	40.4	253	16	21	40	50	61	69	95
1500-1749	1320	24.3	96	11	13	23	29	36	42	54
1750-2499	20588	7.0	40	2	2	5	9	15	19	30
2500+	251050	3.6	4	1	2	3	4	6	7	10
B. *Operated*										
1-999 G	284	72.0	465	27	56	89	99+	99+	99+	99+
1000-1499	894	50.8	333	23	30	51	66	89	99+	99+
1500-1749	597	33.6	180	16	20	32	40	52	62	94
1750-2499	1998	17.3	169	3	5	15	22	31	42	80
2500+	5676	7.6	63	1	2	5	9	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450515	2.8	2	1	1	3	3	4	5	7
B. *Operated*	201	5.9	69	1	2	3	5	12	18	48
2. MULTIPLE DX										
A. *Not Operated*	274015	4.1	17	1	2	3	5	6	8	21
B. *Operated*	9449	17.3	399	2	3	9	24	54	79	99+
1. SINGLE DX	450716	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	283464	4.5	36	1	2	3	5	7	10	34
A. NOT OPERATED	724530	3.3	8	1	1	3	4	5	6	12
B. OPERATED	9650	17.1	395	2	3	9	24	53	78	99+
TOTAL 1-999 G	438	68.8	502	22	47	84	99+	99+	99+	99+
1000-1499	1810	45.5	319	18	24	45	58	75	92	99+
1500-1749	1932	27.1	140	11	14	25	33	42	49	71
1750-2499	29222	6.8	51	1	2	4	8	15	20	34
2500+	700778	3.1	3	1	1	3	4	5	6	8
GRAND TOTAL	**734180**	**3.4**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	27.5	247	13	13	25	40	46	46	46
1500-1749	9	18.2	52	8	10	16	22	29	32	32
1750-2499	879	4.7	7	2	2	4	5	7	9	16
2500+	3917	4.1	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749										
1750-2499	1	19.0		19	19	19	19	19	19	19
2500+	3	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	18	59.6	924	10	13	71	92	99+	99+	99+
1000-1499	170	40.6	261	18	23	39	51	60	70	93
1500-1749	329	24.5	105	12	14	23	29	37	44	62
1750-2499	3430	9.0	48	3	3	7	12	18	22	32
2500+	3258	5.3	10	2	3	5	6	7	9	20
B. *Operated*										
1-999 G	52	63.0	648	15	33	88	99+	99+	99+	99+
1000-1499	197	51.4	381	22	30	50	68	88	99+	99+
1500-1749	133	31.3	130	15	19	30	37	46	52	70
1750-2499	367	18.6	142	5	6	17	25	32	37	72
2500+	100	9.9	119	2	4	7	10	17	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4809	4.3	5	2	2	4	5	6	7	11
B. *Operated*	5	16.0	318	5	5	5	26	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	7205	8.9	88	2	3	6	10	19	27	51
B. *Operated*	849	29.9	500	5	7	26	46	79	99+	99+
1. SINGLE DX	4814	4.3	5	2	2	4	5	6	7	11
2. MULTIPLE DX	8054	11.1	173	3	3	6	13	26	40	87
A. NOT OPERATED	12014	7.0	60	2	3	5	7	14	21	43
B. OPERATED	854	29.8	500	5	7	26	46	78	99+	99+
TOTAL 1-999 G	70	62.1	709	14	23	84	99+	99+	99+	99+
1000-1499	372	46.2	355	19	24	44	58	79	91	99+
1500-1749	471	26.3	121	12	14	25	32	39	48	66
1750-2499	4677	9.0	58	2	3	6	12	18	24	36
2500+	7278	4.7	8	2	2	4	6	7	8	14
GRAND TOTAL	**12868**	**8.6**	**121**	**2**	**3**	**5**	**8**	**19**	**30**	**71**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	51	2.8	4	1	1	3	3	5	5	14
2500+	1177	2.2	2	<1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	49.5	950	25	25	59	92	99+	99+	99+
1000-1499	17	44.4	281	22	30	42	49	56	83	98
1500-1749	21	27.2	78	10	14	29	31	36	43	49
1750-2499	209	7.9	59	1	2	5	11	18	20	39
2500+	621	3.6	11	1	1	3	4	7	9	14
B. *Operated*										
1-999 G	4	58.0	686	23	30	86	99+	99+	99+	99+
1000-1499	7	62.6	589	35	36	72	81	92	94	94
1500-1749	8	25.5	43	16	17	26	31	33	34	34
1750-2499	28	16.9	254	2	4	12	22	34	60	66
2500+	38	6.2	39	1	1	4	7	14	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	2.3	2	<1	1	2	3	3	4	6
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	872	6.2	85	1	1	3	6	13	26	49
B. *Operated*	85	18.6	479	1	2	11	28	66	87	99+
1. SINGLE DX	1229	2.3	2	<1	1	2	3	3	4	6
2. MULTIPLE DX	957	7.3	132	1	1	3	7	18	31	76
A. NOT OPERATED	2100	3.9	40	1	1	2	3	6	12	36
B. OPERATED	86	18.5	476	1	2	10	28	66	86	99+
TOTAL 1-999 G	8	53.8	722	23	24	75	99+	99+	99+	99+
1000-1499	24	49.7	420	26	32	42	55	83	95	98
1500-1749	29	26.8	67	10	16	28	31	35	39	49
1750-2499	288	7.9	80	1	2	5	10	18	23	52
2500+	1837	2.8	6	1	1	2	3	5	6	12
GRAND TOTAL	**2186**	**4.5**	**65**	**1**	**1**	**2**	**4**	**8**	**16**	**48**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	7	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	17	2.6	4	<1	<1	2	4	4	7	8
13-19 YRS	20	2.1	4	<1	<1	1	2	5	7	9
B. *Operated*										
0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	13	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	142	1.8	1	<1	<1	1	2	3	4	6
6-12 YRS	373	2.0	2	<1	<1	2	3	4	4	8
13-19 YRS	1813	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	4.1	43	<1	<1	1	4	13	22	23
6-12 YRS	19	2.7	17	<1	<1	1	2	6	13	18
13-19 YRS	36	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	7	6.6	137	<1	<1	3	4	27	33	33
1-5 YRS	139	2.2	3	<1	<1	2	3	4	5	9
6-12 YRS	250	2.8	4	<1	<1	2	3	5	6	12
13-19 YRS	512	3.1	8	<1	1	2	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.1	3	<1	<1	1	3	4	6	9
B. *Operated*	2344	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	66	2.2	13	<1	<1	1	2	4	7	22
B. *Operated*	908	2.9	7	<1	<1	2	3	5	7	12
1. SINGLE DX	2391	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	974	2.9	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	113	2.2	9	<1	<1	1	2	4	7	20
B. OPERATED	3252	2.3	4	<1	<1	2	3	4	5	9
TOTAL 0-27 DYS	3	2.0	1	<1	<1	2	3	3	3	3
1-11 MOS	23	3.1	43	<1	<1	1	3	3	14	33
1-5 YRS	299	2.0	4	<1	<1	2	2	3	4	8
6-12 YRS	659	2.4	3	<1	<1	2	3	4	5	9
13-19 YRS	2381	2.4	3	<1	<1	2	3	4	5	9
GRAND TOTAL	**3365**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	36	1.1		<1	<1	<1	<1	1	2	3
1-5 YRS	11	2.0	4	1	1	1	3	5	7	7
6-12 YRS	17	1.9	5	1	1	1	1	5	8	9
13-19 YRS	18	1.8	1	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	13	3	3	5	9	10	10	10
13-19 YRS	8	3.8	8	2	2	3	4	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	2	<1	<1	<1	2	4	4	4
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	82	1.5	2	<1	<1	1	1	3	5	8
B. *Operated*	11	4.4	9	2	2	3	5	10	10	10
1. SINGLE DX	6	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	93	1.9	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	87	1.6	2	<1	<1	1	1	3	5	8
B. OPERATED	12	4.2	9	2	2	3	5	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	38	1.1		<1	<1	<1	<1	1	2	3
1-5 YRS	11	2.0	4	1	1	1	3	5	7	7
6-12 YRS	23	2.4	7	<1	1	1	3	6	9	10
13-19 YRS	27	2.4	4	<1	1	2	3	5	6	10
GRAND TOTAL	**99**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	308	2.7	8	<1	<1	2	3	5	8	15
1-11 MOS	434	2.2	4	<1	<1	1	3	4	5	11
1-5 YRS	796	2.2	10	<1	<1	1	2	4	6	13
6-12 YRS	522	2.9	17	<1	<1	1	3	6	9	23
13-19 YRS	1324	2.2	18	<1	<1	1	2	4	5	19
B. *Operated*										
0-27 DYS	5	5.8	13	1	1	6	7	11	11	11
1-11 MOS	98	5.3	15	<1	<1	5	8	10	11	16
1-5 YRS	308	2.9	10	<1	<1	2	3	8	9	15
6-12 YRS	328	2.4	5	<1	<1	2	3	5	7	11
13-19 YRS	828	2.8	9	<1	<1	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	306	5.8	72	1	1	3	6	12	22	48
1-11 MOS	530	3.2	20	<1	<1	2	4	7	9	23
1-5 YRS	2171	3.0	19	<1	<1	2	3	5	7	25
6-12 YRS	2052	3.3	21	<1	1	2	4	6	9	25
13-19 YRS	2975	4.5	91	<1	1	2	4	7	16	71
B. *Operated*										
0-27 DYS	7	13.7	649	<1	<1	3	9	59	71	71
1-11 MOS	218	6.2	48	1	1	5	9	12	19	49
1-5 YRS	808	4.1	36	<1	1	2	5	9	13	35
6-12 YRS	551	3.6	38	<1	1	2	4	8	12	32
13-19 YRS	1032	4.8	76	<1	<1	2	5	10	15	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3384	2.4	13	<1	<1	1	3	4	6	17
B. *Operated*	1567	2.9	9	<1	<1	2	3	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	8034	3.8	49	<1	1	2	4	6	11	44
B. *Operated*	2616	4.5	55	<1	1	2	5	10	14	47
1. SINGLE DX	4951	2.5	12	<1	<1	1	3	5	8	15
2. MULTIPLE DX	10650	3.9	50	<1	1	2	4	7	12	45
A. NOT OPERATED	11418	3,3	39	<1	<1	2	4	6	9	36
B. OPERATED	4183	3.9	38	<1	<1	2	4	9	11	32
TOTAL 0-27 DYS	626	4.4	48	<1	<1	2	4	9	15	42
1-11 MOS	1280	3.5	21	<1	<1	2	4	8	11	21
1-5 YRS	4083	3.0	20	<1	<1	2	3	6	9	24
6-12 YRS	3453	3.2	22	<1	<1	2	4	6	10	25
13-19 YRS	6159	3.9	63	<1	<1	2	4	7	11	55
GRAND TOTAL	**15601**	**3.5**	**39**	**<1**	**<1**	**2**	**4**	**7**	**10**	**35**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	60	8.5	51	1	1	7	11	20	23	32
1-5 YRS	120	7.9	65	<1	1	6	10	16	23	43
6-12 YRS	115	8.8	35	1	3	8	11	15	18	38
13-19 YRS	142	9.1	30	1	2	9	12	16	20	26
2. MULTIPLE DX										
0-27 DYS	16	26.1	629	4	5	15	34	75	80	81
1-11 MOS	155	14.5	174	1	3	12	21	29	41	83
1-5 YRS	219	15.8	247	1	2	11	23	36	56	99+
6-12 YRS	186	15.4	221	3	4	11	19	31	46	98
13-19 YRS	231	21.2	363	2	4	15	30	54	65	99+
TOT. SINGLE DX	439	8.6	44	1	2	8	11	16	21	34
" MULTIPLE DX	807	17.2	275	2	3	12	22	41	60	99+
TOTAL 0-27 DYS	18	23.8	600	2	4	14	34	72	79	81
1-11 MOS	215	12.8	147	1	2	10	19	25	37	75
1-5 YRS	339	13.0	197	1	2	9	18	30	47	88
6-12 YRS	301	12.9	161	2	3	10	15	26	37	93
13-19 YRS	373	16.6	271	2	2	11	20	43	60	99
GRAND TOTAL	1246	14.2	211	1	2	10	18	31	48	92

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	133	6.1	22	2	3	5	7	9	13	31
1-5 YRS	71	7.6	38	2	3	6	8	14	22	31
6-12 YRS	96	7.3	21	3	3	6	9	14	16	25
13-19 YRS	81	9.3	51	3	4	8	12	15	18	45
2. MULTIPLE DX										
0-27 DYS	6	17.8	227	5	5	11	37	88	99+	99+
1-11 MOS	49	13.3	132	3	4	8	23	29	33	56
1-5 YRS	87	13.0	124	3	4	9	14	30	38	54
6-12 YRS	103	16.0	203	3	4	10	23	38	50	99+
13-19 YRS	171	19.8	266	5	6	15	30	50	76	99+
TOT. SINGLE DX	384	7.3	32	2	3	6	9	13	16	31
" MULTIPLE DX	416	16.6	211	4	5	11	24	43	54	99+
TOTAL 0-27 DYS	9	12.9	197	2	2	8	36	69	99+	99+
1-11 MOS	182	8.0	62	2	3	5	8	15	28	37
1-5 YRS	158	10.6	93	3	3	7	12	24	31	48
6-12 YRS	199	11.8	134	3	3	8	14	27	40	85
13-19 YRS	252	16.4	221	4	5	11	21	44	56	99+
GRAND TOTAL	800	12.2	147	3	4	8	14	30	43	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	4.9	11	1	1	4	6	11	11	11
1-11 MOS	298	5.1	5	2	3	5	6	8	9	16
1-5 YRS	135	5.2	8	2	2	5	6	8	10	15
6-12 YRS	156	5.3	13	2	2	4	7	9	11	17
13-19 YRS	88	4.9	7	2	2	4	6	9	10	15
2. MULTIPLE DX										
0-27 DYS	13	14.7	271	3	3	10	18	62	92	99+
1-11 MOS	96	7.2	25	3	4	6	9	12	15	31
1-5 YRS	118	8.7	60	2	3	7	10	17	22	47
6-12 YRS	108	9.7	195	2	2	6	9	18	30	85
13-19 YRS	151	9.9	87	2	3	7	11	21	33	57
TOT. SINGLE DX	688	5.1	8	2	2	5	6	8	10	15
" MULTIPLE DX	486	9.1	98	2	3	7	10	18	26	65
TOTAL 0-27 DYS	24	10.2	171	2	2	6	13	40	68	99+
1-11 MOS	394	5.6	11	2	3	5	7	9	11	17
1-5 YRS	253	6.8	36	2	3	5	7	11	18	36
6-12 YRS	264	7.1	92	2	2	5	8	11	16	67
13-19 YRS	239	8.0	64	2	2	6	9	17	23	52
GRAND TOTAL	1174	6.8	49	2	3	5	7	11	17	43

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	40	7.1	30	2	3	6	8	13	16	32
1-11 MOS	209	6.4	18	2	3	6	8	10	12	27
1-5 YRS	106	5.6	16	2	3	4	6	10	16	21
6-12 YRS	59	4.4	8	2	2	4	6	8	10	17
13-19 YRS	52	6.5	10	2	3	6	8	11	13	16
2. MULTIPLE DX										
0-27 DYS	113	33.6	699	7	8	29	64	99	99+	99+
1-11 MOS	260	12.8	192	3	3	8	14	29	41	78
1-5 YRS	181	9.8	109	2	3	7	12	21	33	99+
6-12 YRS	125	9.5	107	2	3	7	10	20	30	83
13-19 YRS	98	11.2	97	3	4	9	15	21	33	99+
TOT. SINGLE DX	466	6.0	17	2	3	5	7	10	13	23
" MULTIPLE DX	777	14.4	285	3	3	8	17	41	73	99+
TOTAL 0-27 DYS	153	26.7	661	3	4	18	54	92	99+	99+
1-11 MOS	469	9.9	125	2	3	7	10	23	30	74
1-5 YRS	287	8.3	79	2	3	6	9	18	24	87
6-12 YRS	184	7.9	81	2	2	5	9	17	22	67
13-19 YRS	150	9.6	72	3	3	8	12	17	26	99
GRAND TOTAL	1243	11.3	201	2	3	7	12	28	49	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	7.3	21	2	2	6	10	15	15	15
1-11 MOS	172	5.7	24	1	2	4	7	11	17	28
1-5 YRS	316	5.2	18	1	2	4	6	9	14	25
6-12 YRS	235	4.7	12	2	2	4	5	9	12	21
13-19 YRS	173	5.2	18	1	2	4	7	10	13	26
2. MULTIPLE DX										
0-27 DYS	39	35.3	941	5	6	24	64	81	93	98
1-11 MOS	389	10.8	158	2	2	7	14	25	33	88
1-5 YRS	621	9.8	163	2	2	5	11	24	35	76
6-12 YRS	401	8.4	98	2	2	5	9	21	28	68
13-19 YRS	334	10.6	122	2	2	6	14	28	37	66
TOT. SINGLE DX	908	5.2	18	1	2	4	6	10	14	25
" MULTIPLE DX	1784	10.4	171	2	2	6	12	25	36	83
TOTAL 0-27 DYS	51	28.7	864	3	4	13	45	79	90	98
1-11 MOS	561	9.3	123	2	2	5	11	21	29	54
1-5 YRS	937	8.2	119	1	2	5	9	17	27	61
6-12 YRS	636	7.0	70	2	2	4	8	15	23	57
13-19 YRS	507	8.8	93	1	2	5	10	22	32	56
GRAND TOTAL	**2692**	**8.7**	**126**	**2**	**2**	**5**	**9**	**20**	**30**	**72**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	10	8.0	32	3	3	5	10	17	19	19
1-5 YRS	13	9.0	17	5	5	9	10	15	18	19
6-12 YRS	15	7.8	6	4	5	7	9	11	13	14
13-19 YRS	46	12.2	111	5	5	8	14	23	32	62
2. MULTIPLE DX										
0-27 DYS	4	7.0	11	3	3	7	9	11	11	11
1-11 MOS	10	18.8	107	3	6	16	24	35	37	37
1-5 YRS	22	11.7	141	5	6	7	11	21	38	60
6-12 YRS	32	15.7	228	5	5	9	18	32	45	77
13-19 YRS	74	18.3	202	5	7	13	24	37	50	72
TOT. SINGLE DX	85	10.4	71	4	5	8	13	19	24	54
" MULTIPLE DX	142	16.4	191	5	6	12	20	33	45	74
TOTAL 0-27 DYS	5	7.4	9	3	3	8	9	11	11	11
1-11 MOS	20	13.4	97	3	3	12	18	28	35	37
1-5 YRS	35	10.7	9[illegible]	5	5	8	11	19	23	60
6-12 YRS	47	13.2	170	5	5	8	14	24	44	77
13-19 YRS	120	16.0	175	5	6	12	18	32	42	68
GRAND TOTAL	**227**	**14.2**	**154**	**5**	**5**	**10**	**16**	**28**	**40**	**67**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	21	14.0	55	4	6	13	16	23	30	37
1-11 MOS	31	7.1	11	3	3	7	8	13	15	16
1-5 YRS	34	7.6	41	1	2	6	9	13	23	32
6-12 YRS	42	7.7	26	2	2	6	10	13	18	28
13-19 YRS	88	8.5	43	1	2	7	11	17	21	32
2. MULTIPLE DX										
0-27 DYS	95	20.5	229	6	8	16	25	48	72	99+
1-11 MOS	33	12.2	158	1	3	8	14	31	35	61
1-5 YRS	82	10.3	38	3	4	9	13	21	24	75
6-12 YRS	77	11.5	85	3	3	9	14	23	32	51
13-19 YRS	132	14.6	202	2	4	11	17	32	44	85
TOT. SINGLE DX	216	8.5	39	2	2	7	11	16	21	34
" MULTIPLE DX	419	14.3	164	3	4	11	18	31	44	99+
TOTAL 0-27 DYS	116	19.3	204	6	7	15	22	42	65	99+
1-11 MOS	64	9.7	93	3	3	7	10	16	31	57
1-5 YRS	116	9.5	40	2	3	8	12	21	24	54
6-12 YRS	119	10.1	68	2	3	8	12	19	26	46
13-19 YRS	220	12.2	148	2	2	9	15	23	36	75
GRAND TOTAL	**635**	**12.4**	**129**	**2**	**3**	**9**	**15**	**24**	**37**	**76**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	24	3.5	10	<1	1	2	4	8	11	14
6-12 YRS	24	3.4	6	<1	1	3	4	8	9	10
13-19 YRS	84	2.7	4	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	21	8.1	84	1	1	4	12	23	31	31
6-12 YRS	18	3.9	20	1	1	3	4	6	15	21
13-19 YRS	88	5.3	65	<1	1	3	5	14	18	49
TOT. SINGLE DX	133	2.9	6	<1	<1	2	3	7	8	11
" MULTIPLE DX	129	5.6	62	1	1	3	5	14	19	38
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	21	1	1	7	9	10	10	10
1-5 YRS	45	5.6	50	<1	1	3	6	14	21	31
6-12 YRS	42	3.6	12	1	1	3	4	8	9	21
13-19 YRS	172	4.0	37	<1	<1	2	4	8	14	27
GRAND TOTAL	**262**	**4.2**	**35**	**<1**	**1**	**2**	**4**	**9**	**14**	**30**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	13	2.8	5	<1	<1	2	4	7	8	8
1-5 YRS	36	3.4	19	1	1	2	4	6	15	21
6-12 YRS	74	2.1	2	<1	1	2	2	4	5	9
13-19 YRS	348	2.1	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	1.5		<1	<1	1	2	3	3	3
1-5 YRS	79	2.6	6	<1	1	2	3	6	9	13
6-12 YRS	131	3.4	63	1	1	2	3	4	8	83
13-19 YRS	474	2.8	12	<1	1	2	3	5	8	24
TOT. SINGLE DX	474	2.2	4	<1	1	2	3	4	5	10
" MULTIPLE DX	692	2.9	22	<1	1	2	3	5	8	27
TOTAL 0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	21	2.3	4	<1	<1	2	3	6	7	8
1-5 YRS	115	2.8	10	<1	1	2	3	6	10	19
6-12 YRS	205	2.9	42	<1	1	2	3	4	6	56
13-19 YRS	822	2.5	9	<1	1	2	3	4	6	14
GRAND TOTAL	1166	2.6	15	<1	1	2	3	4	7	17

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.3	3	2	2	3	4	6	6	6
13-19 YRS	10	5.3	2	4	4	5	6	8	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	8.4	36	2	3	6	12	19	19	19
TOT. SINGLE DX	14	4.7	3	2	2	5	6	7	8	9
" MULTIPLE DX	12	7.8	36	2	2	6	10	19	19	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	3	2	2	2	4	6	6	6
13-19 YRS	21	6.9	22	3	4	5	6	16	19	19
GRAND TOTAL	26	6.2	20	2	2	5	6	13	19	19

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	18	6.2	32	1	2	4	9	15	20	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	12.5	387	2	2	3	23	42	42	42
13-19 YRS	12	5.8	14	1	2	5	9	12	12	12
TOT. SINGLE DX	22	5.9	28	1	1	4	8	12	19	22
" MULTIPLE DX	17	7.1	94	1	1	4	8	12	32	42
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	13	1	1	6	7	8	8	8
6-12 YRS	6	9.0	262	1	1	3	3	38	42	42
13-19 YRS	30	6.1	24	1	2	5	9	12	17	22
GRAND TOTAL	39	6.4	55	1	1	4	8	12	20	42

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	2.7	9	<1	<1	2	3	6	11	12
6-12 YRS	41	3.2	3	1	1	3	4	5	7	8
13-19 YRS	289	3.9	6	1	2	4	4	5	7	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	3	3.7	2	2	2	4	5	5	5	5
6-12 YRS	20	4.5	5	2	3	4	6	8	9	10
13-19 YRS	130	5.0	11	2	3	4	6	8	12	21
TOT. SINGLE DX	344	3.7	6	1	2	3	4	5	7	15
" MULTIPLE DX	156	4.9	10	2	3	4	6	8	11	19
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	3.3	2	2	2	3	4	5	5	5
1-5 YRS	15	2.9	8	<1	1	2	3	5	10	12
6-12 YRS	61	3.6	4	1	1	3	4	7	8	10
13-19 YRS	419	4.2	8	2	2	4	5	6	8	18
GRAND TOTAL	500	4.1	8	1	2	4	5	6	8	18

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	22	2.0		<1	<1	2	2	3	4	4
1-5 YRS	358	1.9	1	<1	<1	2	2	3	4	7
6-12 YRS	246	2.1	1	<1	1	2	3	3	4	7
13-19 YRS	185	2.3	3	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.8	8	<1	<1	4	6	8	8	8
1-5 YRS	43	2.8	9	<1	1	2	3	5	10	17
6-12 YRS	49	3.8	15	1	1	2	4	9	11	21
13-19 YRS	60	5.3	30	1	1	3	7	11	19	26
TOT. SINGLE DX	812	2.0	2	<1	1	2	2	3	4	7
" MULTIPLE DX	159	4.1	20	1	1	2	5	9	15	24
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	27	2.3	2	<1	<1	2	3	4	5	8
1-5 YRS	401	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	295	2.3	4	<1	1	2	3	4	6	11
13-19 YRS	245	3.0	11	1	1	2	3	5	9	21
GRAND TOTAL	971	2.4	5	<1	1	2	3	4	5	14

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.3	4	3	3	6	7	7	7	7
1-11 MOS	3	7.0	4	5	5	7	8	9	9	9
1-5 YRS	15	9.0	60	1	2	6	13	22	25	26
6-12 YRS	22	7.9	36	4	4	6	8	13	21	32
13-19 YRS	28	10.5	117	3	4	8	10	15	21	63
2. MULTIPLE DX										
0-27 DYS	2	8.5	41	4	4	8	13	13	13	13
1-11 MOS	2	9.5	25	6	6	9	13	13	13	13
1-5 YRS	10	23.1	616	5	6	12	29	65	84	84
6-12 YRS	13	8.6	19	2	3	7	14	14	15	15
13-19 YRS	31	12.5	110	5	6	9	13	23	32	59
TOT. SINGLE DX	71	9.0	71	2	4	7	9	15	22	56
" MULTIPLE DX	58	13.2	184	4	5	9	14	23	40	82
TOTAL 0-27 DYS	5	6.6	15	3	3	6	8	13	13	13
1-11 MOS	5	8.0	10	5	5	7	10	13	13	13
1-5 YRS	25	14.6	316	2	2	8	19	29	55	84
6-12 YRS	35	8.1	30	3	4	6	10	14	15	32
13-19 YRS	59	11.5	113	4	5	9	12	17	28	63
GRAND TOTAL	129	10.9	125	3	4	8	12	18	29	67

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	58	1.3		<1	<1	1	1	2	2	5
1-5 YRS	241	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	114	1.1		<1	<1	<1	1	2	2	2
13-19 YRS	100	1.4		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.7	6	1	1	1	4	7	8	8
1-5 YRS	35	1.7	5	<1	<1	1	2	2	4	14
6-12 YRS	23	1.4		<1	<1	1	2	2	3	3
13-19 YRS	26	5.1	95	<1	<1	2	3	16	36	37
TOT. SINGLE DX	515	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	94	2.7	31	<1	<1	1	2	4	8	37
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	67	1.5	1	<1	<1	1	2	2	4	8
1-5 YRS	276	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	137	1.2		<1	<1	1	1	2	2	3
13-19 YRS	126	2.1	22	<1	<1	1	2	3	4	36
GRAND TOTAL	**609**	**1.4**	**5**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	1.3		<1	<1	1	2	2	2	2
1-5 YRS	408	1.7	1	<1	<1	1	2	3	3	6
6-12 YRS	253	1.8	2	<1	<1	1	2	3	3	7
13-19 YRS	176	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	5	2.8	2	1	1	3	5	90	99+	99+
1-11 MOS	10	3.6	28	1	1	2	3	12	18	18
1-5 YRS	251	2.6	12	<1	1	2	3	4	7	27
6-12 YRS	210	2.7	20	1	1	2	3	5	7	11
13-19 YRS	507	3.1	19	<1	1	2	3	6	8	24
TOT. SINGLE DX	853	1.7	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	983	2.9	18	<1	1	2	3	5	7	24
TOTAL 0-27 DYS	6	2.5	2	1	1	3	5	81	99+	99+
1-11 MOS	25	2.2	12	<1	<1	1	2	3	9	18
1-5 YRS	659	2.0	6	<1	<1	1	2	3	5	15
6-12 YRS	463	2.2	11	<1	<1	2	2	4	5	10
13-19 YRS	683	2.7	15	<1	1	2	3	5	7	19
GRAND TOTAL	**1836**	**2.3**	**11**	**<1**	**1**	**2**	**2**	**4**	**6**	**15**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	1.4	2	<1	<1	1	1	3	6	6
1-5 YRS	62	1.6		<1	<1	1	2	2	3	6
6-12 YRS	49	1.8		1	1	2	2	3	3	6
13-19 YRS	47	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	5	2.4	3	<1	<1	2	3	5	5	5
1-5 YRS	39	1.8	1	<1	<1	1	2	4	4	6
6-12 YRS	20	1.8		1	1	2	2	2	3	4
13-19 YRS	42	3.1	26	1	1	2	3	3	10	31
TOT. SINGLE DX	170	1.7	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	108	2.4	12	<1	1	2	2	4	5	23
TOTAL 0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	17	1.7	2	<1	<1	1	2	5	6	6
1-5 YRS	101	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	69	1.8	1	1	1	2	2	2	3	6
13-19 YRS	89	2.4	13	1	1	2	2	3	4	26
GRAND TOTAL	**278**	**2.0**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.0	8	<1	<1	2	5	7	7	7
1-5 YRS	23	2.1	8	<1	<1	1	1	6	9	13
6-12 YRS	19	1.4		<1	<1	1	2	2	3	4
13-19 YRS	23	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	4.4	21	1	1	3	6	12	15	15
6-12 YRS	16	2.1	2	<1	<1	2	2	5	6	6
13-19 YRS	21	3.1	5	<1	<1	2	4	6	8	10
TOT. SINGLE DX	69	1.8	4	<1	<1	1	2	3	6	12
" MULTIPLE DX	47	3.0	8	<1	<1	2	4	6	8	15
TOTAL 0-27 DYS										
1-11 MOS	5	2.6	7	<1	<1	1	4	7	7	7
1-5 YRS	32	2.8	12	<1	<1	1	3	7	12	15
6-12 YRS	35	1.7	2	<1	<1	1	2	3	5	6
13-19 YRS	44	2.3	4	<1	<1	2	3	5	6	10
GRAND TOTAL	**116**	**2.3**	**6**	**<1**	**<1**	**1**	**2**	**5**	**7**	**14**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	10	2.8	2	1	1	3	4	5	6	6
6-12 YRS	16	5.9	26	2	2	3	7	13	19	21
13-19 YRS	32	2.7	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	4.3	4	1	2	4	5	7	8	8
1-5 YRS	25	4.6	25	1	1	3	5	9	17	24
6-12 YRS	22	3.9	7	1	1	3	5	7	10	11
13-19 YRS	28	3.5	2	2	2	3	4	5	6	8
TOT. SINGLE DX	62	3.6	10	1	1	3	4	6	9	20
" MULTIPLE DX	83	4.0	11	1	1	3	5	6	9	21
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	4.0	4	1	2	4	5	6	8	8
1-5 YRS	35	4.1	19	1	1	3	4	6	13	24
6-12 YRS	38	4.7	16	1	2	3	6	11	12	21
13-19 YRS	60	3.1	2	1	1	3	4	5	5	8
GRAND TOTAL	**145**	**3.8**	**10**	**1**	**1**	**3**	**4**	**6**	**9**	**21**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	118	2.7	3	<1	<1	2	4	5	7	10
6-12 YRS	113	2.9	3	<1	1	2	4	6	6	9
13-19 YRS	105	2.8	4	<1	<1	2	4	6	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	70	3.6	9	1	1	3	4	7	10	16
6-12 YRS	108	3.9	4	1	1	4	5	7	9	11
13-19 YRS	85	3.6	5	1	1	3	5	7	8	11
TOT. SINGLE DX	339	2.8	4	<1	<1	2	4	6	6	9
" MULTIPLE DX	265	3.8	6	1	1	3	5	7	8	13
TOTAL 0-27 DYS										
1-11 MOS	5	3.0	6	1	1	3	4	7	7	7
1-5 YRS	188	3.0	6	<1	<1	2	4	6	7	14
6-12 YRS	221	3.4	5	1	1	3	5	6	7	10
13-19 YRS	190	3.2	5	<1	1	3	4	6	7	11
GRAND TOTAL	**604**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	52	2.4	11	<1	1	1	2	4	7	24
1-5 YRS	35	2.6	14	<1	1	2	2	4	5	24
6-12 YRS	22	2.1	2	<1	<1	2	3	4	5	7
13-19 YRS	37	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	8	2.4	2	1	1	2	3	5	5	5
1-11 MOS	36	2.1	2	<1	1	2	3	5	5	8
1-5 YRS	32	2.6	10	1	1	2	3	6	16	99+
6-12 YRS	16	4.3	61	<1	1	2	3	6	25	33
13-19 YRS	34	3.3	8	1	1	2	4	7	9	15
TOT. SINGLE DX	150	2.3	8	<1	1	2	3	4	5	24
" MULTIPLE DX	126	2.9	13	1	1	2	3	5	8	48
TOTAL 0-27 DYS	12	2.2	2	1	1	2	3	4	5	5
1-11 MOS	88	2.3	8	<1	1	2	2	4	6	18
1-5 YRS	67	2.6	12	1	1	2	3	5	8	86
6-12 YRS	38	3.0	27	<1	<1	2	3	5	7	33
13-19 YRS	71	2.7	5	1	1	2	3	5	7	14
GRAND TOTAL	**276**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**5**	**6**	**24**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.8		1	1	2	2	3	3	3
1-5 YRS	27	3.8	8	<1	<1	3	5	9	10	10
6-12 YRS	51	4.4	18	1	1	3	5	11	13	21
13-19 YRS	48	3.4	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	11	3.1	11	<1	<1	2	4	8	12	12
1-5 YRS	19	4.1	12	<1	<1	3	6	9	12	14
6-12 YRS	56	4.4	13	1	1	3	5	10	12	20
13-19 YRS	65	4.8	39	<1	1	4	6	8	11	43
TOT. SINGLE DX	131	3.8	12	<1	1	3	5	8	11	17
" MULTIPLE DX	154	4.4	24	<1	1	3	5	8	12	20
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	16	2.7	8	<1	1	2	3	6	10	12
1-5 YRS	46	3.9	10	<1	<1	3	5	9	10	14
6-12 YRS	107	4.4	16	1	1	3	5	11	12	20
13-19 YRS	113	4.2	26	<1	1	3	5	7	10	29
GRAND TOTAL	**285**	**4.1**	**18**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.1	4	<1	<1	1	2	6	7	7
1-11 MOS	29	2.3	2	<1	<1	2	2	4	7	8
1-5 YRS	17	2.4	5	1	1	2	2	3	8	11
6-12 YRS	22	2.0		<1	1	2	2	3	3	3
13-19 YRS	19	2.2	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	15	2.8	4	<1	1	2	3	4	9	10
1-5 YRS	16	3.4	4	1	2	3	4	6	9	10
6-12 YRS	13	2.1	1	<1	<1	2	3	4	5	5
13-19 YRS	15	4.0	12	<1	1	3	5	10	12	13
TOT. SINGLE DX	95	2.2	2	<1	1	2	2	3	5	10
" MULTIPLE DX	62	3.1	6	<1	1	3	4	5	10	13
TOTAL 0-27 DYS	11	2.5	4	<1	<1	2	3	6	7	7
1-11 MOS	44	2.5	3	<1	<1	2	3	4	7	10
1-5 YRS	33	2.9	5	1	1	2	3	5	9	11
6-12 YRS	35	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	34	3.0	7	1	1	2	3	5	9	13
GRAND TOTAL	**157**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**4**	**7**	**11**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	2.3		2	2	2	2	4	5	5
1-11 MOS	55	2.5	18	<1	<1	2	2	3	4	32
1-5 YRS	76	1.9		1	1	2	2	3	4	4
6-12 YRS	79	1.8	1	<1	<1	2	2	3	4	6
13-19 YRS	75	2.0	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	8	19.1	857	1	1	2	37	68	70	70
1-11 MOS	35	2.9	9	1	1	2	3	5	12	15
1-5 YRS	57	2.6	5	<1	1	2	3	6	7	15
6-12 YRS	58	3.5	13	1	1	2	4	6	9	24
13-19 YRS	80	2.6	2	1	1	2	3	4	7	9
TOT. SINGLE DX	297	2.1	4	<1	1	2	2	3	4	7
" MULTIPLE DX	238	3.4	41	1	1	2	3	6	8	29
TOTAL 0-27 DYS	20	9.1	388	1	1	2	3	37	66	70
1-11 MOS	90	2.7	15	<1	1	2	3	4	6	26
1-5 YRS	133	2.2	3	1	1	2	2	3	5	9
6-12 YRS	137	2.6	7	<1	1	2	3	5	6	15
13-19 YRS	155	2.3	2	<1	1	2	3	4	5	9
GRAND TOTAL	**535**	**2.7**	**21**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	5	3.0	5	2	2	2	4	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	2.7	2	1	1	2	4	5	5	5
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7	2	1	1	3	4	4	4	4
13-19 YRS	12	1.8		1	1	2	2	2	2	2
TOT. SINGLE DX	14	2.1	2	<1	1	2	2	3	6	7
" MULTIPLE DX	23	2.0	1	1	1	2	2	4	5	5
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	2.7	2	1	1	2	4	5	5	5
1-5 YRS	6	1.3		1	1	1	2	2	2	2
6-12 YRS	6	2.0	2	<1	<1	2	3	4	4	4
13-19 YRS	17	2.1	2	1	1	2	2	2	5	7
GRAND TOTAL	**37**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**7**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	3.1	1	2	2	3	4	5	5	5
1-5 YRS	13	2.8	2	<1	1	2	4	5	6	6
6-12 YRS	50	3.9	6	1	1	3	5	7	8	13
13-19 YRS	148	4.0	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
0-27 DYS	2	5.0	18	2	2	99+	99+	99+	99+	99+
1-11 MOS	9	3.3	2	2	2	3	4	6	6	6
1-5 YRS	19	3.5	4	1	1	3	5	6	8	9
6-12 YRS	48	4.4	3	1	2	4	6	7	8	10
13-19 YRS	113	4.7	7	2	2	4	6	8	10	15
TOT. SINGLE DX	218	3.9	5	1	1	4	5	7	8	12
" MULTIPLE DX	191	4.5	6	1	2	4	6	8	10	99+
TOTAL 0-27 DYS	2	5.0	18	2	2	99+	99+	99+	99+	99+
1-11 MOS	16	3.3	2	2	2	3	4	5	6	6
1-5 YRS	32	3.3	4	1	1	3	4	6	7	9
6-12 YRS	98	4.2	5	1	2	4	5	7	8	12
13-19 YRS	261	4.3	6	1	2	4	5	7	9	12
GRAND TOTAL	**409**	**4.1**	**5**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	2.6	2	1	1	2	4	5	5	5
1-5 YRS	16	2.6	3	<1	<1	2	4	5	6	7
6-12 YRS	23	2.5	3	1	1	2	3	4	7	10
13-19 YRS	37	3.4	10	1	1	3	4	6	7	20
2. MULTIPLE DX										
0-27 DYS	3	61.3	2736	1	1	89	93	94	94	94
1-11 MOS	13	3.4	10	1	1	2	4	9	11	11
1-5 YRS	36	3.2	13	<1	1	2	4	6	9	21
6-12 YRS	49	3.9	4	1	2	3	5	7	8	9
13-19 YRS	53	4.4	8	1	2	4	6	8	9	17
TOT. SINGLE DX	85	2.9	6	1	1	2	4	5	6	16
" MULTIPLE DX	154	5.0	107	1	1	3	5	8	9	86
TOTAL 0-27 DYS	4	46.5	2704	1	1	45	91	94	94	94
1-11 MOS	21	3.1	7	1	1	2	4	7	10	11
1-5 YRS	52	3.0	10	<1	1	2	4	5	7	21
6-12 YRS	72	3.5	5	1	1	3	5	7	8	10
13-19 YRS	90	4.0	9	1	1	3	5	7	9	19
GRAND TOTAL	239	4.3	72	1	1	3	4	7	9	28

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	272	1.3		<1	<1	1	2	2	2	2
1-5 YRS	2392	1.3		<1	<1	1	2	2	2	2
6-12 YRS	1218	1.4		<1	<1	1	2	2	2	2
13-19 YRS	573	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	67	1.5	1	<1	<1	1	2	3	4	7
1-5 YRS	719	1.5	1	<1	<1	1	2	2	2	4
6-12 YRS	328	1.5		<1	<1	1	2	2	2	3
13-19 YRS	190	1.6		<1	1	2	2	2	2	4
TOT. SINGLE DX	4455	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	1304	1.5	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS										
1-11 MOS	339	1.4		<1	<1	1	2	2	2	4
1-5 YRS	3111	1.4		<1	<1	1	2	2	2	3
6-12 YRS	1546	1.4	1	<1	<1	1	2	2	2	3
13-19 YRS	763	1.5		<1	<1	1	2	2	2	3
GRAND TOTAL	5759	1.4		<1	<1	1	2	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		<1	<1	<1	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS	5	2.8	5	1	1	2	3	7	7	7
13-19 YRS	7	2.4	1	1	1	2	3	4	4	4
TOT. SINGLE DX	11	1.4		<1	<1	1	2	2	2	2
" MULTIPLE DX	16	2.2	3	<1	1	2	2	4	6	7
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.1		<1	<1	1	1	2	2	2
6-12 YRS	6	2.5	5	1	1	2	2	7	7	7
13-19 YRS	13	2.0	1	<1	<1	2	2	4	4	4
GRAND TOTAL	27	1.9	2	<1	<1	2	2	3	5	7

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	55	3.8	5	<1	<1	4	6	6	8	8
1-5 YRS	117	2.5	3	<1	<1	2	3	6	7	39
6-12 YRS	90	2.6	3	<1	1	2	3	5	7	10
13-19 YRS	131	3.0	5	1	1	2	4	5	8	11
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	20	7.4	55	<1	1	6	9	17	26	31
1-5 YRS	85	6.6	123	<1	1	4	7	12	14	75
6-12 YRS	86	5.0	18	1	1	3	7	11	13	22
13-19 YRS	148	4.6	13	1	2	3	5	9	12	18
TOT. SINGLE DX	393	2.9	5	<1	<1	2	4	6	8	11
" MULTIPLE DX	341	5.3	45	1	1	3	6	11	14	26
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	75	4.8	21	<1	<1	5	6	8	10	28
1-5 YRS	202	4.2	58	<1	<1	2	5	9	12	72
6-12 YRS	176	3.7	12	1	1	2	5	8	11	16
13-19 YRS	279	3.8	10	1	1	3	5	8	11	16
GRAND TOTAL	734	4.0	25	<1	1	[illegible]	5	8	11	[illegible]

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	95th (11)
1. SINGLE DX										
0-27 DYS	8	2.5	1	1	1	3	4	4	4	4
1-11 MOS	35	1.5	1	<1	<1	<1	1	3	5	7
1-5 YRS	332	1.9	2	<1	<1	1	2	4	5	8
6-12 YRS	465	1.9	1	<1	<1	1	2	4	5	7
13-19 YRS	287	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	288	3.5	9	1	2	3	4	5	6	20
1-11 MOS	16	3.4	10	<1	<1	1	6	7	10	11
1-5 YRS	148	3.1	26	<1	<1	2	3	6	8	25
6-12 YRS	213	2.9	18	<1	1	2	3	5	7	22
13-19 YRS	243	3.5	38	<1	1	2	3	6	14	39
TOT. SINGLE DX	1127	1.9	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	908	3.3	22	<1	1	2	4	6	7	29
TOTAL 0-27 DYS	296	3.4	9	1	2	3	4	5	6	19
1-11 MOS	51	2.1	5	<1	<1	1	2	6	7	11
1-5 YRS	480	2.3	10	<1	<1	1	2	4	6	14
6-12 YRS	678	2.2	7	<1	<1	2	2	4	6	9
13-19 YRS	530	2.7	19	<1	<1	2	3	5	7	20
GRAND TOTAL	**2035**	**2.5**	**12**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	42	1.7		<1	1	2	2	3	3	4
13-19 YRS	122	2.0		1	1	2	3	3	3	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	8	1.8		1	1	2	2	3	3	3
6-12 YRS	58	1.6		1	1	1	2	3	3	4
13-19 YRS	81	2.2	1	1	1	2	3	3	4	9
TOT. SINGLE DX	171	2.0	1	1	1	2	3	3	3	5
" MULTIPLE DX	150	1.9	1	1	1	2	2	3	3	8
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	13	1.7	1	1	1	2	2	3	3	3
6-12 YRS	100	1.7	1	<1	1	2	2	3	3	4
13-19 YRS	203	2.1	1	1	1	2	3	3	3	7
GRAND TOTAL	**321**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	169	1.6	2	<1	<1	1	2	2	3	3
6-12 YRS	971	1.6		<1	1	2	2	2	3	4
13-19 YRS	742	1.7		1	1	2	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	2.1	1	1	1	2	3	4	4	4
1-5 YRS	164	1.6		<1	<1	1	2	2	3	6
6-12 YRS	944	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	799	1.8	1	1	1	2	2	3	3	7
TOT. SINGLE DX	1888	1.6	1	[illegible]	1	2	2	2	3	3
" MULTIPLE DX	1915	1.7	1	<1	1	2	2	3	3	6
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	12	1.9	1	1	1	2	2	3	4	4
1-5 YRS	333	1.6	2	<1	<1	1	2	2	3	6
6-12 YRS	1915	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	1541	1.8	1	1	1	2	2	3	3	4
GRAND TOTAL	**3803**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	4.4	2	3	3	5	5	6	6	6
1-11 MOS	924	1.2		<1	<1	<1	<1	1	2	5
1-5 YRS	5722	1.1	1	<1	<1	<1	<1	1	1	2
6-12 YRS	2080	1.1		<1	<1	<1	1	1	1	2
13-19 YRS	307	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	26	4.9	18	1	2	4	6	8	13	23
1-11 MOS	552	4.3	23	<1	<1	3	6	9	12	23
1-5 YRS	4667	1.7	6	<1	<1	1	2	3	5	11
6-12 YRS	2177	1.5	3	<1	<1	1	2	2	2	7
13-19 YRS	275	2.3	25	<1	<1	1	2	3	6	38
TOT. SINGLE DX	9038	1.1	1	<1	<1	<1	<1	1	1	3
" MULTIPLE DX	7697	1.9	8	<1	<1	1	2	3	6	12
TOTAL 0-27 DYS	31	4.8	16	2	2	4	6	8	10	23
1-11 MOS	1476	2.4	11	<1	<1	<1	2	6	9	15
1-5 YRS	10389	1.4	4	<1	<1	<1	1	2	3	8
6-12 YRS	4257	1.3	2	<1	<1	1	1	2	2	5
13-19 YRS	582	1.7	12	<1	<1	1	1	2	3	24
GRAND TOTAL	16735	1.5	5	<1	<1	<1	1	2	3	9

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	30	<1	<1	2	9	11	11	11
1-5 YRS	96	2.1	2	1	1	2	2	4	6	9
6-12 YRS	307	2.1	2	1	1	2	3	3	4	8
13-19 YRS	251	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	5.8	38	1	1	3	10	16	16	16
1-5 YRS	143	4.2	34	1	1	2	4	10	13	30
6-12 YRS	527	2.6	15	1	1	2	3	3	5	12
13-19 YRS	530	2.6	4	1	1	2	3	4	5	11
TOT. SINGLE DX	657	2.1	2	1	1	2	2	3	4	8
" MULTIPLE DX	1209	2.8	13	1	1	2	3	4	7	17
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	5.5	33	<1	<1	3	9	15	16	16
1-5 YRS	239	3.4	22	1	1	2	3	8	11	26
6-12 YRS	834	2.4	10	1	1	2	3	3	5	11
13-19 YRS	781	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	1866	2.6	9	1	1	2	3	4	6	13

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.5		<1	<1	1	2	2	2	2
1-5 YRS	178	1.6	2	<1	<1	1	2	2	3	11
6-12 YRS	268	1.6	1	<1	<1	1	2	2	2	12
13-19 YRS	218	1.9	3	<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	3.6	12	<1	<1	1	5	9	11	11
1-5 YRS	180	2.6	10	<1	<1	1	2	7	10	17
6-12 YRS	263	2.2	9	<1	<1	1	2	3	5	17
13-19 YRS	238	2.2	3	1	1	2	3	3	4	9
TOT. SINGLE DX	668	1.7	2	<1	<1	1	2	2	3	10
" MULTIPLE DX	690	2.3	8	<1	<1	2	2	4	7	16
TOTAL 0-27 DYS										
1-11 MOS	13	2.9	10	<1	<1	1	4	8	10	11
1-5 YRS	358	2.1	7	<1	<1	1	2	4	8	14
6-12 YRS	531	1.9	6	<1	<1	1	2	3	4	14
13-19 YRS	456	2.1	3	<1	1	2	2	3	4	6
GRAND TOTAL	1358	2.0	5	<1	<1	1	2	3	5	13

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	15	2.2	1	<1	1	2	2	3	5	6
13-19 YRS	631	2.1		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.8		1	1	2	2	2	2	2
1-5 YRS	5	1.8		<1	<1	2	2	3	3	3
6-12 YRS	106	1.9	1	<1	<1	2	2	3	3	7
13-19 YRS	1516	2.3	5	1	1	2	3	3	4	6
TOT. SINGLE DX	651	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	1633	2.2	5	1	1	2	3	3	4	6
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	1.6		<1	<1	2	2	2	2	2
1-5 YRS	7	1.9		<1	<1	2	2	3	3	3
6-12 YRS	121	1.9	1	<1	<1	2	2	3	3	7
13-19 YRS	2147	2.2	4	1	1	2	3	3	4	5
GRAND TOTAL	2284	2.2	4	1	1	2	3	3	4	5

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	15	3.9	7	1	1	3	7	8	8	8
1-5 YRS	68	2.2	3	<1	<1	2	3	4	5	12
6-12 YRS	185	2.1	1	1	1	2	3	4	4	7
13-19 YRS	1798	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	17	6.1	39	<1	1	4	7	14	21	25
1-11 MOS	25	4.0	12	1	1	3	5	7	13	15
1-5 YRS	112	2.6	2	1	1	2	4	5	6	8
6-12 YRS	291	2.3	2	1	1	2	3	4	5	8
13-19 YRS	3400	2.2	2	1	1	2	3	3	4	7
TOT. SINGLE DX	2068	2.0	2	1	1	2	2	3	4	6
" MULTIPLE DX	3845	2.2	3	1	1	2	3	4	4	7
TOTAL 0-27 DYS	19	5.7	36	<1	1	3	6	14	20	25
1-11 MOS	40	4.0	10	1	1	3	6	8	11	15
1-5 YRS	180	2.5	3	<1	1	2	3	5	5	8
6-12 YRS	476	2.2	2	1	1	2	3	4	5	8
13-19 YRS	5198	2.1	2	1	1	2	3	3	4	6
GRAND TOTAL	5913	2.1	3	1	1	2	3	3	4	7

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	23	2.6	3	<1	<1	2	3	5	7	8
1-5 YRS	71	1.9	1	<1	<1	2	2	3	5	8
6-12 YRS	97	2.0	2	<1	<1	2	2	4	5	9
13-19 YRS	126	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	14	4.1	14	<1	1	3	5	9	13	14
1-5 YRS	36	2.2	2	<1	1	2	3	5	6	7
6-12 YRS	168	2.8	10	<1	1	2	3	6	7	18
13-19 YRS	371	2.3	3	<1	1	2	3	4	5	12
TOT. SINGLE DX	318	2.0	2	<1	<1	2	2	3	5	8
" MULTIPLE DX	590	2.5	6	<1	1	2	3	5	6	14
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	37	3.2	8	<1	<1	2	4	8	9	14
1-5 YRS	107	2.0	2	<1	<1	2	2	4	5	8
6-12 YRS	265	2.6	7	<1	<1	2	3	5	7	16
13-19 YRS	497	2.2	3	<1	1	2	3	4	5	11
GRAND TOTAL	908	2.3	5	<1	<1	2	3	4	6	13

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	1.8	3	<1	<1	<1	1	5	6	6
1-5 YRS	75	1.5	2	<1	<1	1	1	2	5	77
6-12 YRS	407	1.4	1	<1	<1	1	1	2	3	6
13-19 YRS	1132	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	21	4.0	15	<1	1	3	4	6	12	20
1-11 MOS	6	3.5	14	1	1	2	3	10	11	11
1-5 YRS	75	2.7	7	<1	1	2	3	6	9	15
6-12 YRS	200	2.4	8	<1	<1	2	3	5	6	14
13-19 YRS	921	3.2	25	<1	1	2	4	6	8	26
TOT. SINGLE DX	1622	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1223	3.1	22	<1	1	2	3	5	8	22
TOTAL 0-27 DYS	21	4.0	15	<1	1	3	4	6	12	20
1-11 MOS	14	2.5	8	<1	<1	1	3	6	10	11
1-5 YRS	150	2.1	5	<1	<1	1	2	5	8	16
6-12 YRS	607	1.8	4	<1	<1	1	2	3	5	8
13-19 YRS	2053	2.3	13	<1	<1	1	2	4	6	13
GRAND TOTAL	2845	2.2	11	<1	<1	1	2	4	5	11

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	29	2.2	1	1	1	2	3	4	5	7
13-19 YRS	113	2.4	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	32.0	1728	8	8	8	62	80	80	80
6-12 YRS	45	3.7	11	1	1	2	4	7	12	16
13-19 YRS	194	3.1	21	1	1	2	3	5	7	31
TOT. SINGLE DX	147	2.3	3	1	1	2	3	4	5	10
" MULTIPLE DX	242	3.6	44	1	1	2	3	6	8	42
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	16.7	973	1	1	5	8	73	80	80
6-12 YRS	74	3.1	8	1	1	2	4	6	9	16
13-19 YRS	307	2.9	15	1	1	2	3	5	6	16
GRAND TOTAL	389	3.1	29	1	1	2	3	5	7	17

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	2.8	2	1	1	3	4	4	4	4
1-5 YRS	31	2.0	2	<1	<1	1	2	5	5	6
6-12 YRS	90	2.2	4	<1	<1	1	2	5	8	11
13-19 YRS	143	2.9	8	<1	1	2	3	7	10	13
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	2.6	5	<1	<1	2	3	7	7	7
1-5 YRS	62	3.8	27	<1	<1	2	5	9	10	34
6-12 YRS	166	5.0	27	<1	1	3	7	12	15	37
13-19 YRS	308	5.4	53	1	1	3	6	12	18	41
TOT. SINGLE DX	269	2.6	6	<1	<1	2	3	6	8	12
" MULTIPLE DX	549	5.0	42	<1	1	3	6	11	16	37
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	16	2.6	4	<1	1	2	4	7	7	7
1-5 YRS	93	3.2	20	<1	<1	2	4	7	10	26
6-12 YRS	256	4.0	21	<1	<1	2	5	10	13	27
13-19 YRS	451	4.6	40	<1	1	2	5	11	15	35
GRAND TOTAL	818	4.2	31	<1	1	2	5	10	13	34

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	203	1.3		<1	<1	1	1	2	2	4
6-12 YRS	223	1.4		<1	<1	1	2	2	3	4
13-19 YRS	2442	1.5		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	44	3.4	3	1	2	3	4	6	7	12
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS	329	2.0	10	<1	<1	1	2	4	6	16
6-12 YRS	366	2.8	43	<1	<1	2	2	4	9	84
13-19 YRS	1393	2.2	14	<1	1	2	2	3	5	17
TOT. SINGLE DX	2870	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	2134	2.3	19	<1	<1	2	2	4	5	26
TOTAL 0-27 DYS	45	3.4	4	1	2	3	4	6	6	12
1-11 MOS	3	7.7	82	1	1	4	14	18	18	18
1-5 YRS	532	1.7	7	<1	<1	1	2	3	5	11
6-12 YRS	589	2.3	27	<1	<1	1	2	3	6	37
13-19 YRS	3835	1.7	6	<1	<1	1	2	2	3	8
GRAND TOTAL	5004	1.8	8	<1	<1	1	2	2	3	11

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	6	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	454	1.1		<1	<1	1	1	1	2	2
6-12 YRS	59	1.2		<1	<1	1	1	2	2	2
13-19 YRS	51	1.7		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	533	1.4	2	<1	<1	1	1	2	2	6
6-12 YRS	140	1.7	5	<1	<1	1	2	2	4	30
13-19 YRS	146	2.6	19	<1	<1	2	2	5	6	28
TOT. SINGLE DX	572	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	822	1.7	6	<1	<1	1	2	2	4	11
TOTAL 0-27 DYS	3	2.7	8	<1	<1	1	5	6	6	6
1-11 MOS	8	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	987	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	199	1.6	4	<1	<1	1	2	2	3	17
13-19 YRS	197	2.4	15	<1	<1	2	2	4	6	24
GRAND TOTAL	1394	1.5	4	<1	<1	1	1	2	3	8

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	79	1.6	5	<1	<1	1	1	3	5	16
6-12 YRS	66	2.6	4	<1	1	2	3	5	6	12
13-19 YRS	79	2.7	5	1	1	2	3	5	5	15
2. MULTIPLE DX										
0-27 DYS	8	3.1		2	2	3	3	5	5	5
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	97	1.7	2	<1	<1	1	2	3	5	10
6-12 YRS	143	3.6	120	<1	<1	2	3	4	6	91
13-19 YRS	195	2.7	4	1	1	2	3	5	7	60
TOT. SINGLE DX	227	2.3	5	<1	<1	2	3	4	5	14
" MULTIPLE DX	448	2.8	41	<1	<1	2	3	4	6	16
TOTAL 0-27 DYS	9	3.0	1	2	2	3	3	4	5	5
1-11 MOS	7	2.4	2	<1	<1	2	4	4	4	4
1-5 YRS	176	1.7	4	<1	<1	1	2	3	5	11
6-12 YRS	209	3.3	84	<1	<1	2	3	4	6	44
13-19 YRS	274	2.7	5	1	1	2	3	5	7	17
GRAND TOTAL	675	2.6	29	<1	<1	2	3	4	6	16

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	11	2.7	2	1	1	2	4	5	6	6
1-5 YRS	51	3.4	12	<1	1	2	5	8	12	16
6-12 YRS	114	2.6	3	<1	<1	2	3	5	7	10
13-19 YRS	227	2.7	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	5	3.2	2	<1	<1	3	4	5	5	5
1-5 YRS	25	4.0	10	<1	1	3	7	9	10	10
6-12 YRS	54	3.9	22	1	1	2	4	9	14	26
13-19 YRS	94	3.5	7	1	1	3	4	6	9	15
TOT. SINGLE DX	405	2.8	5	<1	1	2	3	5	6	12
" MULTIPLE DX	180	3.7	12	1	1	3	5	7	10	17
TOTAL 0-27 DYS	4	4.0	5	1	1	4	5	6	6	6
1-11 MOS	16	2.9	2	<1	1	2	4	5	6	6
1-5 YRS	76	3.6	11	<1	1	2	5	9	11	15
6-12 YRS	168	3.0	10	<1	<1	2	3	6	8	17
13-19 YRS	321	2.9	5	<1	1	3	4	5	6	13
GRAND TOTAL	585	3.1	7	<1	1	2	4	5	8	14

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	201	3.5	2	1	2	3	4	6	6	8
1-5 YRS	694	3.4	3	1	1	3	5	6	7	8
6-12 YRS	188	3.4	2	1	2	3	4	5	6	8
13-19 YRS	68	3.2	1	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	4.8	13	2	2	3	7	10	10	10
1-11 MOS	187	3.7	4	2	2	3	5	7	7	9
1-5 YRS	675	4.3	7	2	2	4	5	7	8	13
6-12 YRS	185	3.5	2	1	2	3	4	5	6	9
13-19 YRS	72	3.8	4	1	2	3	5	7	8	11
TOT. SINGLE DX	1152	3.4	3	1	1	3	4	6	7	8
" MULTIPLE DX	1123	4.0	6	2	2	4	5	7	8	11
TOTAL 0-27 DYS	5	4.4	10	2	2	3	5	10	10	10
1-11 MOS	388	3.6	3	2	2	3	4	6	7	9
1-5 YRS	1369	3.9	6	1	1	4	5	6	7	11
6-12 YRS	373	3.5	2	1	2	3	4	5	6	8
13-19 YRS	140	3.5	3	1	2	3	4	6	7	11
GRAND TOTAL	2275	3.7	5	1	2	3	5	6	7	10

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	42	3.5	7	1	1	3	4	6	8	16
1-11 MOS	619	3.8	4	1	2	3	5	7	7	9
1-5 YRS	538	2.2	3	<1	<1	1	3	5	7	9
6-12 YRS	318	2.3	7	<1	<1	2	3	4	5	8
13-19 YRS	262	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	113	7.1	111	2	2	4	7	13	26	63
1-11 MOS	337	5.7	59	1	2	4	6	8	13	44
1-5 YRS	392	3.4	14	<1	1	2	4	7	9	12
6-12 YRS	339	2.7	8	1	1	2	3	5	6	19
13-19 YRS	534	3.6	26	<1	1	2	4	7	10	27
TOT. SINGLE DX	1779	2.9	5	<1	<1	2	4	6	7	9
" MULTIPLE DX	1715	4.0	34	1	1	3	5	7	10	30
TOTAL 0-27 DYS	155	6.1	86	1	2	4	6	10	16	45
1-11 MOS	956	4.5	25	1	2	3	6	7	8	27
1-5 YRS	930	2.7	8	<1	<1	2	3	6	8	11
6-12 YRS	657	2.5	8	<1	<1	2	3	5	6	17
13-19 YRS	796	3.3	19	<1	1	2	4	6	8	23
GRAND TOTAL	3494	3.4	20	<1	1	2	4	6	8	20

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	12	1.8		1	1	2	2	3	3	3
1-5 YRS	1154	1.4		<1	<1	1	2	2	2	4
6-12 YRS	4242	1.5		<1	1	1	2	2	2	3
13-19 YRS	12309	1.6		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	3.2		1	1	2	4	9	9	9
1-5 YRS	828	1.6	1	<1	1	1	2	2	3	7
6-12 YRS	1370	1.6	1	<1	1	1	2	2	3	5
13-19 YRS	2790	1.9	2	1	1	2	2	3	4	8
TOT. SINGLE DX	17720	1.6	1	<1	1	1	2	2	3	4
" MULTIPLE DX	4993	1.8	2	1	1	1	2	3	3	7
TOTAL 0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	17	2.2	4	1	1	2	2	3	7	9
1-5 YRS	1982	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	5612	1.5	1	<1	1	1	2	2	2	4
13-19 YRS	15099	1.7	1	1	1	2	2	2	3	4
GRAND TOTAL	**22713**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	1.0		1	1	1	1	1	1	1
1-11 MOS	30	1.5		<1	<1	1	2	2	2	3
1-5 YRS	9741	1.4		<1	<1	1	2	2	2	3
6-12 YRS	14948	1.5	1	<1	1	1	2	2	2	3
13-19 YRS	3930	1.6	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	34	3.5	31	1	1	2	2	5	21	26
1-5 YRS	11451	1.5	1	<1	1	1	2	2	2	4
6-12 YRS	9992	1.5	1	<1	1	1	2	2	3	4
13-19 YRS	1902	1.7	1	1	1	2	2	3	3	7
TOT. SINGLE DX	28656	1.5	1	<1	1	1	2	2	2	3
" MULTIPLE DX	23381	1.6	1	<1	1	1	2	2	3	5
TOTAL 0-27 DYS	9	1.2		1	1	1	2	2	2	2
1-11 MOS	64	2.6	17	<1	1	2	2	3	5	26
1-5 YRS	21192	1.5	1	<1	1	1	2	2	2	4
6-12 YRS	24940	1.5	1	<1	1	1	2	2	2	3
13-19 YRS	5832	1.6	1	1	1	1	2	2	3	4
GRAND TOTAL	**52037**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	604	1.3		<1	<1	1	2	2	2	2
6-12 YRS	763	1.3		<1	<1	1	1	2	2	2
13-19 YRS	151	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	60	3.2	39	<1	<1	1	2	7	14	40
1-5 YRS	2886	1.3	1	<1	<1	1	1	2	2	5
6-12 YRS	1647	1.4	5	<1	<1	1	2	2	2	3
13-19 YRS	216	2.0	28	<1	<1	1	2	2	3	12
TOT. SINGLE DX	1521	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	4810	1.4	5	<1	<1	1	2	2	2	5
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	63	3.1	38	<1	<1	1	2	7	14	40
1-5 YRS	3490	1.3	1	<1	<1	1	1	2	2	4
6-12 YRS	2410	1.4	4	<1	<1	1	2	2	2	3
13-19 YRS	367	1.8	17	<1	<1	1	2	2	3	6
GRAND TOTAL	**6331**	**1.4**	**4**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.5	5	<1	<1	1	4	6	6	6
1-11 MOS	51	2.0	3	<1	<1	1	2	5	6	10
1-5 YRS	363	1.9	2	<1	<1	1	2	4	5	9
6-12 YRS	463	1.9	2	<1	1	1	2	3	4	9
13-19 YRS	849	2.4	6	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	10	15.2	259	3	3	9	15	44	45	45
1-11 MOS	29	6.2	119	1	1	2	7	14	23	57
1-5 YRS	144	3.5	20	1	1	2	4	7	11	29
6-12 YRS	163	3.3	42	1	1	2	4	5	8	27
13-19 YRS	305	3.6	12	1	1	3	4	6	9	21
TOT. SINGLE DX	1730	2.2	5	<1	1	2	3	4	5	8
" MULTIPLE DX	651	3.8	32	1	1	3	4	6	10	30
TOTAL 0-27 DYS	14	11.6	216	<1	1	5	14	44	45	45
1-11 MOS	80	3.5	49	<1	<1	2	3	8	10	46
1-5 YRS	507	2.4	8	<1	<1	2	3	5	6	14
6-12 YRS	626	2.3	13	<1	1	2	3	4	5	10
13-19 YRS	1154	2.7	8	1	1	2	3	5	6	10
GRAND TOTAL	**2381**	**2.6**	**13**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	22	3.6	2	2	2	3	5	6	7	7
1-11 MOS	16	2.0	2	<1	<1	1	3	4	5	6
1-5 YRS	84	1.2		<1	<1	<1	1	2	2	4
6-12 YRS	35	1.6	2	<1	<1	<1	2	2	5	9
13-19 YRS	30	2.3	3	<1	<1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	316	3.3	2	1	2	3	4	5	6	8
1-11 MOS	13	11.3	250	1	2	6	10	36	53	57
1-5 YRS	38	3.0	12	<1	<1	2	3	7	8	21
6-12 YRS	26	2.3	6	<1	1	2	3	6	8	12
13-19 YRS	23	3.4	8	<1	1	3	4	9	11	11
TOT. SINGLE DX	187	1.8	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	416	3.5	13	1	1	3	4	6	7	12
TOTAL 0-27 DYS	338	3.3	2	2	2	3	4	5	6	8
1-11 MOS	29	6.2	131	<1	<1	2	6	10	32	57
1-5 YRS	122	1.7	5	<1	<1	1	2	3	5	12
6-12 YRS	61	2.1	4	<1	<1	1	2	4	6	12
13-19 YRS	53	2.8	6	<1	1	2	4	6	8	11
GRAND TOTAL	**603**	**3.0**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	3.7	19	<1	<1	2	4	10	15	18
1-5 YRS	191	1.7	1	<1	<1	2	2	2	3	6
6-12 YRS	153	1.6		<1	<1	1	2	2	3	6
13-19 YRS	115	1.8	2	<1	<1	1	2	2	4	11
2. MULTIPLE DX										
0-27 DYS	2	6.5	41	2	2	11	78	99+	99+	99+
1-11 MOS	19	5.3	42	<1	<1	2	5	17	20	21
1-5 YRS	97	3.1	7	<1	1	2	4	8	9	13
6-12 YRS	64	1.8	2	<1	1	1	2	4	5	8
13-19 YRS	60	3.5	54	<1	1	2	3	5	10	52
TOT. SINGLE DX	489	1.8	3	<1	<1	1	2	2	4	10
" MULTIPLE DX	242	3.1	21	<1	1	2	3	7	10	23
TOTAL 0-27 DYS	3	4.7	30	1	1	6	55	99+	99+	99+
1-11 MOS	48	4.3	28	<1	<1	2	4	14	18	21
1-5 YRS	288	2.2	4	<1	<1	2	2	4	7	12
6-12 YRS	217	1.7	1	<1	<1	1	2	2	4	7
13-19 YRS	175	2.4	21	<1	<1	2	2	3	6	16
GRAND TOTAL	**731**	**2.2**	**9**	**<1**	**<1**	**2**	**2**	**4**	**7**	**14**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	22	3.6	23	<1	1	2	2	12	16	17
6-12 YRS	7	1.4		<1	<1	1	2	2	2	2
13-19 YRS	11	2.2	4	<1	<1	2	2	5	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	11	7.9	85	1	1	3	8	26	26	26
1-5 YRS	36	5.7	63	1	1	2	6	14	21	41
6-12 YRS	19	8.1	189	<1	<1	2	8	34	45	47
13-19 YRS	19	7.3	225	1	1	2	5	17	45	66
TOT. SINGLE DX	43	2.8	13	<1	1	2	2	8	12	17
" MULTIPLE DX	85	6.9	127	<1	1	2	7	20	30	59
TOTAL 0-27 DYS										
1-11 MOS	14	6.8	71	1	2	3	8	26	26	26
1-5 YRS	58	4.9	48	1	1	2	6	13	19	39
6-12 YRS	26	6.3	146	<1	<1	2	3	20	43	47
13-19 YRS	30	5.4	148	1	1	2	3	11	19	66
GRAND TOTAL	**128**	**5.5**	**92**	**<1**	**1**	**2**	**5**	**15**	**22**	**51**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	1	1.0		1	1	1	1	1	1	1
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1**	**1.0**		**1**	**1**	**1**	**1**	**1**	**1**	**1**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	17.0	84	5	5	18	24	26	26	26
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	2	23.5	841	3	3	44	86	99+	99+	99+
1-11 MOS	13	20.8	190	8	9	16	28	42	51	53
1-5 YRS	12	28.8	699	3	4	29	55	99+	99+	99+
6-12 YRS	7	16.1	324	1	2	10	39	86	99+	99+
13-19 YRS	11	32.3	579	1	2	45	60	99+	99+	99+
TOT. SINGLE DX	6	11.8	115	1	1	10	22	26	26	26
" MULTIPLE DX	45	25.1	457	2	4	24	53	99+	99+	99+
TOTAL 0-27 DYS	2	23.5	841	3	3	44	86	99+	99+	99+
1-11 MOS	17	19.9	161	6	8	16	25	38	48	53
1-5 YRS	12	28.8	699	3	4	29	55	99+	99+	99+
6-12 YRS	8	14.4	303	1	1	9	33	81	99+	99+
13-19 YRS	12	29.7	609	1	1	42	59	99+	99+	99+
GRAND TOTAL	**51**	**23.5**	**432**	**1**	**3**	**20**	**47**	**98**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0		8	8	8	8	8	8	8
1-11 MOS	14	10.4	211	1	1	5	16	53	88	99+
1-5 YRS	81	5.0	29	<1	1	3	7	10	14	30
6-12 YRS	33	3.8	12	<1	1	2	4	9	11	15
13-19 YRS	26	6.2	111	<1	<1	4	6	12	23	55
2. MULTIPLE DX										
0-27 DYS	41	35.7	556	10	12	32	69	99+	99+	99+
1-11 MOS	66	16.7	182	1	2	15	23	47	99+	99+
1-5 YRS	177	13.2	282	1	1	7	17	48	74	99+
6-12 YRS	83	9.7	198	<1	1	5	14	38	80	99+
13-19 YRS	104	23.2	623	1	2	15	41	91	99+	99+
TOT. SINGLE DX	156	5.5	57	<1	1	3	7	11	17	55
" MULTIPLE DX	471	17.2	403	1	1	11	26	65	99+	99+
TOTAL 0-27 DYS	43	34.4	564	8	10	32	68	99+	99+	99+
1-11 MOS	80	15.6	191	1	2	14	23	52	99+	99+
1-5 YRS	258	10.6	217	1	1	6	13	33	59	99+
6-12 YRS	116	8.0	152	<1	1	4	10	20	57	99+
13-19 YRS	130	19.8	566	<1	2	10	34	72	99	99+
GRAND TOTAL	**627**	**14.3**	**343**	**1**	**1**	**8**	**20**	**56**	**95**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	4.4	32	1	1	1	7	14	14	14
1-5 YRS	20	3.0	4	<1	<1	2	3	6	8	10
6-12 YRS	22	3.5	9	<1	1	2	5	9	10	10
13-19 YRS	28	5.3	20	<1	1	4	7	12	17	17
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	21	8.8	138	1	1	4	12	22	37	49
1-5 YRS	28	9.6	86	1	2	5	14	23	32	34
6-12 YRS	15	8.3	52	2	3	7	10	14	27	31
13-19 YRS	60	8.7	69	1	2	6	11	20	24	43
TOT. SINGLE DX	75	4.1	14	<1	1	3	5	10	12	17
" MULTIPLE DX	125	8.9	81	1	2	6	12	22	30	61
TOTAL 0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	26	8.0	119	1	1	3	11	18	32	49
1-5 YRS	48	6.8	62	<1	1	3	8	19	24	34
6-12 YRS	37	5.4	32	1	1	4	8	10	13	31
13-19 YRS	88	7.6	56	1	2	5	10	17	23	39
GRAND TOTAL	**200**	**7.1**	**61**	**1**	**1**	**4**	**10**	**17**	**24**	**47**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	89.0		89	89	89	89	89	89	89
1-11 MOS	1	44.0		44	44	44	44	44	44	44
1-5 YRS	6	5.0	19	1	1	4	7	12	12	12
6-12 YRS										
13-19 YRS	2	8.0	32	4	4	8	12	12	12	12
TOT. SINGLE DX										
" MULTIPLE DX	10	17.9	785	1	1	7	12	66	89	89
TOTAL 0-27 DYS	1	89.0		89	89	89	89	89	89	89
1-11 MOS	1	44.0		44	44	44	44	44	44	44
1-5 YRS	6	5.0	20	1	1	4	7	12	12	12
6-12 YRS										
13-19 YRS	2	8.0	32	4	4	8	12	12	12	12
GRAND TOTAL	**10**	**17.9**	**785**	**1**	**1**	**7**	**12**	**66**	**89**	**89**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	6	7.5	6	5	5	7	9	11	11	11
1-5 YRS	13	12.1	318	4	4	7	9	23	62	71
6-12 YRS	10	10.8	103	4	4	7	13	26	38	38
13-19 YRS	57	10.7	60	2	3	8	13	21	23	47
2. MULTIPLE DX										
0-27 DYS	7	12.9	75	4	4	14	16	26	29	29
1-11 MOS	19	23.5	426	3	5	18	35	72	89	99+
1-5 YRS	31	15.4	277	2	3	9	21	41	61	63
6-12 YRS	34	11.6	47	4	5	10	15	21	23	31
13-19 YRS	134	12.7	115	4	5	9	15	27	33	69
TOT. SINGLE DX	88	10.6	95	3	4	8	12	20	24	62
" MULTIPLE DX	225	13.8	159	3	5	9	18	29	47	84
TOTAL 0-27 DYS	9	11.6	65	4	4	10	15	24	29	29
1-11 MOS	25	19.7	370	4	5	12	29	63	83	99+
1-5 YRS	44	14.4	285	3	4	8	14	34	62	71
6-12 YRS	44	11.4	58	4	5	9	14	21	25	38
13-19 YRS	191	12.1	100	3	5	9	14	23	32	62
GRAND TOTAL	313	12.9	143	3	4	9	15	26	39	74

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	11.3	60	5	5	9	17	20	20	20
1-11 MOS	6	10.5	18	7	7	9	12	17	18	18
1-5 YRS	3	7.3	10	5	5	6	10	11	11	11
6-12 YRS	5	9.6	22	5	5	10	12	17	17	17
13-19 YRS	6	17.5	136	7	7	15	25	35	36	36
2. MULTIPLE DX										
0-27 DYS	4	12.0	12	9	9	12	15	15	15	15
1-11 MOS	6	13.3	39	8	8	11	15	24	25	25
1-5 YRS	6	13.8	128	5	5	10	14	34	36	36
6-12 YRS	12	14.7	36	7	8	13	20	23	24	24
13-19 YRS	20	15.4	123	6	7	11	19	35	43	44
TOT. SINGLE DX	23	11.8	59	5	5	10	16	21	29	36
" MULTIPLE DX	48	14.5	78	7	7	11	17	25	37	44
TOTAL 0-27 DYS	7	11.7	26	5	6	9	15	19	20	20
1-11 MOS	12	11.9	28	7	7	10	14	20	24	25
1-5 YRS	9	11.7	94	5	5	9	12	27	36	36
6-12 YRS	17	13.2	36	5	6	11	18	23	24	24
13-19 YRS	26	15.9	122	6	7	11	21	35	42	44
GRAND TOTAL	71	13.6	73	5	6	10	17	24	35	44

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.1	4	2	2	4	5	6	9	10
1-11 MOS	169	3.8	23	<1	1	2	5	8	14	35
1-5 YRS	474	2.2	5	<1	1	1	2	4	7	11
6-12 YRS	95	4.8	114	<1	<1	2	5	9	14	67
13-19 YRS	74	4.6	45	<1	1	2	5	10	16	38
2. MULTIPLE DX										
0-27 DYS	40	14.3	373	2	3	9	18	75	99+	99+
1-11 MOS	310	8.4	97	1	1	5	11	19	26	61
1-5 YRS	493	6.5	83	1	1	3	8	15	23	52
6-12 YRS	151	8.6	110	1	1	5	11	17	26	56
13-19 YRS	206	11.6	191	1	2	8	13	23	36	86
TOT. SINGLE DX	828	3.1	26	<1	1	2	3	7	9	22
" MULTIPLE DX	1200	8.4	123	1	1	5	10	19	27	79
TOTAL 0-27 DYS	56	11.4	287	2	2	5	14	44	99	99+
1-11 MOS	479	6.7	76	1	1	4	8	16	23	54
1-5 YRS	967	4.4	50	1	1	2	5	10	15	37
6-12 YRS	246	7.1	115	<1	1	4	9	15	23	57
13-19 YRS	280	9.7	162	1	1	6	11	20	34	82
GRAND TOTAL	2028	6.2	90	1	1	3	7	14	22	56

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.6	5	1	2	6	7	8	8	8
6-12 YRS	2	10.0	128	2	2	10	18	18	18	18
13-19 YRS	51	5.5	8	2	2	5	7	10	11	13
2. MULTIPLE DX										
0-27 DYS	32	8.7	93	3	3	6	9	17	36	47
1-11 MOS	3	5.7	65	1	1	1	12	15	15	15
1-5 YRS	7	12.3	116	2	3	8	17	30	33	33
6-12 YRS	11	13.0	303	2	3	9	12	35	62	64
13-19 YRS	43	10.7	71	3	3	8	16	23	26	40
TOT. SINGLE DX	60	5.7	11	2	2	5	7	10	12	17
" MULTIPLE DX	96	10.3	106	2	3	7	12	22	33	56
TOTAL 0-27 DYS	32	8.7	93	3	3	6	9	17	36	47
1-11 MOS	3	5.7	65	1	1	1	12	15	15	15
1-5 YRS	14	8.9	68	1	2	6	8	19	30	33
6-12 YRS	13	12.5	265	2	2	9	14	27	57	64
13-19 YRS	94	7.9	44	2	3	6	9	17	23	36
GRAND TOTAL	156	8.5	74	2	3	6	9	17	23	47

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	6.3	42	<1	1	4	6	17	22	22
1-11 MOS	6	5.3	8	3	3	4	8	10	10	10
1-5 YRS	18	4.1	23	<1	<1	3	5	8	16	21
6-12 YRS	22	4.9	8	1	1	5	7	9	10	11
13-19 YRS	507	5.4	10	2	2	5	7	10	11	16
2. MULTIPLE DX										
0-27 DYS	294	20.0	452	3	4	11	28	63	90	99+
1-11 MOS	22	19.5	167	5	6	15	28	38	47	51
1-5 YRS	77	12.1	67	2	4	10	15	24	30	40
6-12 YRS	106	11.4	133	2	3	8	14	19	38	63
13-19 YRS	507	9.3	84	2	3	7	11	17	27	77
TOT. SINGLE DX	561	5.3	11	2	2	5	7	9	11	18
" MULTIPLE DX	1006	13.1	220	2	3	8	15	32	51	99+
TOTAL 0-27 DYS	302	19.6	447	3	4	11	27	61	88	99+
1-11 MOS	28	16.5	167	3	4	12	24	34	46	51
1-5 YRS	95	10.6	69	<1	1	9	14	21	29	39
6-12 YRS	128	10.3	118	1	3	7	14	18	33	56
13-19 YRS	1014	7.3	52	2	3	5	9	13	18	47
GRAND TOTAL	**1567**	**10.3**	**159**	**2**	**3**	**6**	**11**	**22**	**37**	**94**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	17	4.8	14	<1	<1	3	7	10	12	13
1-5 YRS	238	5.5	6	2	3	5	7	8	9	17
6-12 YRS	183	5.7	6	1	3	6	7	7	10	12
13-19 YRS	283	5.9	13	1	2	6	7	9	13	22
2. MULTIPLE DX										
0-27 DYS	2	35.5	1405	9	9	35	62	62	62	62
1-11 MOS	18	10.2	137	1	2	7	13	17	38	52
1-5 YRS	72	8.4	42	2	3	7	10	18	23	31
6-12 YRS	69	8.9	43	2	3	7	10	19	23	33
13-19 YRS	198	10.8	128	2	3	7	12	22	29	68
TOT. SINGLE DX	723	5.7	10	1	2	6	7	8	10	18
" MULTIPLE DX	359	10.1	103	2	3	7	11	21	28	53
TOTAL 0-27 DYS	4	23.0	677	9	9	10	36	62	62	62
1-11 MOS	35	7.6	83	<1	1	4	10	16	17	52
1-5 YRS	310	6.2	16	2	3	6	7	9	12	25
6-12 YRS	252	6.5	19	2	3	6	7	10	13	26
13-19 YRS	481	7.9	67	1	2	6	8	15	22	38
GRAND TOTAL	**1082**	**7.2**	**45**	**1**	**2**	**6**	**8**	**12**	**18**	**31**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	11.8	19	8	8	11	14	19	21	21
1-11 MOS	141	11.1	30	6	7	9	12	17	24	34
1-5 YRS	400	8.3	15	5	5	7	9	12	15	23
6-12 YRS	155	8.6	20	4	5	7	9	15	18	26
13-19 YRS	83	9.2	12	6	6	8	10	13	15	27
2. MULTIPLE DX										
0-27 DYS	44	14.9	136	4	5	11	20	39	65	99+
1-11 MOS	485	15.7	138	6	7	12	18	30	40	96
1-5 YRS	789	11.4	64	5	6	9	12	20	28	60
6-12 YRS	251	11.4	100	5	6	9	12	19	27	75
13-19 YRS	196	13.5	130	5	7	10	15	25	38	81
TOT. SINGLE DX	789	9.0	20	5	5	8	10	14	17	26
" MULTIPLE DX	1765	12.9	103	5	6	10	15	24	33	81
TOTAL 0-27 DYS	54	14.3	116	4	6	11	18	34	54	99+
1-11 MOS	626	14.6	118	6	7	11	17	27	37	91
1-5 YRS	1189	10.4	50	5	6	9	11	17	23	51
6-12 YRS	406	10.3	72	5	5	8	11	17	21	63
13-19 YRS	279	12.2	99	5	6	9	13	19	30	67
GRAND TOTAL	**2554**	**11.7**	**80**	**5**	**6**	**9**	**13**	**20**	**29**	**68**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	12	11.3	15	6	7	10	12	17	20	21
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	2	9.0		9	9	9	9	9	9	9
" MULTIPLE DX	15	12.2	16	6	8	11	15	18	20	21
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	13	11.1	14	6	8	10	12	16	20	21
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**17**	**11.8**	**15**	**7**	**8**	**11**	**14**	**18**	**20**	**21**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	3.7	17	<1	<1	2	4	11	14	14
1-11 MOS	297	2.0	7	1	1	2	2	2	5	13
1-5 YRS	854	1.7	1	1	1	2	2	2	2	7
6-12 YRS	339	1.7	1	1	1	2	2	2	2	6
13-19 YRS	267	2.0	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	104	8.4	206	1	1	5	7	16	32	80
1-11 MOS	913	3.6	40	1	1	2	3	8	12	38
1-5 YRS	1524	2.2	11	1	1	2	2	2	4	14
6-12 YRS	650	2.1	5	1	1	2	2	3	5	10
13-19 YRS	463	2.7	15	1	1	2	2	5	7	19
TOT. SINGLE DX	1769	1.8	3	1	1	2	2	2	3	9
" MULTIPLE DX	3654	2.7	25	1	1	2	2	4	7	24
TOTAL 0-27 DYS	116	7.9	189	1	1	4	7	16	26	78
1-11 MOS	1210	3.2	33	1	1	2	2	6	11	34
1-5 YRS	2378	2.0	8	1	1	2	2	2	3	11
6-12 YRS	989	2.0	4	1	1	2	2	2	4	9
13-19 YRS	730	2.4	11	1	1	2	2	4	6	15
GRAND TOTAL	**5423**	**2.4**	**18**	**1**	**1**	**2**	**2**	**3**	**6**	**18**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	5.0	7	3	3	4	7	8	8	8
1-5 YRS	14	5.0	8	<1	2	5	6	10	11	11
6-12 YRS	29	4.3	7	1	1	4	6	8	11	11
13-19 YRS	32	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
0-27 DYS	6	21.2	116	7	7	21	28	36	37	37
1-11 MOS	16	12.4	130	1	2	7	16	31	39	42
1-5 YRS	32	7.0	25	2	3	5	10	13	18	23
6-12 YRS	43	5.9	22	2	2	4	8	10	12	30
13-19 YRS	60	5.9	21	1	1	5	7	11	14	25
TOT. SINGLE DX	79	4.6	8	1	2	4	6	9	10	13
" MULTIPLE DX	157	7.3	47	1	2	5	9	14	22	37
TOTAL 0-27 DYS	7	19.0	130	6	6	21	26	35	37	37
1-11 MOS	19	11.2	117	1	2	7	16	28	37	42
1-5 YRS	46	6.4	21	2	2	5	9	12	15	23
6-12 YRS	72	5.3	17	1	2	4	7	9	11	26
13-19 YRS	92	5.4	17	1	2	5	6	10	14	24
GRAND TOTAL	**236**	**6.4**	**35**	**1**	**2**	**5**	**8**	**12**	**18**	**33**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	21	5.9	7	2	2	6	8	10	10	11
1-5 YRS	37	5.7	12	1	1	6	8	11	12	14
6-12 YRS	22	5.7	8	1	2	6	9	9	9	9
13-19 YRS	32	6.6	8	2	3	7	8	11	11	13
2. MULTIPLE DX										
0-27 DYS	19	21.1	384	1	4	15	26	41	69	88
1-11 MOS	49	12.5	209	1	2	8	16	25	31	96
1-5 YRS	63	10.5	110	1	2	8	11	23	35	56
6-12 YRS	33	6.6	17	1	2	7	8	11	15	22
13-19 YRS	67	12.0	173	1	2	8	12	24	49	59
TOT. SINGLE DX	113	6.0	9	1	2	6	8	10	11	13
" MULTIPLE DX	231	11.7	168	1	2	8	13	24	37	65
TOTAL 0-27 DYS	20	20.4	375	1	4	15	25	40	67	88
1-11 MOS	70	10.5	157	2	2	7	12	20	28	83
1-5 YRS	100	8.7	79	1	1	7	10	16	27	50
6-12 YRS	55	6.2	14	1	2	6	8	9	12	22
13-19 YRS	99	10.3	126	1	2	8	11	18	40	58
GRAND TOTAL	**344**	**9.8**	**123**	**1**	**2**	**7**	**11**	**19**	**29**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	142	2.9	1	1	2	3	3	4	5	7
1-11 MOS	181	3.0	12	<1	<1	2	3	7	12	17
1-5 YRS	413	2.6	7	<1	<1	2	3	6	8	15
6-12 YRS	189	2.5	8	<1	<1	2	2	6	8	17
13-19 YRS	116	3.6	26	<1	1	2	3	8	14	32
2. MULTIPLE DX										
0-27 DYS	1136	4.9	53	2	2	3	5	7	12	49
1-11 MOS	211	8.1	88	1	1	5	11	20	28	88
1-5 YRS	480	5.9	43	1	1	4	8	13	16	30
6-12 YRS	180	6.1	56	<1	1	3	8	15	20	40
13-19 YRS	254	7.4	50	1	1	5	10	16	23	33
TOT. SINGLE DX	1041	2.8	10	<1	<1	2	3	6	8	17
" MULTIPLE DX	2261	5.8	56	1	1	3	6	12	18	43
TOTAL 0-27 DYS	1278	4.7	48	2	2	3	5	7	11	47
1-11 MOS	392	5.7	60	<1	1	3	7	14	20	48
1-5 YRS	893	4.4	30	<1	1	2	5	10	14	26
6-12 YRS	369	4.2	35	<1	1	2	4	11	15	29
13-19 YRS	370	6.2	46	<1	1	3	9	15	20	33
GRAND TOTAL	**3302**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**10**	**15**	**36**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.0	2	1	1	3	4	5	5	5
1-5 YRS										
6-12 YRS	3	3.3	16	1	1	1	6	8	8	8
13-19 YRS	82	2.8	2	<1	1	3	4	5	6	7
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	2.5	1	1	1	2	3	4	4	4
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	12	4.3	23	<1	1	3	4	9	18	19
TOT. SINGLE DX	90	2.9	2	<1	1	3	4	5	6	8
" MULTIPLE DX	19	5.2	36	<1	1	3	4	16	21	23
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	9	2.8	2	1	1	3	4	5	5	5
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	4	3.3	11	1	1	2	5	8	8	8
13-19 YRS	94	3.0	5	<1	1	3	4	5	6	14
GRAND TOTAL	109	3.3	9	<1	1	3	4	5	6	21

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	9.8	6	7	7	9	11	13	13	13
1-11 MOS	27	7.9	4	5	6	8	10	11	11	12
1-5 YRS	41	7.9	20	3	4	7	9	13	14	28
6-12 YRS	12	6.8	7	3	3	7	9	10	11	11
13-19 YRS	20	4.2	7	<1	1	3	6	9	10	10
2. MULTIPLE DX										
0-27 DYS	42	15.2	171	6	6	12	18	28	60	99+
1-11 MOS	94	13.0	71	6	6	10	15	21	27	53
1-5 YRS	109	10.6	85	5	5	8	11	17	21	60
6-12 YRS	63	13.6	246	2	3	8	16	24	53	83
13-19 YRS	113	12.2	138	2	3	9	16	28	36	90
TOT. SINGLE DX	104	7.2	14	2	3	7	9	11	13	21
" MULTIPLE DX	421	12.5	130	3	5	9	15	22	33	81
TOTAL 0-27 DYS	46	14.7	159	6	6	11	17	26	54	99+
1-11 MOS	121	11.8	61	5	6	10	13	20	26	46
1-5 YRS	150	9.9	69	4	5	8	11	16	20	50
6-12 YRS	75	12.5	214	3	3	8	13	23	45	82
13-19 YRS	133	11.0	127	2	2	8	15	24	32	87
GRAND TOTAL	525	11.4	111	3	4	9	13	20	30	76

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	1	7.0		7	7	7	7	7	7	7
" MULTIPLE DX	2	17.5	85	11	11	17	24	24	24	24
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS										
1-5 YRS	2	9.0	8	7	7	9	11	11	11	11
6-12 YRS										
13-19 YRS										
GRAND TOTAL	3	14.0	79	7	7	11	21	24	24	24

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	2.5	10	<1	<1	<1	2	8	9	9
13-19 YRS	7	4.7	8	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	6.0	3	5	5	5	7	8	8	8
1-5 YRS	9	13.2	168	1	1	8	22	33	38	38
6-12 YRS	21	6.1	50	<1	<1	4	6	17	25	29
13-19 YRS	159	4.9	19	1	1	3	6	10	15	24
TOT. SINGLE DX	14	3.7	9	<1	<1	3	5	9	9	9
" MULTIPLE DX	192	5.5	32	1	1	4	6	12	18	29
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	3	5	5	5	7	8	8	8
1-5 YRS	10	12.3	158	1	1	6	21	32	38	38
6-12 YRS	27	5.3	43	<1	<1	4	5	12	23	29
13-19 YRS	166	4.9	19	1	1	4	6	9	15	23
GRAND TOTAL	206	5.3	30	1	1	4	6	12	17	28

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	89	9.8	106	1	2	6	12	21	37	52
1-11 MOS	209	8.0	49	2	3	6	10	13	17	46
1-5 YRS	440	6.3	16	2	3	6	7	11	13	22
6-12 YRS	152	5.7	14	1	2	5	7	10	12	21
13-19 YRS	230	5.7	27	1	1	4	8	12	15	28
2. MULTIPLE DX										
0-27 DYS	6188	20.2	418	2	4	12	30	57	80	99+
1-11 MOS	584	13.4	172	3	4	10	15	26	44	94
1-5 YRS	713	10.7	139	2	3	7	12	21	33	83
6-12 YRS	286	9.1	100	1	1	7	10	20	27	61
13-19 YRS	604	9.4	132	1	1	6	11	22	32	57
TOT. SINGLE DX	1120	6.7	33	1	2	5	8	12	15	32
" MULTIPLE DX	8375	17.8	364	2	3	10	24	51	74	99+
TOTAL 0-27 DYS	6277	20.1	416	2	4	12	29	56	80	99+
1-11 MOS	793	11.9	146	3	4	9	14	24	36	87
1-5 YRS	1153	9.0	97	2	3	6	10	17	25	69
6-12 YRS	438	7.9	73	1	1	6	9	15	23	53
13-19 YRS	834	8.4	106	1	1	5	10	18	29	54
GRAND TOTAL	9495	16.5	337	2	3	9	22	48	69	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	7.2	30	1	1	5	11	15	18	18
1-11 MOS	63	3.4	6	<1	1	2	5	7	9	11
1-5 YRS	410	2.8	10	<1	<1	2	3	6	8	15
6-12 YRS	393	2.8	6	<1	<1	2	3	6	8	13
13-19 YRS	646	3.1	10	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
0-27 DYS	5	6.2	3	4	4	6	7	9	9	9
1-11 MOS	61	4.5	9	1	1	5	6	8	10	15
1-5 YRS	203	4.9	20	<1	1	4	6	11	14	21
6-12 YRS	184	4.6	22	<1	1	3	6	10	12	22
13-19 YRS	342	5.1	22	1	1	4	7	11	14	24
TOT. SINGLE DX	1522	3.0	9	<1	<1	2	4	6	9	15
" MULTIPLE DX	795	4.9	21	1	1	4	7	11	13	22
TOTAL 0-27 DYS	15	6.9	21	1	2	5	10	12	16	18
1-11 MOS	124	4.0	8	1	1	4	6	8	9	14
1-5 YRS	613	3.5	14	<1	<1	2	4	8	11	18
6-12 YRS	577	3.3	12	<1	<1	2	4	8	10	16
13-19 YRS	988	3.8	15	<1	1	2	5	9	12	19
GRAND TOTAL	2317	3.6	14	<1	<1	2	5	8	11	18

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	2.7	2	1	1	3	3	5	6	6
6-12 YRS	12	3.2	6	1	1	2	4	7	9	9
13-19 YRS	41	4.3	10	1	2	3	6	9	10	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	7.0	28	2	2	6	9	16	16	16
1-5 YRS	10	5.0	14	<1	<1	4	9	10	10	10
6-12 YRS	9	4.9	14	1	1	3	7	11	13	13
13-19 YRS	40	7.5	29	1	2	6	9	14	20	25
TOT. SINGLE DX	65	3.8	8	1	1	3	5	8	10	14
" MULTIPLE DX	64	6.7	25	1	2	6	9	13	17	25
TOTAL 0-27 DYS										
1-11 MOS	6	6.2	27	2	2	5	6	15	16	16
1-5 YRS	21	3.8	9	<1	1	3	5	9	10	10
6-12 YRS	21	3.9	10	1	1	3	6	8	11	13
13-19 YRS	81	5.9	22	1	2	5	8	11	15	24
GRAND TOTAL	129	5.2	19	1	1	4	7	10	13	23

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	22.0	192	6	6	30	30	30	30	30
1-5 YRS										
6-12 YRS										
13-19 YRS	1	17.0		17	17	17	17	17	17	17
TOT. SINGLE DX	2	4.5	5	3	3	4	6	6	6	6
" MULTIPLE DX	4	20.8	134	6	6	23	30	30	30	30
TOTAL 0-27 DYS										
1-11 MOS	3	22.0	192	6	6	30	30	30	30	30
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	2	10.0	98	3	3	10	17	17	17	17
GRAND TOTAL	6	15.3	152	3	3	12	30	30	30	30

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	50.0	1393	7	7	69	73	74	74	74
6-12 YRS	1	47.0		47	47	47	47	47	47	47
13-19 YRS	3	18.0	549	3	3	6	35	45	45	45
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	33.0	32	29	29	33	37	37	37	37
1-5 YRS	7	53.9	774	3	11	50	77	84	85	85
6-12 YRS	12	45.0	246	24	26	45	60	79	96	99+
13-19 YRS	10	31.6	178	11	12	37	42	72	98	99+
TOT. SINGLE DX	8	32.0	914	3	4	26	58	72	74	74
" MULTIPLE DX	31	41.9	377	11	19	44	55	82	98	99+
TOTAL 0-27 DYS										
1-11 MOS	3	23.7	277	5	5	29	35	37	37	37
1-5 YRS	10	52.7	829	3	5	58	74	83	85	85
6-12 YRS	13	45.2	226	24	26	45	59	77	95	99+
13-19 YRS	13	28.5	261	4	6	35	44	58	91	99+
GRAND TOTAL	**39**	**39.9**	**483**	**4**	**7**	**44**	**55**	**77**	**92**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	58	3.3	10	1	1	2	3	8	12	15
1-5 YRS	383	5.6	43	1	1	4	7	10	13	34
6-12 YRS	346	5.9	23	1	2	5	7	10	13	29
13-19 YRS	504	6.6	31	1	2	6	8	10	15	32
2. MULTIPLE DX										
0-27 DYS	20	16.0	156	2	3	14	23	37	42	44
1-11 MOS	99	7.6	84	1	1	5	10	18	24	99+
1-5 YRS	494	9.1	112	1	1	5	10	22	29	51
6-12 YRS	411	8.5	86	<1	2	6	10	18	25	48
13-19 YRS	922	11.0	128	2	3	8	12	24	34	64
TOT. SINGLE DX	1291	6.0	32	1	1	5	7	10	13	32
" MULTIPLE DX	1946	9.9	115	1	2	7	11	22	30	55
TOTAL 0-27 DYS	20	16.0	156	2	3	14	23	37	42	44
1-11 MOS	157	6.0	61	1	1	4	8	14	22	98
1-5 YRS	877	7.5	85	1	1	5	8	16	26	49
6-12 YRS	757	7.3	59	1	2	6	9	14	20	39
13-19 YRS	1426	9.5	98	2	3	7	10	19	29	53
GRAND TOTAL	**3237**	**8.3**	**86**	**1**	**2**	**6**	**9**	**17**	**25**	**50**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	13	10.2	92	2	3	5	17	27	28	28
1-11 MOS	36	14.3	175	2	2	9	20	34	39	59
1-5 YRS	95	8.4	169	1	1	4	8	19	29	77
6-12 YRS	74	7.7	83	<1	1	4	10	21	27	44
13-19 YRS	93	12.2	152	1	2	7	18	31	42	49
2. MULTIPLE DX										
0-27 DYS	269	16.8	354	2	3	9	22	47	71	99+
1-11 MOS	155	22.4	475	1	2	16	38	70	91	99+
1-5 YRS	266	14.5	244	1	2	10	21	36	55	99+
6-12 YRS	141	15.4	220	1	2	11	23	38	50	99+
13-19 YRS	234	16.3	269	1	2	10	23	43	51	95
TOT. SINGLE DX	311	10.1	145	1	2	5	14	27	35	54
" MULTIPLE DX	1065	16.7	313	1	2	10	24	46	67	99+
TOTAL 0-27 DYS	282	16.5	344	2	3	9	22	46	71	99+
1-11 MOS	191	20.8	428	2	2	14	35	65	83	99+
1-5 YRS	361	12.9	232	1	2	7	16	32	51	99
6-12 YRS	215	12.8	186	1	1	7	17	36	46	78
13-19 YRS	327	15.1	239	1	2	9	21	39	49	89
GRAND TOTAL	**1376**	**15.2**	**283**	**1**	**2**	**9**	**21**	**42**	**58**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	18.7	366	1	1	16	33	39	39	39
1-11 MOS	38	4.2	35	<1	1	2	4	13	20	26
1-5 YRS	124	2.8	16	<1	<1	1	2	5	10	25
6-12 YRS	66	3.4	14	<1	1	2	4	6	10	22
13-19 YRS	76	3.6	10	1	1	2	5	8	9	17
2. MULTIPLE DX										
0-27 DYS	9	38.9	1636	4	5	21	93	97	99+	99+
1-11 MOS	95	9.1	146	1	1	4	10	21	39	62
1-5 YRS	200	6.9	92	<1	1	3	9	17	24	53
6-12 YRS	129	5.4	76	1	1	2	5	13	21	52
13-19 YRS	155	7.2	71	1	1	5	9	14	26	66
TOT. SINGLE DX	307	3.4	21	<1	<1	2	4	8	11	24
" MULTIPLE DX	588	7.5	130	1	1	3	9	17	29	69
TOTAL 0-27 DYS	12	33.8	1340	1	3	16	89	96	99	99+
1-11 MOS	133	7.7	119	1	1	3	9	19	29	56
1-5 YRS	324	5.3	67	<1	<1	2	5	13	19	48
6-12 YRS	195	4.7	57	1	1	2	5	11	18	45
13-19 YRS	231	6.0	54	1	1	4	8	12	18	43
GRAND TOTAL	**895**	**6.1**	**96**	**<1**	**1**	**3**	**7**	**14**	**22**	**55**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	651	3.4	2	2	2	3	4	5	7	9
1-11 MOS	1489	3.4	2	2	2	3	4	5	6	9
1-5 YRS	187	4.4	6	2	2	4	6	7	9	12
6-12 YRS	6	3.7	5	2	2	3	4	8	8	8
13-19 YRS	7	5.3	2	3	3	5	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	178	6.0	41	2	2	5	6	10	13	33
1-11 MOS	452	4.8	13	2	2	4	6	8	10	16
1-5 YRS	56	7.7	30	3	4	6	9	13	19	33
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	6.8	12	2	3	6	11	65	99+	99+
TOT. SINGLE DX	2340	3.5	3	2	2	3	4	5	6	9
" MULTIPLE DX	695	5.3	23	2	2	4	6	9	12	25
TOTAL 0-27 DYS	829	4.0	12	2	2	3	4	6	8	13
1-11 MOS	1941	3.7	5	2	2	3	4	6	7	11
1-5 YRS	243	5.2	14	2	2	4	6	9	11	20
6-12 YRS	7	4.0	5	2	2	3	5	8	8	8
13-19 YRS	15	6.1	8	2	3	6	8	13	74	99+
GRAND TOTAL	**3035**	**3.9**	**8**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	25.0	968	3	3	25	47	47	47	47
1-11 MOS	3	30.3	1374	6	6	12	58	73	73	73
1-5 YRS	13	14.3	335	1	2	8	18	39	62	67
6-12 YRS	7	13.4	133	4	4	8	21	32	34	34
13-19 YRS	8	10.0	52	2	3	7	17	20	20	20
2. MULTIPLE DX										
0-27 DYS	22	36.4	394	9	14	38	49	71	92	99+
1-11 MOS	61	24.9	496	5	6	19	39	95	99+	99+
1-5 YRS	122	15.9	206	3	5	12	21	34	50	99+
6-12 YRS	53	15.5	163	4	4	12	19	33	56	98
13-19 YRS	60	18.2	351	2	3	11	30	59	74	99+
TOT. SINGLE DX	33	15.2	314	2	2	8	20	37	64	73
" MULTIPLE DX	318	19.4	324	3	4	14	27	55	80	99+
TOTAL 0-27 DYS	24	35.4	412	4	11	38	48	67	91	99+
1-11 MOS	64	25.1	518	5	6	18	39	90	99+	99+
1-5 YRS	135	15.7	216	3	4	12	21	34	52	99+
6-12 YRS	60	15.2	158	4	4	12	19	33	52	96
13-19 YRS	68	17.3	322	2	3	11	23	54	74	99+
GRAND TOTAL	**351**	**19.0**	**324**	**3**	**4**	**14**	**26**	**53**	**76**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	3	6.0	12	4	4	4	9	10	10	10
1-5 YRS	4	8.0	64	<1	<1	6	14	18	18	18
6-12 YRS	11	4.3	6	<1	1	4	5	8	10	10
13-19 YRS	61	5.4	15	1	2	5	7	11	14	91
2. MULTIPLE DX										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	7	6.4	10	2	2	6	9	11	11	11
1-5 YRS	14	4.7	25	<1	<1	3	5	10	18	20
6-12 YRS	26	5.2	6	1	3	5	7	8	10	12
13-19 YRS	157	6.9	53	2	2	5	7	12	20	36
TOT. SINGLE DX	80	5.6	18	1	1	5	7	11	16	76
" MULTIPLE DX	206	6.5	44	1	2	5	7	11	18	34
TOTAL 0-27 DYS	3	11.7	64	4	4	11	18	20	20	20
1-11 MOS	10	6.3	10	2	3	5	10	11	11	11
1-5 YRS	18	5.4	33	<1	<1	3	8	16	19	20
6-12 YRS	37	4.9	6	1	2	5	6	8	10	12
13-19 YRS	218	6.5	43	1	2	5	7	11	18	45
GRAND TOTAL	**286**	**6.3**	**37**	**1**	**2**	**5**	**7**	**11**	**18**	**35**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS										
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	12	8.8	17	5	5	7	10	16	18	18
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	13.2	85	3	3	17	19	24	24	24
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	9	18.2	202	7	8	13	19	44	50	50
TOT. SINGLE DX	18	7.7	22	2	2	7	10	15	17	18
" MULTIPLE DX	16	15.4	144	3	4	12	17	33	45	50
TOTAL 0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	8	9.3	79	2	2	4	17	22	24	24
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	21	12.8	113	5	5	10	13	24	41	50
GRAND TOTAL	**34**	**11.3**	**92**	**2**	**3**	**9**	**14**	**19**	**32**	**50**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	1	16.0		16	16	16	16	16	16	16
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**1**	**16.0**		**16**	**16**	**16**	**16**	**16**	**16**	**16**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	6	11.3	8	8	8	11	13	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	26.5	5	25	25	26	28	28	28	28
1-5 YRS	1	48.0		48	48	48	48	48	48	48
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	8	11.0	66	6	7	8	15	72	99+	99+
TOT. SINGLE DX	9	11.1	7	8	8	10	13	15	16	16
" MULTIPLE DX	12	17.7	176	6	7	10	29	58	92	99+
TOTAL 0-27 DYS										
1-11 MOS	2	26.5	5	25	25	26	28	28	28	28
1-5 YRS	2	30.5	613	13	13	30	48	48	48	48
6-12 YRS	3	14.0	61	9	9	10	20	23	23	23
13-19 YRS	14	11.1	39	6	8	9	13	31	83	99+
GRAND TOTAL	**21**	**14.9**	**110**	**7**	**8**	**10**	**23**	**36**	**69**	**99+**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	4.5	21	1	1	3	5	11	17	17
1-11 MOS	81	8.6	70	2	3	6	11	18	23	88
1-5 YRS	72	7.6	36	1	2	7	10	14	20	31
6-12 YRS	27	6.1	11	1	2	6	8	12	12	12
13-19 YRS	89	7.9	14	5	5	8	9	11	12	28
2. MULTIPLE DX										
0-27 DYS	25	33.6	782	5	6	26	61	92	96	99+
1-11 MOS	197	19.7	273	4	6	14	26	51	61	99+
1-5 YRS	255	16.1	190	2	4	12	20	37	47	77
6-12 YRS	120	17.1	207	5	6	12	21	37	48	94
13-19 YRS	155	13.8	151	5	6	9	15	30	40	74
TOT. SINGLE DX	279	7.7	37	2	2	7	9	13	18	35
" MULTIPLE DX	752	17.3	238	4	5	12	22	40	56	99+
TOTAL 0-27 DYS	35	25.3	736	2	2	15	38	79	94	99+
1-11 MOS	278	16.5	239	3	4	12	22	45	59	99+
1-5 YRS	327	14.2	169	2	3	10	18	31	43	72
6-12 YRS	147	15.1	189	2	5	11	18	30	45	92
13-19 YRS	244	11.6	109	5	5	8	11	24	32	65
GRAND TOTAL	**1031**	**14.7**	**202**	**2**	**4**	**10**	**18**	**34**	**50**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	8.4	36	5	5	6	10	19	19	19
1-11 MOS	38	9.3	231	1	2	5	10	16	24	94
1-5 YRS	160	3.5	8	<1	1	3	5	8	9	14
6-12 YRS	128	4.1	14	<1	1	3	5	7	10	25
13-19 YRS	286	5.6	20	1	1	5	7	10	13	24
2. MULTIPLE DX										
0-27 DYS	15	20.6	231	2	5	15	36	47	84	99+
1-11 MOS	89	12.7	215	1	2	8	14	31	49	72
1-5 YRS	224	6.3	48	1	1	4	8	14	19	37
6-12 YRS	172	5.5	14	1	2	5	7	10	11	20
13-19 YRS	416	7.0	61	1	2	5	8	12	16	51
TOT. SINGLE DX	617	5.0	31	1	1	4	6	9	12	25
" MULTIPLE DX	916	7.3	73	1	2	5	8	14	21	52
TOTAL 0-27 DYS	20	17.6	208	3	5	13	32	46	71	99+
1-11 MOS	127	11.7	221	1	2	7	12	26	38	78
1-5 YRS	384	5.1	34	1	1	4	6	11	15	28
6-12 YRS	300	4.9	15	1	1	4	6	9	11	22
13-19 YRS	702	6.4	45	1	2	5	8	11	14	35
GRAND TOTAL	**1533**	**6.4**	**58**	**1**	**1**	**5**	**8**	**12**	**16**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	13.0	55	5	5	12	19	24	25	25
1-11 MOS	14	7.6	5	5	5	7	9	11	12	12
1-5 YRS	11	7.3	6	3	4	8	9	10	11	11
6-12 YRS	10	9.3	12	5	5	9	10	14	18	18
13-19 YRS	41	11.1	41	5	5	9	13	21	26	31
2. MULTIPLE DX										
0-27 DYS	38	43.4	767	7	15	68	99+	99+	99+	99+
1-11 MOS	35	16.1	201	5	5	11	27	42	89	99+
1-5 YRS	53	11.8	77	6	6	10	13	20	26	58
6-12 YRS	41	9.9	17	5	6	9	12	15	20	22
13-19 YRS	130	14.1	184	5	6	9	15	26	44	79
TOT. SINGLE DX	85	10.0	31	5	5	8	12	18	23	30
" MULTIPLE DX	297	17.1	321	5	6	11	21	70	99+	99+
TOTAL 0-27 DYS	47	37.6	773	6	8	44	99+	99+	99+	99+
1-11 MOS	49	13.7	159	5	5	9	17	38	69	99+
1-5 YRS	64	11.1	68	5	6	9	12	19	24	55
6-12 YRS	51	9.7	16	5	6	9	11	15	20	22
13-19 YRS	171	13.4	152	5	6	9	13	24	35	72
GRAND TOTAL	**382**	**15.5**	**265**	**5**	**6**	**10**	**18**	**48**	**95**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	23.8	1114	2	2	10	31	83	83	83
1-11 MOS	39	9.0	23	4	4	8	10	15	19	26
1-5 YRS	14	10.1	16	4	5	10	14	15	17	17
6-12 YRS	19	9.7	22	3	4	10	12	15	20	23
13-19 YRS	83	12.4	66	6	6	10	13	23	31	49
2. MULTIPLE DX										
0-27 DYS	43	44.3	673	12	13	52	76	99+	99+	99+
1-11 MOS	51	15.3	254	5	6	9	17	29	45	92
1-5 YRS	36	11.0	44	4	6	10	12	16	18	44
6-12 YRS	47	14.4	127	5	6	11	18	22	31	73
13-19 YRS	183	15.5	196	6	7	10	17	32	45	75
TOT. SINGLE DX	160	11.4	79	4	6	9	12	17	26	51
" MULTIPLE DX	360	18.3	328	6	7	11	20	50	71	99+
TOTAL 0-27 DYS	48	42.2	737	10	12	48	76	99+	99+	99+
1-11 MOS	90	12.6	162	4	5	9	13	22	29	83
1-5 YRS	50	10.7	36	4	6	10	12	16	17	44
6-12 YRS	66	13.1	101	5	5	11	15	21	27	68
13-19 YRS	266	14.5	157	6	7	10	16	29	41	69
GRAND TOTAL	**520**	**16.2**	**261**	**5**	**6**	**10**	**17**	**37**	**64**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	11.5	26	9	9	10	11	20	24	24
1-11 MOS	13	8.2	16	4	4	6	11	13	16	17
1-5 YRS	13	5.4	10	1	2	5	6	9	13	14
6-12 YRS	6	8.3	32	2	2	7	13	17	17	17
13-19 YRS	8	7.8	12	2	3	8	9	13	14	14
2. MULTIPLE DX										
0-27 DYS	17	17.5	273	6	6	12	19	61	87	99+
1-11 MOS	20	12.4	59	4	5	10	15	24	29	33
1-5 YRS	16	12.9	157	3	5	8	13	30	44	50
6-12 YRS	4	8.3	25	3	3	7	11	15	15	15
13-19 YRS	23	12.8	115	<1	3	11	16	20	34	55
TOT. SINGLE DX	48	7.9	20	2	3	7	10	14	17	24
" MULTIPLE DX	80	13.5	138	4	5	10	15	28	48	90
TOTAL 0-27 DYS	25	15.6	198	6	7	10	16	45	74	99+
1-11 MOS	33	10.8	46	4	5	9	14	19	26	33
1-5 YRS	29	9.5	103	3	3	6	9	21	32	50
6-12 YRS	10	8.3	26	2	2	7	13	16	17	17
13-19 YRS	31	11.5	93	<1	3	10	15	18	23	55
GRAND TOTAL	**128**	**11.4**	**101**	**3**	**4**	**9**	**14**	**21**	**33**	**74**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	9.0	21	2	3	9	10	16	18	18
1-11 MOS	230	5.4	11	2	2	5	7	9	10	21
1-5 YRS	148	5.7	8	2	2	5	8	9	10	14
6-12 YRS	49	6.5	7	3	3	7	8	10	11	14
13-19 YRS	114	7.8	11	3	4	8	9	12	14	21
2. MULTIPLE DX										
0-27 DYS	49	26.6	535	7	8	21	40	82	99+	99+
1-11 MOS	269	9.7	90	3	4	7	10	20	31	99+
1-5 YRS	224	9.7	62	3	4	8	11	15	26	99+
6-12 YRS	106	10.9	104	3	4	8	13	21	30	62
13-19 YRS	208	10.9	73	4	5	8	12	20	31	57
TOT. SINGLE DX	549	6.1	11	2	3	6	8	10	12	18
" MULTIPLE DX	856	11.1	121	3	4	8	12	22	34	99+
TOTAL 0-27 DYS	57	24.1	500	5	7	18	31	72	99	99+
1-11 MOS	499	7.7	59	2	3	6	9	13	22	69
1-5 YRS	372	8.1	45	2	3	7	10	13	17	71
6-12 YRS	155	9.5	78	3	3	7	10	17	24	48
13-19 YRS	322	9.8	54	4	5	8	11	15	26	46
GRAND TOTAL	**1405**	**9.2**	**84**	**3**	**3**	**7**	**10**	**16**	**26**	**78**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	8.9	10	5	5	8	12	13	13	13
1-11 MOS	17	9.2	21	4	4	8	14	15	17	18
1-5 YRS	14	10.1	38	4	5	8	13	21	22	22
6-12 YRS	10	13.4	80	4	4	10	25	26	26	26
13-19 YRS	8	19.9	429	5	5	11	30	55	60	60
2. MULTIPLE DX										
0-27 DYS	48	22.7	334	5	8	17	33	55	97	99+
1-11 MOS	18	28.6	708	4	5	20	40	71	90	98
1-5 YRS	31	18.1	305	3	4	12	23	38	42	92
6-12 YRS	19	20.2	393	3	5	12	23	57	67	70
13-19 YRS	43	20.5	428	5	6	13	21	54	74	91
TOT. SINGLE DX	58	11.6	95	4	5	8	14	22	26	59
" MULTIPLE DX	159	21.6	401	4	6	14	25	53	73	99+
TOTAL 0-27 DYS	57	20.5	308	5	6	15	23	53	81	99+
1-11 MOS	35	19.2	461	4	5	12	22	50	72	98
1-5 YRS	45	15.6	234	3	4	11	20	32	41	92
6-12 YRS	29	17.8	290	4	4	12	25	43	63	70
13-19 YRS	51	20.4	420	5	6	13	21	55	69	91
GRAND TOTAL	**217**	**18.9**	**338**	**4**	**5**	**13**	**22**	**47**	**64**	**99**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	10.1	254	<1	1	5	8	37	49	49
1-11 MOS	31	4.3	3	2	2	4	5	7	8	9
1-5 YRS	1046	5.2	14	2	2	4	7	10	11	17
6-12 YRS	8814	3.9	4	2	2	3	4	7	8	12
13-19 YRS	14006	3.8	3	2	2	3	4	6	8	11
2. MULTIPLE DX										
0-27 DYS	5	10.4	60	3	3	8	15	23	23	23
1-11 MOS	12	5.8	8	2	3	5	8	10	10	10
1-5 YRS	540	7.6	26	2	3	6	10	14	18	25
6-12 YRS	2527	6.3	22	2	2	5	8	11	15	24
13-19 YRS	4170	5.8	18	2	3	5	7	10	13	23
TOT. SINGLE DX	23905	3.9	5	2	2	3	4	7	8	12
" MULTIPLE DX	7254	6.1	21	2	3	5	7	11	14	24
TOTAL 0-27 DYS	13	10.2	168	<1	2	6	10	28	45	49
1-11 MOS	43	4.7	5	2	2	4	6	8	10	10
1-5 YRS	1586	6.0	20	2	2	5	8	11	14	21
6-12 YRS	11341	4.4	10	2	2	3	5	8	10	17
13-19 YRS	18176	4.2	8	2	2	4	5	7	9	15
GRAND TOTAL	**31159**	**4.4**	**9**	**2**	**2**	**4**	**5**	**8**	**10**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	14	2	2	3	7	9	9	9
1-5 YRS	17	6.6	41	2	2	4	7	18	24	25
6-12 YRS	74	3.6	2	2	2	3	4	5	7	8
13-19 YRS	134	3.9	2	2	2	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	7	5.1	4	3	3	4	7	8	8	8
6-12 YRS	32	5.9	20	1	2	4	8	12	17	19
13-19 YRS	84	5.5	12	2	3	5	6	9	12	23
TOT. SINGLE DX	228	4.0	6	2	2	4	5	6	8	13
" MULTIPLE DX	125	5.6	14	2	3	4	7	10	13	21
TOTAL 0-27 DYS										
1-11 MOS	5	6.0	19	2	2	4	10	12	12	12
1-5 YRS	24	6.2	31	2	3	4	7	10	22	25
6-12 YRS	106	4.3	9	2	2	4	5	8	10	18
13-19 YRS	218	4.5	7	2	2	4	5	7	9	16
GRAND TOTAL	**353**	**4.6**	**9**	**2**	**2**	**4**	**5**	**8**	**9**	**19**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	10.3	14	6	6	12	13	13	13	13
6-12 YRS	37	8.3	23	2	3	8	10	15	19	22
13-19 YRS	30	8.0	23	2	3	7	10	15	18	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	11.2	26	4	5	12	14	19	19	19
6-12 YRS	21	12.4	29	4	6	13	16	20	22	23
13-19 YRS	21	10.4	25	4	5	11	13	17	21	23
TOT. SINGLE DX	70	8.2	23	2	3	8	11	15	18	22
" MULTIPLE DX	51	11.4	27	4	5	11	14	19	22	23
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	12	11.0	22	4	5	12	13	18	19	19
6-12 YRS	58	9.8	29	2	3	9	13	17	21	23
13-19 YRS	51	9.0	25	3	3	8	13	15	20	23
GRAND TOTAL	**121**	**9.6**	**27**	**3**	**3**	**9**	**13**	**17**	**20**	**23**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	7.2	21	2	2	6	12	13	13	13
1-11 MOS	43	4.6	13	<1	1	3	7	10	13	14
1-5 YRS	126	2.8	5	<1	<1	2	4	6	9	11
6-12 YRS	80	2.7	4	<1	<1	2	3	5	7	12
13-19 YRS	122	3.9	13	1	1	3	4	8	10	20
2. MULTIPLE DX										
0-27 DYS	24	19.1	496	2	3	10	20	63	67	74
1-11 MOS	30	6.9	44	1	1	5	9	17	24	26
1-5 YRS	85	4.9	25	<1	1	3	6	11	16	25
6-12 YRS	78	4.2	9	<1	1	3	6	8	10	15
13-19 YRS	96	6.4	47	2	2	5	7	11	19	41
TOT. SINGLE DX	377	3.4	10	<1	1	2	4	7	10	14
" MULTIPLE DX	313	6.5	78	1	1	4	7	13	18	62
TOTAL 0-27 DYS	30	16.7	421	2	3	8	15	62	64	74
1-11 MOS	73	5.5	27	<1	1	4	8	13	14	26
1-5 YRS	211	3.7	15	<1	<1	2	4	9	11	18
6-12 YRS	158	3.4	7	<1	1	3	4	7	9	14
13-19 YRS	218	5.0	30	1	1	4	5	9	12	34
GRAND TOTAL	**690**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**10**	**13**	**31**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	18	2.2	1	<1	<1	2	3	4	5	6
1-5 YRS	26	3.3	9	<1	1	2	4	6	10	15
6-12 YRS	15	3.5	11	1	1	2	5	8	12	13
13-19 YRS	122	2.8	4	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	15	3.8	11	<1	<1	3	4	9	12	13
1-5 YRS	7	2.6	1	<1	<1	3	3	4	4	4
6-12 YRS	16	5.8	29	<1	1	4	7	17	19	19
13-19 YRS	73	4.4	11	1	1	4	5	8	11	20
TOT. SINGLE DX	183	2.8	6	1	1	2	3	5	7	14
" MULTIPLE DX	114	4.4	13	1	1	4	5	8	11	20
TOTAL 0-27 DYS	5	2.4	2	1	1	2	3	5	5	5
1-11 MOS	33	2.9	6	<1	<1	2	3	6	9	13
1-5 YRS	33	3.1	8	<1	1	2	4	6	9	15
6-12 YRS	31	4.7	21	1	1	3	6	10	18	19
13-19 YRS	195	3.4	8	1	1	3	4	7	9	15
GRAND TOTAL	**297**	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	42	10.3	17	5	7	9	12	15	17	28
1-5 YRS	46	10.4	13	6	7	10	12	13	16	25
6-12 YRS	9	9.7	23	<1	1	11	13	14	15	15
13-19 YRS	14	14.3	60	8	9	11	13	30	32	33
2. MULTIPLE DX										
0-27 DYS	6	20.3	220	7	7	14	38	40	40	40
1-11 MOS	46	12.3	109	5	6	10	13	21	42	99+
1-5 YRS	79	11.8	44	5	6	10	14	22	27	38
6-12 YRS	11	13.9	47	1	5	11	20	23	25	25
13-19 YRS	18	16.1	183	5	8	12	18	25	49	65
TOT. SINGLE DX	111	10.8	23	5	7	10	12	15	19	31
" MULTIPLE DX	160	12.9	86	5	6	10	14	23	30	69
TOTAL 0-27 DYS	6	20.3	221	7	7	14	38	40	40	40
1-11 MOS	88	11.3	66	5	6	10	12	17	25	88
1-5 YRS	125	11.3	34	5	7	10	13	17	24	35
6-12 YRS	20	12.0	40	<1	1	11	15	20	23	25
13-19 YRS	32	15.3	127	8	8	12	17	27	33	65
GRAND TOTAL	**271**	**12.0**	**61**	**5**	**7**	**10**	**13**	**20**	**27**	**60**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	5.0	5	3	3	4	6	9	9	9
1-11 MOS	40	6.0	149	1	1	3	6	9	12	79
1-5 YRS	156	2.6	5	<1	<1	2	3	6	8	11
6-12 YRS	202	2.9	5	<1	1	2	4	6	7	12
13-19 YRS	505	4.0	7	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	10	4.8	15	<1	1	3	7	11	12	12
1-11 MOS	105	6.9	62	1	1	5	8	11	16	49
1-5 YRS	202	6.3	57	1	1	4	7	15	26	36
6-12 YRS	279	4.8	19	1	1	4	6	9	13	33
13-19 YRS	1144	5.7	29	1	2	4	7	10	13	28
TOT. SINGLE DX	909	3.6	14	<1	1	3	5	7	9	13
" MULTIPLE DX	1740	5.7	33	1	2	4	7	10	14	32
TOTAL 0-27 DYS	16	4.9	11	<1	2	4	6	11	12	12
1-11 MOS	145	6.6	86	1	1	5	8	11	15	52
1-5 YRS	358	4.7	38	<1	<1	3	5	10	16	34
6-12 YRS	481	4.0	14	1	1	3	5	8	10	28
13-19 YRS	1649	5.1	23	1	2	4	6	9	12	24
GRAND TOTAL	**2649**	**5.0**	**27**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	73	1.5		<1	<1	1	2	2	3	6
1-5 YRS	21	2.0	2	<1	<1	2	2	4	5	7
6-12 YRS	8	2.8	2	1	1	3	4	5	5	5
13-19 YRS	63	3.1	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	13	1.5		<1	<1	1	2	2	2	2
1-5 YRS	4	5.8	78	<1	<1	1	10	19	19	19
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	43	4.5	16	1	1	3	5	9	13	22
TOT. SINGLE DX	167	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	64	3.8	17	<1	1	3	4	8	12	22
TOTAL 0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	86	1.5	1	<1	<1	1	2	2	3	5
1-5 YRS	25	2.6	13	<1	<1	2	2	4	10	19
6-12 YRS	10	2.7	2	1	1	3	3	4	5	5
13-19 YRS	106	3.7	9	1	1	3	4	6	9	18
GRAND TOTAL	**231**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	31	1.6		<1	<1	1	2	3	4	4
6-12 YRS	5	2.0		1	1	2	2	3	3	3
13-19 YRS	105	2.5	3	<1	1	2	3	4	5	13
2. MULTIPLE DX										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	6	3.0	2	1	1	3	3	6	6	6
1-5 YRS	10	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	6	2.8	2	1	1	3	4	5	5	5
13-19 YRS	72	5.0	100	2	2	3	4	6	8	72
TOT. SINGLE DX	148	2.3	3	<1	<1	2	3	4	4	12
" MULTIPLE DX	95	4.6	80	1	1	3	4	5	8	58
TOTAL 0-27 DYS	2	12.0	162	3	3	12	21	21	21	21
1-11 MOS	12	2.7	2	<1	1	2	4	5	6	6
1-5 YRS	41	1.8	1	<1	<1	1	2	4	4	4
6-12 YRS	11	2.5	2	1	1	2	3	4	5	5
13-19 YRS	177	3.5	44	<1	1	3	4	5	6	23
GRAND TOTAL	**243**	**3.2**	**34**	**<1**	**1**	**2**	**4**	**5**	**6**	**21**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	2.0	3	<1	<1	1	3	5	5	5
6-12 YRS	6	2.5	2	1	1	2	4	4	4	4
13-19 YRS	49	3.6	3	1	1	4	4	6	7	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	5.9	1	4	4	6	7	8	8	8
1-5 YRS	5	3.6	2	2	2	3	4	6	6	6
6-12 YRS	3	6.0	16	2	2	6	9	10	10	10
13-19 YRS	142	4.2	8	1	2	4	5	6	8	13
TOT. SINGLE DX	62	3.4	3	1	1	3	4	6	7	9
" MULTIPLE DX	158	4.3	8	1	2	4	5	6	8	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	5.2	3	2	3	5	6	8	8	8
1-5 YRS	10	2.8	3	<1	<1	2	4	5	6	6
6-12 YRS	9	3.7	8	1	1	3	5	8	10	10
13-19 YRS	191	4.1	7	1	2	4	5	6	7	12
GRAND TOTAL	**220**	**4.0**	**7**	**1**	**1**	**4**	**5**	**6**	**8**	**11**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.3	3	<1	<1	2	3	5	6	6
1-11 MOS	60	2.9	4	<1	1	2	4	6	7	9
1-5 YRS	65	3.6	9	<1	1	3	5	8	9	16
6-12 YRS	31	3.1	14	<1	<1	2	3	6	15	18
13-19 YRS	154	3.2	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-27 DYS	31	7.1	75	2	3	4	8	16	17	48
1-11 MOS	56	4.5	13	<1	1	4	6	10	13	17
1-5 YRS	67	7.3	93	1	1	5	8	10	18	64
6-12 YRS	20	4.7	11	1	2	4	5	10	13	15
13-19 YRS	89	5.0	17	1	2	4	6	10	14	22
TOT. SINGLE DX	318	3.2	6	<1	1	3	4	6	8	14
" MULTIPLE DX	263	5.7	43	1	2	4	7	10	15	36
TOTAL 0-27 DYS	39	6.1	64	<1	1	3	6	13	17	48
1-11 MOS	116	3.7	9	<1	1	3	5	7	10	16
1-5 YRS	132	5.5	55	1	1	4	7	10	11	43
6-12 YRS	51	3.7	14	<1	1	3	4	8	15	18
13-19 YRS	243	3.9	10	1	1	3	5	7	10	16
GRAND TOTAL	**581**	**4.3**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	5	11.2	37	4	4	10	17	18	18	18
13-19 YRS	4	9.3	74	3	3	6	14	22	22	22
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS										
1-5 YRS	4	14.5	81	4	4	22	42	99+	99+	99+
6-12 YRS	4	15.0	24	11	11	14	19	21	21	21
13-19 YRS	22	16.8	133	5	6	13	27	34	40	41
TOT. SINGLE DX	11	10.1	48	2	3	7	17	20	22	22
" MULTIPLE DX	32	15.4	111	4	5	11	22	33	41	99+
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	14.8	61	4	5	19	22	92	99+	99+
6-12 YRS	9	12.9	32	4	5	11	17	20	21	21
13-19 YRS	26	15.6	129	4	5	11	22	32	39	41
GRAND TOTAL	**43**	**14.1**	**99**	**3**	**4**	**11**	**21**	**31**	**40**	**99+**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.6	38	2	2	6	9	17	17	17
1-11 MOS	46	5.5	24	1	1	3	8	14	16	19
1-5 YRS	59	3.9	24	1	1	2	4	10	17	24
6-12 YRS	45	4.5	27	1	1	2	5	11	19	25
13-19 YRS	90	5.4	23	1	1	4	8	13	14	22
2. MULTIPLE DX										
0-27 DYS	16	23.2	315	2	3	25	30	40	63	72
1-11 MOS	95	9.8	153	1	1	6	11	23	43	59
1-5 YRS	112	13.0	306	1	1	7	17	35	69	94
6-12 YRS	73	8.6	86	1	1	6	10	22	27	48
13-19 YRS	221	11.7	142	1	2	7	14	28	34	58
TOT. SINGLE DX	245	4.9	25	1	1	3	6	13	16	23
" MULTIPLE DX	517	11.5	182	1	2	7	14	28	37	75
TOTAL 0-27 DYS	21	19.2	296	2	2	17	28	37	55	72
1-11 MOS	141	8.4	115	1	1	5	10	18	33	57
1-5 YRS	171	9.8	227	1	1	4	11	25	36	88
6-12 YRS	118	7.0	67	1	1	4	8	19	24	41
13-19 YRS	311	9.9	116	1	1	7	11	23	31	52
GRAND TOTAL	**762**	**9.4**	**141**	**1**	**1**	**6**	**11**	**23**	**32**	**71**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	10	5.9	1	4	4	6	7	8	8	8
1-11 MOS	18	6.7	6	4	4	6	8	9	13	15
1-5 YRS	10	6.5	49	2	2	4	6	16	26	26
6-12 YRS	23	7.7	17	3	4	6	8	16	17	17
13-19 YRS	1080	6.0	5	3	4	5	7	9	10	15
2. MULTIPLE DX										
0-27 DYS	6	8.8	24	4	4	8	13	16	16	16
1-11 MOS	23	12.3	112	3	4	10	16	23	37	50
1-5 YRS	16	12.0	75	4	6	8	16	25	32	35
6-12 YRS	58	13.0	167	4	5	10	14	25	34	83
13-19 YRS	888	8.5	30	4	4	7	10	14	18	31
TOT. SINGLE DX	1141	6.0	6	3	4	5	7	9	10	15
" MULTIPLE DX	991	8.9	42	4	4	7	10	15	19	34
TOTAL 0-27 DYS	16	7.0	11	4	4	6	8	13	15	16
1-11 MOS	41	9.9	73	4	4	7	11	19	25	50
1-5 YRS	26	9.9	70	3	4	7	11	25	28	35
6-12 YRS	81	11.5	130	4	5	8	13	20	27	75
13-19 YRS	1968	7.1	18	3	4	6	8	11	14	24
GRAND TOTAL	**2132**	**7.3**	**25**	**3**	**4**	**6**	**8**	**12**	**15**	**26**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	24	15.7	27	8	8	17	20	22	23	23
1-5 YRS	6	10.7	24	3	4	11	12	17	18	18
6-12 YRS	3	6.7	10	3	3	8	9	9	9	9
13-19 YRS	13	8.1	61	1	2	5	10	18	28	30
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	43	23.8	345	6	8	17	29	55	59	95
1-5 YRS	18	21.6	396	4	7	16	22	58	73	75
6-12 YRS	4	13.0	76	5	5	12	20	22	22	22
13-19 YRS	21	12.5	203	1	1	8	13	43	46	48
TOT. SINGLE DX	46	12.3	48	2	3	11	18	22	22	30
" MULTIPLE DX	87	20.0	322	2	4	15	22	44	58	88
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	67	20.9	244	7	8	17	22	39	57	89
1-5 YRS	24	18.9	321	3	6	14	20	35	71	75
6-12 YRS	7	10.3	53	3	3	8	16	21	22	22
13-19 YRS	34	10.8	150	1	1	7	12	31	44	48
GRAND TOTAL	**133**	**17.3**	**239**	**2**	**3**	**14**	**21**	**36**	**53**	**78**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	3	10.7	26	5	5	12	14	15	15	15
6-12 YRS	8	2.5	2	1	1	2	3	5	6	6
13-19 YRS	26	6.3	43	<1	1	3	8	17	20	27
2. MULTIPLE DX										
0-27 DYS	4	46.3	327	26	26	45	59	69	69	69
1-11 MOS	6	32.3	868	4	5	27	38	82	87	87
1-5 YRS	12	13.2	98	5	6	9	15	27	39	41
6-12 YRS	19	15.3	163	1	1	14	26	32	39	44
13-19 YRS	60	18.6	312	1	2	13	25	43	58	80
TOT. SINGLE DX	38	5.9	36	1	1	3	8	14	18	27
" MULTIPLE DX	101	19.2	325	1	2	13	27	43	58	84
TOTAL 0-27 DYS	5	38.8	523	9	9	40	55	69	69	69
1-11 MOS	6	32.3	869	4	5	27	38	82	87	87
1-5 YRS	15	12.7	83	5	5	10	14	21	36	41
6-12 YRS	27	11.5	149	1	1	6	19	30	35	44
13-19 YRS	86	14.9	262	1	1	10	21	34	53	76
GRAND TOTAL	**139**	**15.6**	**281**	**1**	**2**	**10**	**22**	**37**	**52**	**82**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	3.0	3	1	1	3	4	6	6	6
1-11 MOS	50	3.3	6	<1	<1	3	4	7	9	12
1-5 YRS	147	2.5	4	<1	<1	2	3	5	8	11
6-12 YRS	184	3.3	10	<1	1	2	4	6	10	16
13-19 YRS	518	4.2	13	1	1	3	5	8	9	21
2. MULTIPLE DX										
0-27 DYS	23	6.9	39	1	2	5	8	20	22	23
1-11 MOS	100	8.7	160	1	1	5	8	19	38	66
1-5 YRS	158	4.8	25	1	1	3	6	10	15	28
6-12 YRS	216	4.3	11	1	1	3	6	8	11	20
13-19 YRS	712	5.8	33	1	2	4	7	11	16	29
TOT. SINGLE DX	905	3.7	11	<1	1	3	4	7	9	19
" MULTIPLE DX	1209	5.7	40	1	2	4	7	11	15	33
TOTAL 0-27 DYS	29	6.1	34	1	2	4	7	16	21	23
1-11 MOS	150	6.9	115	1	1	4	7	12	32	54
1-5 YRS	305	3.7	17	<1	1	2	4	8	12	22
6-12 YRS	400	3.9	11	1	1	3	5	8	10	18
13-19 YRS	1230	5.1	25	1	2	4	6	9	13	25
GRAND TOTAL	**2114**	**4.8**	**28**	**1**	**1**	**3**	**6**	**9**	**12**	**26**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	84	1.7	1	<1	<1	1	2	3	4	6
1-11 MOS	1520	1.6		<1	<1	1	2	2	3	6
1-5 YRS	2894	1.5		<1	<1	1	2	2	3	4
6-12 YRS	1748	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	2961	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	91	13.2	410	<1	1	4	27	64	99+	99+
1-11 MOS	1216	2.4	7	<1	<1	2	3	5	7	12
1-5 YRS	2213	1.8	4	<1	<1	1	2	3	4	8
6-12 YRS	905	1.9	1	<1	<1	2	2	3	4	8
13-19 YRS	940	2.9	7	1	1	3	3	5	6	12
TOT. SINGLE DX	9207	1.8	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	5365	2.3	14	<1	<1	2	2	4	5	13
TOTAL 0-27 DYS	175	7.7	246	<1	1	2	5	40	67	99+
1-11 MOS	2736	1.9	4	<1	<1	1	2	3	5	10
1-5 YRS	5107	1.6	2	<1	<1	1	2	2	3	6
6-12 YRS	2653	1.7	1	<1	<1	2	2	3	3	5
13-19 YRS	3901	2.5	3	1	1	2	3	4	5	7
GRAND TOTAL	**14572**	**2.0**	**6**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	62	1.5		<1	<1	1	2	3	4	5
1-11 MOS	1202	1.5		<1	<1	1	2	2	3	4
1-5 YRS	1116	1.4		<1	<1	1	2	2	2	4
6-12 YRS	272	1.6		<1	<1	1	2	2	3	5
13-19 YRS	145	2.7	1	1	1	3	4	5	5	6
2. MULTIPLE DX										
0-27 DYS	95	30.6	1150	1	1	36	80	99+	99+	99+
1-11 MOS	1202	2.4	16	<1	<1	2	2	4	6	24
1-5 YRS	892	1.8	5	<1	<1	1	2	3	4	12
6-12 YRS	135	1.8	2	<1	<1	1	2	3	4	9
13-19 YRS	62	3.3	7	1	1	3	4	5	7	17
TOT. SINGLE DX	2797	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	2386	3.3	87	<1	<1	1	2	4	9	86
TOTAL 0-27 DYS	157	19.1	897	<1	<1	2	55	96	99+	99+
1-11 MOS	2404	1.9	9	<1	<1	1	2	3	4	13
1-5 YRS	2008	1.6	3	<1	<1	1	2	2	3	8
6-12 YRS	407	1.7	1	<1	<1	1	2	3	3	6
13-19 YRS	207	2.9	3	1	1	3	4	5	5	11
GRAND TOTAL	**5183**	**2.3**	**41**	**<1**	**<1**	**1**	**2**	**3**	**4**	**47**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	15	1.3		<1	<1	1	2	2	2	2
6-12 YRS	19	1.4		<1	<1	1	2	2	2	2
13-19 YRS	42	3.2	3	1	1	3	4	5	6	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	4.5	19	<1	<1	3	7	11	11	11
1-5 YRS	6	5.0	62	<1	<1	2	3	19	21	21
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	9	6.6	61	2	2	4	6	19	27	27
TOT. SINGLE DX	77	2.4	3	<1	1	2	3	4	5	11
" MULTIPLE DX	20	5.4	47	<1	<1	3	5	16	24	27
TOTAL 0-27 DYS										
1-11 MOS	5	3.8	17	<1	<1	3	5	11	11	11
1-5 YRS	21	2.4	19	<1	<1	1	2	3	11	21
6-12 YRS	20	1.4		<1	<1	1	2	2	2	2
13-19 YRS	51	3.8	15	1	1	3	4	6	8	27
GRAND TOTAL	**97**	**3.0**	**13**	**<1**	**1**	**2**	**3**	**5**	**8**	**24**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	8.3	108	1	1	4	10	27	32	32
1-11 MOS	188	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	985	1.9	9	<1	<1	2	2	3	3	6
6-12 YRS	446	1.8		<1	<1	2	2	3	3	4
13-19 YRS	217	2.1		<1	<1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	34	18.1	266	5	6	13	28	36	77	99+
1-11 MOS	91	3.1	7	<1	<1	2	4	6	9	15
1-5 YRS	243	2.3	6	<1	<1	2	3	4	5	8
6-12 YRS	92	2.7	5	<1	<1	2	3	5	6	14
13-19 YRS	56	3.4	5	1	1	3	5	6	8	12
TOT. SINGLE DX	1844	1.9	6	<1	<1	2	2	3	3	5
" MULTIPLE DX	516	3.7	38	<1	<1	2	4	6	11	36
TOTAL 0-27 DYS	42	16.2	248	2	4	11	26	36	58	99+
1-11 MOS	279	2.2	4	<1	<1	2	2	4	5	12
1-5 YRS	1228	1.9	9	<1	<1	2	2	3	4	6
6-12 YRS	538	2.0	2	<1	<1	2	2	3	4	6
13-19 YRS	273	2.4	2	<1	1	2	3	4	5	8
GRAND TOTAL	**2360**	**2.3**	**14**	**<1**	**<1**	**2**	**2**	**3**	**5**	**13**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	35	2.4	2	<1	<1	2	3	4	6	9
1-5 YRS	82	1.9	2	<1	<1	2	2	4	5	8
6-12 YRS	86	2.3	7	<1	<1	2	2	3	5	18
13-19 YRS	186	2.4	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	6.3	36	2	2	5	7	11	22	27
1-5 YRS	56	3.9	17	<1	<1	3	5	7	9	25
6-12 YRS	42	3.8	14	<1	1	3	4	8	9	22
13-19 YRS	62	4.0	10	1	1	3	4	8	13	15
TOT. SINGLE DX	391	2.3	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	177	4.1	16	<1	1	3	5	8	11	24
TOTAL 0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	51	3.6	16	<1	1	2	4	7	9	27
1-5 YRS	138	2.7	9	<1	<1	2	3	6	7	19
6-12 YRS	128	2.8	10	<1	<1	2	3	5	8	22
13-19 YRS	248	2.8	5	<1	1	2	3	5	7	14
GRAND TOTAL	**568**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**15**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.3	12	4	4	7	10	11	11	11
1-11 MOS	15	4.7	3	<1	2	5	6	6	8	9
1-5 YRS	19	2.7	3	<1	<1	2	5	6	6	6
6-12 YRS	10	3.5	6	1	1	3	5	7	9	9
13-19 YRS	17	5.1	16	<1	1	5	6	11	14	15
2. MULTIPLE DX										
0-27 DYS	23	26.5	404	7	8	24	36	86	99+	99+
1-11 MOS	23	11.3	335	1	2	5	8	29	58	84
1-5 YRS	33	9.6	39	2	2	10	12	19	22	25
6-12 YRS	10	7.2	30	1	1	7	9	15	20	20
13-19 YRS	18	6.3	11	1	2	6	9	10	13	15
TOT. SINGLE DX	64	4.2	9	<1	1	4	6	7	11	14
" MULTIPLE DX	107	12.8	225	2	2	8	16	28	59	99+
TOTAL 0-27 DYS	26	24.3	396	6	7	21	32	79	99+	99+
1-11 MOS	38	8.7	212	1	2	5	7	11	36	84
1-5 YRS	52	7.1	37	1	1	5	11	16	21	25
6-12 YRS	20	5.4	21	1	1	4	8	10	15	20
13-19 YRS	35	5.7	14	1	1	6	7	11	14	15
GRAND TOTAL	**171**	**9.6**	**161**	**1**	**1**	**6**	**11**	**23**	**33**	**97**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.8	11	2	2	4	5	10	13	15
1-11 MOS	69	4.4	27	<1	<1	2	6	10	11	30
1-5 YRS	225	3.3	9	<1	<1	2	4	8	10	14
6-12 YRS	167	3.6	9	<1	1	2	5	8	9	14
13-19 YRS	230	4.3	19	1	1	3	6	8	10	17
2. MULTIPLE DX										
0-27 DYS	26	13.4	134	1	2	9	23	30	34	42
1-11 MOS	58	7.1	47	1	1	6	9	15	20	38
1-5 YRS	175	7.1	69	<1	1	5	10	12	18	59
6-12 YRS	110	6.8	42	1	1	5	9	15	19	32
13-19 YRS	319	6.8	48	1	2	5	8	14	21	29
TOT. SINGLE DX	707	3.9	15	<1	1	3	5	8	10	15
" MULTIPLE DX	688	7.2	57	1	1	5	9	15	22	41
TOTAL 0-27 DYS	42	10.1	104	2	2	5	15	25	31	42
1-11 MOS	127	5.6	38	<1	1	3	8	11	17	33
1-5 YRS	400	5.0	40	<1	<1	3	7	11	13	39
6-12 YRS	277	4.9	25	<1	1	3	6	11	15	25
13-19 YRS	549	5.8	38	1	1	4	7	11	16	25
GRAND TOTAL	**1395**	**5.5**	**39**	**<1**	**1**	**4**	**7**	**11**	**16**	**31**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	18.4	869	2	2	6	24	71	71	71
1-11 MOS	19	6.3	26	1	2	5	8	14	19	21
1-5 YRS	76	6.2	28	1	1	5	8	12	16	32
6-12 YRS	150	6.3	16	2	2	5	8	12	15	19
13-19 YRS	506	5.3	11	2	2	5	6	9	11	20
2. MULTIPLE DX										
0-27 DYS	10	23.2	839	3	3	13	73	99+	99+	99+
1-11 MOS	28	12.8	199	2	2	8	16	29	36	68
1-5 YRS	96	10.2	78	3	3	7	13	18	30	48
6-12 YRS	192	9.5	75	3	3	7	11	16	23	45
13-19 YRS	790	8.6	78	3	3	6	9	15	22	50
TOT. SINGLE DX	756	5.7	21	2	2	5	7	10	13	21
" MULTIPLE DX	1116	9.1	89	3	3	6	10	16	29	60
TOTAL 0-27 DYS	15	21.6	794	2	3	9	60	98	99+	99+
1-11 MOS	47	10.1	138	2	2	6	13	24	30	68
1-5 YRS	172	8.4	60	1	2	6	11	16	23	42
6-12 YRS	342	8.1	52	2	3	6	9	15	19	41
13-19 YRS	1296	7.3	55	2	3	5	8	13	18	42
GRAND TOTAL	**1872**	**7.7**	**64**	**2**	**3**	**6**	**9**	**14**	**19**	**46**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.8	1	1	1	2	2	4	4	4
6-12 YRS	24	2.5	2	<1	1	2	3	5	6	7
13-19 YRS	1262	2.9	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	4	3.8	11	<1	<1	3	6	8	8	8
6-12 YRS	16	3.8	5	<1	1	4	6	6	8	9
13-19 YRS	1292	3.9	9	<1	1	3	5	8	9	14
TOT. SINGLE DX	1295	2.9	5	<1	1	2	4	6	8	11
" MULTIPLE DX	1319	3.9	10	<1	1	3	5	8	9	14
TOTAL 0-27 DYS	4	3.0	2	2	2	3	4	5	5	5
1-11 MOS	6	1.2		<1	<1	1	1	2	2	2
1-5 YRS	10	2.6	6	<1	<1	2	4	6	8	8
6-12 YRS	40	3.1	4	<1	1	2	5	6	7	9
13-19 YRS	2554	3.4	8	<1	1	2	5	7	9	13
GRAND TOTAL	**2614**	**3.4**	**8**	**<1**	**1**	**2**	**5**	**7**	**9**	**13**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	10.4	58	4	5	9	11	19	31	33
1-11 MOS	31	7.7	17	3	4	7	8	14	18	21
1-5 YRS	55	6.0	8	1	1	6	8	10	11	14
6-12 YRS	87	6.7	42	1	2	6	7	9	17	43
13-19 YRS	219	5.8	12	1	2	6	8	10	12	17
2. MULTIPLE DX										
0-27 DYS	54	29.6	566	5	7	26	37	84	98	99+
1-11 MOS	67	10.6	58	2	3	9	14	23	27	34
1-5 YRS	122	12.8	160	2	4	9	15	27	38	67
6-12 YRS	138	9.6	60	2	3	7	12	17	29	49
13-19 YRS	447	7.7	43	1	2	6	9	14	18	36
TOT. SINGLE DX	404	6.3	21	1	2	6	8	10	13	22
" MULTIPLE DX	828	10.4	127	2	3	7	12	21	32	69
TOTAL 0-27 DYS	66	26.1	527	5	6	20	35	64	96	99+
1-11 MOS	98	9.7	47	2	4	8	12	19	25	33
1-5 YRS	177	10.7	123	2	3	8	11	22	34	54
6-12 YRS	225	8.5	56	2	2	7	10	15	22	46
13-19 YRS	666	7.1	34	1	2	6	9	12	16	27
GRAND TOTAL	**1232**	**9.1**	**96**	**1**	**2**	**7**	**10**	**17**	**26**	**58**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	6.3	16	1	1	8	9	11	12	12
1-11 MOS	28	7.0	18	3	3	6	9	12	16	21
1-5 YRS	47	8.2	13	3	4	8	9	11	13	26
6-12 YRS	22	8.2	10	4	5	7	10	14	15	16
13-19 YRS	31	8.9	25	4	5	8	11	14	19	29
2. MULTIPLE DX										
0-27 DYS	14	11.7	55	4	4	9	18	23	25	26
1-11 MOS	51	7.8	16	3	3	7	10	13	18	19
1-5 YRS	96	10.6	63	3	4	9	12	19	29	45
6-12 YRS	116	9.6	47	4	4	7	11	18	24	39
13-19 YRS	154	10.7	42	5	5	9	13	20	25	30
TOT. SINGLE DX	135	8.0	17	3	4	8	10	12	15	26
" MULTIPLE DX	431	10.1	46	4	4	8	12	18	24	38
TOTAL 0-27 DYS	21	9.9	48	2	3	8	14	21	24	26
1-11 MOS	79	7.5	17	3	3	7	10	13	18	20
1-5 YRS	143	9.8	48	3	4	8	11	16	25	42
6-12 YRS	138	9.4	42	4	4	7	11	16	24	38
13-19 YRS	185	10.4	40	5	5	8	12	19	24	30
GRAND TOTAL	**566**	**9.6**	**40**	**3**	**4**	**8**	**11**	**17**	**23**	**35**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	7.3	13	3	4	6	9	13	15	16
1-11 MOS	47	5.8	13	2	2	5	8	10	14	15
1-5 YRS	152	6.2	36	2	2	5	8	11	13	30
6-12 YRS	273	5.6	22	1	2	4	8	11	14	23
13-19 YRS	351	5.6	23	1	1	4	8	12	14	19
2. MULTIPLE DX										
0-27 DYS	21	14.7	125	3	4	10	20	27	39	49
1-11 MOS	84	11.3	125	3	4	8	12	22	26	72
1-5 YRS	227	11.6	130	2	2	8	14	28	36	64
6-12 YRS	281	11.5	128	2	2	8	14	26	35	49
13-19 YRS	535	11.6	93	2	2	9	16	24	32	42
TOT. SINGLE DX	842	5.7	25	1	2	4	8	11	14	23
" MULTIPLE DX	1148	11.6	112	2	2	8	15	25	33	49
TOTAL 0-27 DYS	40	11.2	84	3	4	9	15	22	27	49
1-11 MOS	131	9.3	92	2	3	7	10	18	25	68
1-5 YRS	379	9.4	100	2	2	6	11	23	31	52
6-12 YRS	554	8.6	85	2	2	6	11	19	28	45
13-19 YRS	886	9.2	74	1	2	7	12	20	26	38
GRAND TOTAL	**1990**	**9.1**	**84**	**1**	**2**	**6**	**11**	**20**	**28**	**45**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	4.7	6	2	2	5	7	7	7	7
1-5 YRS	4	6.0	19	1	1	6	9	11	11	11
6-12 YRS	21	6.0	15	1	2	5	8	12	14	17
13-19 YRS	53	6.4	9	1	3	7	8	11	12	13
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	7.3	20	3	3	7	11	12	12	12
1-5 YRS	12	7.2	13	3	4	6	10	12	15	15
6-12 YRS	19	7.0	24	<1	1	7	10	14	17	18
13-19 YRS	56	6.5	16	1	1	6	9	12	14	17
TOT. SINGLE DX	84	6.1	11	1	2	6	8	11	12	16
" MULTIPLE DX	91	6.7	17	1	1	7	10	12	15	18
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	5.6	11	2	2	7	7	10	12	12
1-5 YRS	16	6.9	14	2	3	6	10	11	14	15
6-12 YRS	40	6.5	19	1	1	6	9	12	16	18
13-19 YRS	109	6.4	13	1	1	7	9	11	12	16
GRAND TOTAL	**175**	**6.4**	**14**	**1**	**2**	**6**	**9**	**11**	**13**	**17**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	43	7.5	12	3	3	7	9	12	14	19
1-5 YRS	342	6.8	6	3	4	7	8	10	11	14
6-12 YRS	285	6.8	5	3	4	7	8	10	11	13
13-19 YRS	73	8.0	11	3	5	8	9	12	13	22
2. MULTIPLE DX										
0-27 DYS	13	16.0	43	4	6	17	20	25	26	26
1-11 MOS	71	10.1	29	3	4	9	12	16	22	31
1-5 YRS	415	8.8	27	3	4	8	10	14	19	30
6-12 YRS	308	8.8	38	3	4	8	10	12	15	28
13-19 YRS	132	12.0	58	3	5	10	16	21	25	43
TOT. SINGLE DX	744	6.9	7	3	4	7	8	10	11	14
" MULTIPLE DX	939	9.4	38	3	4	8	11	16	20	34
TOTAL 0-27 DYS	14	15.3	47	4	6	16	18	24	26	26
1-11 MOS	114	9.1	25	3	4	8	11	14	19	27
1-5 YRS	757	7.9	19	3	4	7	9	12	15	27
6-12 YRS	593	7.8	24	3	4	7	9	11	13	22
13-19 YRS	205	10.6	46	3	5	9	12	19	22	40
GRAND TOTAL	**1683**	**8.3**	**26**	**3**	**4**	**7**	**10**	**13**	**16**	**27**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0		5	5	5	5	5	5	5
1-11 MOS	9	8.8	27	1	2	7	13	16	16	16
1-5 YRS	49	5.4	16	<1	<1	6	8	10	13	16
6-12 YRS	33	5.0	13	<1	<1	4	8	10	11	14
13-19 YRS	208	4.1	8	1	2	3	5	8	9	15
2. MULTIPLE DX										
0-27 DYS	11	8.3	40	3	3	5	12	19	20	20
1-11 MOS	26	9.2	59	1	2	8	11	14	25	39
1-5 YRS	74	9.3	57	1	1	8	12	17	20	46
6-12 YRS	56	8.8	43	1	2	7	14	18	23	24
13-19 YRS	123	6.8	42	1	2	5	8	12	17	35
TOT. SINGLE DX	301	4.5	11	<1	1	4	6	9	12	15
" MULTIPLE DX	290	8.1	49	1	2	6	11	16	20	35
TOTAL 0-27 DYS	13	7.8	35	3	3	5	11	19	20	20
1-11 MOS	35	9.1	50	1	2	8	12	15	20	39
1-5 YRS	123	7.7	45	<1	1	7	10	15	18	33
6-12 YRS	89	7.4	35	<1	1	6	10	16	20	24
13-19 YRS	331	5.1	23	1	2	4	6	9	13	26
GRAND TOTAL	**591**	**6.3**	**33**	**1**	**1**	**5**	**8**	**13**	**16**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	2.9	2	1	1	3	4	5	5	5
1-11 MOS	40	3.7	11	<1	<1	2	5	10	11	13
1-5 YRS	487	1.9	4	<1	<1	1	2	4	5	11
6-12 YRS	638	1.8	2	<1	<1	1	2	3	5	8
13-19 YRS	577	2.6	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
0-27 DYS	20	8.1	35	2	3	6	9	19	21	23
1-11 MOS	70	4.5	17	<1	<1	3	6	12	15	83
1-5 YRS	763	2.7	10	<1	<1	1	3	7	9	16
6-12 YRS	861	2.7	8	<1	<1	2	3	6	8	13
13-19 YRS	987	4.8	41	1	1	3	6	9	12	29
TOT. SINGLE DX	1749	2.1	4	<1	<1	1	2	5	6	11
" MULTIPLE DX	2701	3.6	23	<1	<1	2	4	8	10	20
TOTAL 0-27 DYS	27	6.7	32	1	2	4	9	17	20	23
1-11 MOS	110	4.2	16	<1	<1	3	6	11	14	51
1-5 YRS	1250	2.4	8	<1	<1	1	3	6	8	14
6-12 YRS	1499	2.3	6	<1	<1	1	3	5	7	11
13-19 YRS	1564	4.0	29	<1	1	3	5	8	11	22
GRAND TOTAL	**4450**	**3.0**	**16**	**<1**	**<1**	**2**	**4**	**7**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	4	4.0	3	2	2	4	5	6	6	6
6-12 YRS	13	2.4	3	<1	<1	1	4	5	6	6
13-19 YRS	27	3.3	10	<1	1	2	3	9	11	12
2. MULTIPLE DX										
0-27 DYS	4	8.3	35	4	4	6	12	17	17	17
1-11 MOS	14	5.5	15	1	2	5	6	10	15	17
1-5 YRS	10	9.1	190	1	1	4	9	29	47	47
6-12 YRS	26	4.0	14	1	1	3	4	12	13	13
13-19 YRS	57	5.5	44	1	1	3	7	13	18	34
TOT. SINGLE DX	48	3.1	7	<1	<1	2	4	7	9	12
" MULTIPLE DX	111	5.6	47	1	1	3	7	13	17	39
TOTAL 0-27 DYS	5	6.8	37	<1	<1	5	9	17	17	17
1-11 MOS	17	5.3	13	1	2	5	6	9	14	17
1-5 YRS	14	7.6	139	1	2	4	8	15	40	47
6-12 YRS	39	3.5	11	<1	1	2	4	9	12	13
13-19 YRS	84	4.8	35	<1	1	2	6	11	14	33
GRAND TOTAL	**159**	**4.8**	**36**	**<1**	**1**	**3**	**6**	**11**	**13**	**34**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	25	4.4	17	1	2	3	4	9	13	21
1-11 MOS	37	4.6	9	1	1	4	6	10	11	12
1-5 YRS	89	5.7	25	1	2	4	8	10	12	32
6-12 YRS	47	6.5	36	1	1	5	8	15	17	32
13-19 YRS	53	5.0	19	1	1	4	7	12	15	18
2. MULTIPLE DX										
0-27 DYS	177	8.9	69	3	3	6	10	17	26	52
1-11 MOS	108	7.9	88	2	2	4	9	19	26	51
1-5 YRS	197	8.5	124	1	2	5	10	17	29	82
6-12 YRS	125	8.6	65	1	1	6	12	19	25	39
13-19 YRS	200	11.0	124	1	2	8	13	25	42	99+
TOT. SINGLE DX	251	5.4	23	1	1	4	7	11	15	28
" MULTIPLE DX	807	9.2	99	1	2	6	11	20	29	60
TOTAL 0-27 DYS	202	8.4	65	2	3	6	10	16	24	50
1-11 MOS	145	7.0	70	1	2	4	8	15	22	47
1-5 YRS	286	7.7	95	1	2	5	8	15	24	67
6-12 YRS	172	8.0	58	1	1	6	11	17	24	36
13-19 YRS	253	9.7	108	1	2	7	12	23	35	97
GRAND TOTAL	**1058**	**8.3**	**84**	**1**	**2**	**6**	**10**	**17**	**26**	**54**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	243	1.2		<1	<1	<1	1	1	2	3
6-12 YRS	162	1.2		<1	<1	1	1	2	2	3
13-19 YRS	22	2.9	23	<1	<1	2	3	4	12	24
2. MULTIPLE DX										
0-27 DYS	6	4.0	2	2	2	4	5	6	6	6
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	142	1.9	2	<1	<1	1	2	3	6	9
6-12 YRS	157	2.0	2	<1	<1	1	2	4	5	7
13-19 YRS	41	2.8	3	<1	<1	2	4	5	6	7
TOT. SINGLE DX	432	1.3	2	<1	<1	1	1	2	2	4
" MULTIPLE DX	351	2.1	3	<1	<1	1	2	4	6	7
TOTAL 0-27 DYS	6	4.0	2	2	2	4	5	6	6	6
1-11 MOS	10	1.4		<1	<1	1	2	3	3	3
1-5 YRS	385	1.4	1	<1	<1	1	1	2	3	7
6-12 YRS	319	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	63	2.8	10	<1	<1	2	4	5	6	22
GRAND TOTAL	**783**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	146	3.9	11	<1	<1	2	6	9	11	15
1-5 YRS	1428	5.0	13	<1	1	4	8	10	12	15
6-12 YRS	330	4.7	16	<1	1	3	7	10	12	18
13-19 YRS	151	4.9	18	1	1	3	7	12	14	20
2. MULTIPLE DX										
0-27 DYS	13	14.1	205	3	4	10	15	41	48	50
1-11 MOS	79	6.2	29	<1	1	4	9	16	18	23
1-5 YRS	807	5.8	19	1	1	5	8	12	14	21
6-12 YRS	246	5.4	16	<1	1	4	8	12	14	16
13-19 YRS	129	5.7	22	<1	1	4	7	13	16	22
TOT. SINGLE DX	2057	4.8	15	<1	1	4	7	10	12	16
" MULTIPLE DX	1274	5.9	23	<1	1	5	8	12	14	21
TOTAL 0-27 DYS	15	12.4	195	1	2	6	14	39	47	50
1-11 MOS	225	4.7	19	<1	<1	3	7	11	13	18
1-5 YRS	2235	5.3	16	<1	1	4	8	11	13	16
6-12 YRS	576	5.0	17	<1	1	4	7	11	13	18
13-19 YRS	280	5.3	20	1	1	4	7	12	16	21
GRAND TOTAL	**3331**	**5.2**	**18**	**<1**	**1**	**4**	**8**	**11**	**13**	**17**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	175	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	152	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	110	2.5	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	6	3.8	7	1	1	3	4	8	9	9
1-11 MOS	21	3.1	7	<1	<1	1	5	7	8	10
1-5 YRS	439	2.1	5	<1	<1	1	2	4	6	10
6-12 YRS	377	2.2	5	<1	<1	1	2	5	7	12
13-19 YRS	266	4.1	57	<1	1	2	5	7	11	58
TOT. SINGLE DX	440	1.8	2	<1	<1	1	2	3	5	8
" MULTIPLE DX	1109	2.6	19	<1	<1	1	3	6	8	16
TOTAL 0-27 DYS	6	3.8	7	1	1	3	4	8	9	9
1-11 MOS	24	2.8	7	<1	<1	1	5	7	8	10
1-5 YRS	614	1.9	4	<1	<1	1	2	4	6	9
6-12 YRS	529	2.0	4	<1	<1	1	2	4	6	11
13-19 YRS	376	3.6	42	<1	<1	2	4	6	10	40
GRAND TOTAL	**1549**	**2.4**	**14**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	176	1.7	2	<1	<1	1	2	3	5	8
6-12 YRS	111	1.7	2	<1	<1	1	2	3	5	8
13-19 YRS	109	2.6	3	<1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	5	3.4	1	2	2	4	4	4	4	4
1-11 MOS	4	6.5	28	1	1	6	11	12	12	12
1-5 YRS	162	2.1	3	<1	<1	1	2	4	6	11
6-12 YRS	139	2.5	11	<1	<1	1	3	4	7	24
13-19 YRS	136	4.1	63	<1	1	2	4	7	10	33
TOT. SINGLE DX	397	2.0	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	446	2.9	25	<1	<1	2	3	6	8	21
TOTAL 0-27 DYS	5	3.4	1	2	2	4	4	4	4	4
1-11 MOS	5	5.4	27	1	1	3	10	12	12	12
1-5 YRS	338	1.9	3	<1	<1	1	2	3	5	10
6-12 YRS	250	2.2	8	<1	<1	1	2	4	6	16
13-19 YRS	245	3.4	37	<1	1	2	4	6	8	21
GRAND TOTAL	**843**	**2.4**	**15**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	6	5.0	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	8.0		8	8	8	8	8	8	8
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	4.0	5	3	3	3	5	8	8	8
TOT. SINGLE DX	9	6.2	9	2	2	7	8	10	11	11
" MULTIPLE DX	9	5.2	7	3	3	3	8	8	8	8
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	7.8		7	7	8	8	8	8	8
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	11	4.5	6	2	2	3	7	8	8	8
GRAND TOTAL	**18**	**5.7**	**8**	**2**	**3**	**7**	**8**	**8**	**10**	**11**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	4.3	1	2	2	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	6	8.7	15	5	5	8	9	15	16	16
13-19 YRS	7	7.0	12	4	4	5	11	11	11	11
TOT. SINGLE DX	8	4.6	2	2	3	5	5	7	7	7
" MULTIPLE DX	17	6.6	15	1	2	6	9	11	14	16
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	7	8.4	13	5	5	8	9	15	16	16
13-19 YRS	14	5.6	8	2	3	5	5	11	11	11
GRAND TOTAL	**25**	**6.0**	**12**	**2**	**2**	**5**	**8**	**11**	**12**	**16**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	8	3.8	9	<1	<1	3	5	9	10	10
13-19 YRS	13	4.8	5	<1	1	6	6	7	8	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.3	23	<1	<1	1	3	12	15	15
6-12 YRS	10	3.3	10	1	1	2	4	9	9	9
13-19 YRS	31	7.3	97	1	2	4	7	17	24	52
TOT. SINGLE DX	24	4.0	7	<1	1	3	6	7	9	10
" MULTIPLE DX	49	5.8	70	<1	1	3	7	14	18	52
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	11	2.7	17	<1	<1	1	2	8	14	15
6-12 YRS	18	3.5	9	<1	1	2	5	9	10	10
13-19 YRS	44	6.6	71	1	2	4	7	13	20	52
GRAND TOTAL	73	5.2	50	<1	1	3	6	10	16	46

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	10	6.4	71	1	1	4	7	18	29	29
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	10	8.9	71	3	3	5	10	22	31	31
6-12 YRS	3	12.7	46	5	5	15	17	18	18	18
13-19 YRS	10	10.3	51	1	2	9	14	21	24	24
TOT. SINGLE DX	15	5.9	52	1	1	4	7	12	25	29
" MULTIPLE DX	24	9.9	54	2	3	7	14	19	26	31
TOTAL 0-27 DYS										
1-11 MOS	2	9.5	13	7	7	9	12	12	12	12
1-5 YRS	13	7.4	63	1	2	5	8	17	28	31
6-12 YRS	4	11.0	42	5	5	10	16	18	18	18
13-19 YRS	20	8.4	62	1	1	7	11	21	26	29
GRAND TOTAL	39	8.4	55	1	1	6	11	19	27	31

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	6.1	6	2	2	7	8	9	9	9
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	6.0	9	3	3	6	8	9	9	9
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	10	10.0	297	3	3	5	6	33	59	59
1-11 MOS	24	7.3	7	4	4	7	9	11	13	14
1-5 YRS	14	13.1	67	2	4	13	19	24	26	27
6-12 YRS	3	9.7	52	5	5	6	15	18	18	18
13-19 YRS	6	8.0	7	4	4	8	11	11	11	11
TOT. SINGLE DX	12	6.2	5	2	3	7	8	9	9	9
" MULTIPLE DX	57	9.4	75	3	4	7	10	18	23	57
TOTAL 0-27 DYS	11	9.6	269	3	3	5	6	27	56	59
1-11 MOS	31	7.1	7	3	4	7	9	11	12	14
1-5 YRS	15	12.7	65	2	4	9	19	24	26	27
6-12 YRS	6	7.8	29	3	3	6	9	17	18	18
13-19 YRS	6	8.0	8	4	4	8	11	11	11	11
GRAND TOTAL	69	8.8	64	3	3	7	9	18	20	53

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	6	4.0	5	2	2	3	5	8	8	8
1-11 MOS	3	12.7	2	11	11	13	14	14	14	14
1-5 YRS	3	9.0	36	3	3	9	13	15	15	15
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
TOT. SINGLE DX	3	2.3		2	2	2	3	3	3	3
" MULTIPLE DX	13	8.2	31	2	2	8	13	16	18	18
TOTAL 0-27 DYS	9	3.4	4	2	2	3	4	7	8	8
1-11 MOS	3	12.7	2	11	11	13	14	14	14	14
1-5 YRS	3	9.0	36	3	3	9	13	15	15	15
6-12 YRS										
13-19 YRS	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	16	7.1	30	2	2	4	12	15	17	18

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	6.2	42	1	1	4	9	17	18	18
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	6	4.7	10	1	1	4	7	9	9	9
TOT. SINGLE DX	8	3.0	10	1	1	2	4	8	10	10
" MULTIPLE DX	16	4.6	20	<1	1	3	6	9	15	18
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	8	5.4	34	1	1	4	7	15	18	18
6-12 YRS	4	3.8	18	<1	<1	2	6	10	10	10
13-19 YRS	9	3.6	9	1	1	2	6	8	9	9
GRAND TOTAL	24	4.1	17	<1	1	2	6	9	12	18

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	37	1.6	1	<1	<1	1	2	2	4	7
1-5 YRS	106	1.8	1	<1	<1	1	2	3	3	8
6-12 YRS	99	1.7		<1	<1	1	2	3	4	5
13-19 YRS	218	2.5	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
0-27 DYS	7	5.7	48	1	1	4	6	18	21	21
1-11 MOS	33	3.4	36	<1	<1	1	3	6	21	28
1-5 YRS	93	2.1	4	<1	<1	2	2	4	6	13
6-12 YRS	62	2.3	5	1	1	2	2	4	6	16
13-19 YRS	109	3.8	15	1	1	3	4	7	11	22
TOT. SINGLE DX	462	2.1	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	304	3.0	13	<1	1	2	3	6	8	22
TOTAL 0-27 DYS	9	6.1	38	1	1	4	7	16	21	21
1-11 MOS	70	2.4	18	<1	<1	1	2	4	7	27
1-5 YRS	199	1.9	3	<1	<1	2	2	3	5	9
6-12 YRS	161	1.9	3	<1	1	1	2	3	5	7
13-19 YRS	327	2.9	8	1	1	2	3	5	7	14
GRAND TOTAL	766	2.4	7	<1	<1	2	3	4	6	16

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	1.8		1	1	2	2	3	3	3
1-11 MOS	17	2.1	1	<1	<1	2	3	4	5	5
1-5 YRS	156	1.6		<1	<1	1	2	3	3	4
6-12 YRS	122	1.8		<1	1	2	2	3	4	31
13-19 YRS	365	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	33	3.5	2	1	2	3	4	6	7	7
1-11 MOS	21	2.2	2	<1	<1	2	2	4	6	8
1-5 YRS	149	1.9	1	<1	<1	2	2	3	4	6
6-12 YRS	116	2.3	1	<1	1	2	3	4	5	7
13-19 YRS	342	3.1	9	1	1	2	4	5	8	13
TOT. SINGLE DX	666	2.2	3	<1	1	2	3	4	5	8
" MULTIPLE DX	661	2.6	6	<1	1	2	3	5	6	11
TOTAL 0-27 DYS	39	3.2	2	1	1	3	4	6	7	7
1-11 MOS	38	2.1	2	<1	<1	2	3	4	5	8
1-5 YRS	305	1.7	1	<1	<1	2	2	3	4	6
6-12 YRS	238	2.0	1	<1	1	2	2	3	4	7
13-19 YRS	707	2.8	6	1	1	2	3	5	7	12
GRAND TOTAL	1327	2.4	4	<1	1	2	3	4	5	10

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	30	1.5		<1	<1	1	2	3	3	3
1-5 YRS	1118	1.7		<1	<1	1	2	3	4	5
6-12 YRS	1102	1.9	1	<1	1	2	2	3	4	6
13-19 YRS	1015	2.0	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	11	3.5	24	<1	<1	2	3	10	17	18
1-11 MOS	70	1.7		<1	<1	1	2	3	3	6
1-5 YRS	1204	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	814	2.5	4	<1	1	2	3	4	6	9
13-19 YRS	332	2.8	14	1	1	2	3	5	6	10
TOT. SINGLE DX	3268	1.9	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	2431	2.2	5	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	14	3.2	20	<1	<1	2	3	6	15	18
1-11 MOS	100	1.6	1	<1	<1	1	2	3	3	5
1-5 YRS	2322	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	1916	2.1	3	<1	1	2	3	4	5	7
13-19 YRS	1347	2.2	5	<1	1	2	3	4	5	8
GRAND TOTAL	**5699**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.0	12	2	2	2	7	8	8	8
1-11 MOS	9	2.4	2	<1	<1	2	3	5	6	6
1-5 YRS	93	1.5		<1	<1	1	2	3	3	5
6-12 YRS	312	1.5		<1	1	1	2	3	3	5
13-19 YRS	265	2.1	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	5	2.6	2	<1	<1	3	4	4	4	4
1-5 YRS	32	2.6	10	<1	<1	2	2	5	12	15
6-12 YRS	132	2.5	7	<1	1	2	2	4	7	17
13-19 YRS	104	3.4	11	1	1	2	4	6	9	20
TOT. SINGLE DX	682	1.8	2	<1	1	1	2	3	4	6
" MULTIPLE DX	276	2.9	9	<1	1	2	3	5	9	18
TOTAL 0-27 DYS	6	3.7	5	2	2	3	4	8	8	8
1-11 MOS	14	2.5	2	<1	<1	2	3	4	6	6
1-5 YRS	125	1.8	3	<1	<1	1	2	3	4	13
6-12 YRS	444	1.8	3	<1	1	1	2	3	4	11
13-19 YRS	369	2.5	5	1	1	2	3	5	6	12
GRAND TOTAL	**958**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**11**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
" MULTIPLE DX	6	2.0	1	<1	<1	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	3	2.3	1	<1	<1	3	3	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**10**	**1.9**	**1**	**<1**	**<1**	**2**	**3**	**3**	**3**	**3**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	101	1.4		<1	<1	1	2	2	2	5
1-5 YRS	437	1.5		<1	<1	1	2	2	3	4
6-12 YRS	258	1.6		<1	<1	1	2	3	3	4
13-19 YRS	832	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	11	2.5	3	1	1	2	3	5	7	7
1-11 MOS	119	2.7	38	<1	<1	2	2	3	5	48
1-5 YRS	404	1.7	1	<1	<1	1	2	3	3	6
6-12 YRS	182	1.8		<1	1	2	2	3	4	5
13-19 YRS	313	2.6	10	1	1	2	3	4	5	7
TOT. SINGLE DX	1630	1.8	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	1029	2.1	9	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	13	2.6	3	1	1	3	3	5	7	7
1-11 MOS	220	2.1	22	<1	<1	1	2	3	4	21
1-5 YRS	841	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	440	1.7	1	<1	1	1	2	3	3	5
13-19 YRS	1145	2.2	4	<1	1	2	3	3	4	7
GRAND TOTAL	**2659**	**1.9**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**6**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	134	1.6	7	<1	<1	1	1	2	2	21
1-5 YRS	669	1.4		<1	<1	1	2	2	2	5
6-12 YRS	282	1.4		<1	<1	1	2	2	2	3
13-19 YRS	195	1.6		<1	<1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	83	7.0	74	<1	<1	3	11	19	24	38
1-5 YRS	282	2.1	7	<1	<1	1	2	4	6	18
6-12 YRS	104	1.7		<1	<1	1	2	3	4	6
13-19 YRS	89	2.3	6	<1	<1	2	2	5	7	67
TOT. SINGLE DX	2691	1.5	3	<1	<1	1	2	2	3	7
" MULTIPLE DX	926	3.8	38	<1	<1	2	3	10	17	33
TOTAL 0-27 DYS										
1-11 MOS	371	3.5	37	<1	<1	1	2	10	18	32
1-5 YRS	1976	2.2	15	<1	<1	1	2	3	6	21
6-12 YRS	751	1.4		<1	<1	1	2	2	2	4
13-19 YRS	519	1.9	3	<1	<1	2	2	3	4	9
GRAND TOTAL	3617	2.1	13	<1	<1	1	2	3	6	21

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	18	2.6	1	1	1	3	3	4	5	5
1-11 MOS	27	2.6	3	<1	<1	2	3	5	7	7
1-5 YRS	172	2.7	6	<1	<1	2	3	7	8	12
6-12 YRS	61	2.6	7	<1	<1	2	3	5	8	16
13-19 YRS	62	3.5	12	<1	1	2	4	9	12	16
2. MULTIPLE DX										
0-27 DYS	82	3.8	22	1	1	3	4	6	8	33
1-11 MOS	23	5.3	90	<1	<1	1	5	13	31	41
1-5 YRS	121	3.2	8	<1	<1	2	4	7	9	13
6-12 YRS	34	3.7	9	<1	1	3	4	9	11	12
13-19 YRS	48	6.3	44	<1	1	4	9	14	18	35
TOT. SINGLE DX	340	2.8	7	<1	<1	2	3	7	8	13
" MULTIPLE DX	308	4.1	25	<1	<1	3	4	9	11	30
TOTAL 0-27 DYS	100	3.6	19	1	1	3	4	6	7	27
1-11 MOS	50	3.8	44	<1	<1	2	4	7	10	41
1-5 YRS	293	2.9	7	<1	<1	2	4	7	8	11
6-12 YRS	95	3.0	8	<1	<1	2	4	7	9	15
13-19 YRS	110	4.7	28	<1	1	3	5	12	16	27
GRAND TOTAL	648	3.4	16	<1	<1	2	4	7	10	18

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	7	3.9	7	<1	<1	4	5	8	9	9
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	42	5.1	3	2	3	5	6	8	9	11
13-19 YRS	911	4.9	3	2	3	5	6	7	8	12
2. MULTIPLE DX										
0-27 DYS	8	7.6	66	<1	1	5	8	22	27	27
1-11 MOS	7	7.4	6	5	5	6	10	11	11	11
1-5 YRS	3	6.7	2	5	5	7	8	8	8	8
6-12 YRS	32	5.1	4	3	3	5	6	7	9	14
13-19 YRS	1029	5.6	7	2	3	5	6	9	11	16
TOT. SINGLE DX	964	4.9	4	2	3	5	6	7	8	12
" MULTIPLE DX	1079	5.6	8	2	3	5	6	9	11	16
TOTAL 0-27 DYS	10	6.9	55	<1	1	5	6	18	27	27
1-11 MOS	14	5.6	10	<1	2	5	9	10	11	11
1-5 YRS	5	5.6	3	4	4	5	7	8	8	8
6-12 YRS	74	5.1	4	2	3	5	6	7	9	13
13-19 YRS	1940	5.3	6	2	3	5	6	8	10	14
GRAND TOTAL	2043	5.3	6	2	3	5	6	8	10	14

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	3.2	2	2	2	2	5	5	5	5
6-12 YRS	53	5.5	4	3	3	5	6	8	9	13
13-19 YRS	403	5.3	3	3	3	5	6	7	8	12
2. MULTIPLE DX										
0-27 DYS	3	5.3		5	5	5	6	6	6	6
1-11 MOS	8	7.0	3	5	5	7	8	10	10	10
1-5 YRS	13	7.5	45	1	2	5	8	17	25	27
6-12 YRS	44	5.8	9	2	3	5	7	9	11	19
13-19 YRS	612	6.4	8	3	4	6	7	10	11	17
TOT. SINGLE DX	463	5.3	4	3	3	5	6	8	8	12
" MULTIPLE DX	680	6.4	9	−3	4	6	7	10	11	18
TOTAL 0-27 DYS	4	6.0	2	5	5	6	7	8	8	8
1-11 MOS	9	6.8	3	5	5	6	8	10	10	10
1-5 YRS	18	6.3	36	1	2	5	6	13	22	27
6-12 YRS	97	5.6	7	3	3	5	7	8	10	16
13-19 YRS	1015	6.0	7	3	4	5	7	9	10	16
GRAND TOTAL	**1143**	**5.9**	**7**	**3**	**4**	**5**	**7**	**9**	**10**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS										
6-12 YRS	3	3.3	4	1	1	4	5	5	5	5
13-19 YRS	9	5.4		4	4	6	6	53	99+	99+
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	23.0	549	8	8	11	40	50	50	50
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	7.8	44	3	3	5	8	20	21	21
13-19 YRS	15	5.9	3	3	4	6	7	9	10	10
TOT. SINGLE DX	14	4.7	2	1	3	5	6	7	77	99+
" MULTIPLE DX	26	8.2	85	3	4	6	8	11	27	50
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	15.2	389	3	3	8	21	50	50	50
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	6.3	34	1	2	5	6	16	21	21
13-19 YRS	24	5.7	2	3	4	6	6	9	32	99+
GRAND TOTAL	**40**	**7.0**	**58**	**3**	**3**	**5**	**7**	**10**	**34**	**99+**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.7	2	1	1	3	4	5	5	5
13-19 YRS	232	3.1	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	313	4.7	9	1	1	4	6	8	10	14
TOT. SINGLE DX	243	3.1	4	<1	1	3	4	5	7	12
" MULTIPLE DX	315	4.7	9	1	1	4	6	8	11	14
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS										
1-5 YRS										
6-12 YRS	12	2.7	2	1	1	3	4	5	5	5
13-19 YRS	545	4.0	8	<1	1	3	5	7	9	13
GRAND TOTAL	**558**	**4.0**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	1.8	2	<1	<1	<1	2	4	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	26	1.5		<1	<1	1	2	3	3	3
TOT. SINGLE DX	23	1.8	2	<1	<1	<1	2	4	6	7
" MULTIPLE DX	27	1.5		<1	<1	1	2	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	49	1.7	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**50**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	60	2.9	1	<1	1	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	142	3.7	9	1	2	3	4	5	8	15
TOT. SINGLE DX	61	2.9	2	<1	1	3	4	4	5	7
" MULTIPLE DX	142	3.7	9	1	2	3	4	5	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	202	3.4	7	1	1	3	4	5	7	14
GRAND TOTAL	203	3.4	7	1	1	3	4	5	7	14

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	12	3.8	4	2	2	3	4	7	9	9
13-19 YRS	435	4.5	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	4	4.3	11	1	1	4	7	8	8	8
1-5 YRS										
6-12 YRS	14	5.6	6	3	4	5	6	8	12	13
13-19 YRS	516	5.1	4	2	3	5	6	8	9	13
TOT. SINGLE DX	448	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	536	5.2	5	2	3	5	6	8	9	13
TOTAL 0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	5	4.2	8	1	1	4	6	8	8	8
1-5 YRS										
6-12 YRS	26	4.7	6	2	2	4	6	8	10	13
13-19 YRS	951	4.8	4	2	3	5	6	7	8	12
GRAND TOTAL	984	4.8	4	2	3	5	6	7	8	12

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	84	1.9	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	65	2.4	4	<1	<1	2	3	4	6	14
TOT. SINGLE DX	84	1.9	1	<1	<1	2	2	3	3	7
" MULTIPLE DX	67	2.4	5	<1	<1	2	3	4	6	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	149	2.1	3	<1	<1	2	2	3	4	9
GRAND TOTAL	151	2.1	3	<1	<1	2	2	3	4	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	52	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	93	2.4	3	<1	<1	2	3	5	8	9
TOT. SINGLE DX	57	1.9	2	<1	<1	2	2	4	4	9
" MULTIPLE DX	98	2.4	3	<1	<1	2	3	5	7	9
TOTAL 0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	145	2.2	3	<1	<1	2	3	4	6	8
GRAND TOTAL	155	2.2	3	<1	<1	2	3	4	7	9

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	126	3.3	10	1	1	3	4	5	7	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	45	3.9	5	1	2	3	4	7	10	12
TOT. SINGLE DX	128	3.3	10	1	1	3	4	5	7	15
" MULTIPLE DX	45	3.9	6	1	2	3	4	7	10	12
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	171	3.5	9	1	1	3	4	6	8	12
GRAND TOTAL	173	3.5	9	1	1	3	4	6	8	12

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	39	3.9	8	<1	1	4	5	6	8	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	64	3.7	5	<1	1	3	5	7	8	10
TOT. SINGLE DX	41	3.9	9	<1	1	4	5	6	7	18
" MULTIPLE DX	67	3.7	6	<1	1	3	5	7	8	10
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	103	3.8	7	<1	1	4	5	7	8	14
GRAND TOTAL	108	3.8	7	<1	1	3	5	7	8	13

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	6	4.3	2	3	3	4	6	6	6	6
13-19 YRS	20	6.6	6	4	5	6	7	9	12	15
2. MULTIPLE DX										
0-27 DYS	10	6.0	5	4	4	6	6	9	12	12
1-11 MOS	42	7.2	3	5	5	7	8	10	11	12
1-5 YRS	9	6.7	3	3	4	6	8	9	10	10
6-12 YRS	18	5.8	15	2	3	5	6	8	15	20
13-19 YRS	142	8.2	19	4	5	7	9	13	16	29
TOT. SINGLE DX	29	6.3	6	3	3	6	7	9	10	15
" MULTIPLE DX	221	7.6	15	4	4	6	9	12	15	23
TOTAL 0-27 DYS	10	6.0	5	4	4	6	6	9	12	12
1-11 MOS	44	7.3	4	5	5	7	8	10	11	12
1-5 YRS	10	6.8	4	3	4	7	8	9	10	10
6-12 YRS	24	5.4	12	2	3	5	6	7	12	20
13-19 YRS	162	8.0	18	4	5	7	9	13	16	28
GRAND TOTAL	250	7.5	15	4	4	6	8	12	15	20

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	7.4	17	4	4	7	9	14	14	14
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	3	6.0	7	3	3	7	8	8	8	8
1-11 MOS	6	6.2	2	4	4	6	8	8	8	8
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	4	7.5	1	6	6	7	8	9	9	9
13-19 YRS	24	4.7	3	2	2	5	6	7	8	8
TOT. SINGLE DX	8	6.6	11	4	4	6	7	12	14	14
" MULTIPLE DX	39	5.4	4	2	2	6	7	8	8	9
TOTAL 0-27 DYS	3	6.0	7	3	3	7	8	8	8	8
1-11 MOS	11	6.7	8	4	4	6	8	11	14	14
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	5	7.0	3	5	5	7	8	9	9	9
13-19 YRS	26	4.8	3	2	2	5	6	7	8	8
GRAND TOTAL	47	5.6	5	2	2	6	7	8	9	14

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	19.5	113	12	12	19	27	27	27	27
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
TOT. SINGLE DX	1	10.0		10	10	10	10	10	10	10
" MULTIPLE DX	4	14.0	82	6	6	11	19	27	27	27
TOTAL 0-27 DYS										
1-11 MOS	2	19.5	113	12	12	19	27	27	27	27
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	2	8.5	13	6	6	8	11	11	11	11
GRAND TOTAL	5	13.2	65	6	6	11	16	27	27	27

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	542	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	128	2.9	7	<1	<1	2	4	6	8	13
TOT. SINGLE DX	543	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	129	2.9	7	<1	<1	2	4	6	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	670	1.5	2	<1	<1	<1	1	3	4	9
GRAND TOTAL	672	1.5	2	<1	<1	<1	1	3	4	9

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	23	1.7	1	<1	<1	1	2	3	5	7
13-19 YRS	6447	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	3	7.3	120	1	1	1	15	20	20	20
1-11 MOS	7	2.4	1	<1	<1	3	3	4	4	4
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	22	3.1	5	<1	1	3	4	6	8	11
13-19 YRS	2471	2.8	6	<1	1	2	3	6	7	13
TOT. SINGLE DX	6471	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2505	2.8	6	<1	1	2	3	6	7	13
TOTAL 0-27 DYS	3	7.3	120	1	1	1	15	20	20	20
1-11 MOS	8	2.3	1	<1	<1	2	3	4	4	4
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	45	2.4	4	<1	<1	2	3	5	6	11
13-19 YRS	8918	1.9	3	<1	<1	1	2	4	5	9
GRAND TOTAL	8976	1.9	3	<1	<1	1	2	4	5	9

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0	7	<1	<1	<1	<1	6	8	8
13-19 YRS	1990	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	923	1.8	28	<1	<1	<1	<1	2	4	16
TOT. SINGLE DX	1997	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	925	1.8	28	<1	<1	<1	<1	2	4	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	2.4	8	<1	<1	<1	2	8	8	8
13-19 YRS	2913	1.3	9	<1	<1	<1	<1	1	2	7
GRAND TOTAL	2922	1.3	9	<1	<1	<1	<1	1	2	7

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1020	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	206	2.9	13	<1	1	2	3	6	7	21
TOT. SINGLE DX	1020	1.3	1	<1	<1	1	1	2	3	4
" MULTIPLE DX	208	3.0	14	<1	1	2	3	6	7	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	1226	1.6	3	<1	<1	1	2	3	4	7
GRAND TOTAL	1228	1.6	3	<1	<1	1	2	3	4	7

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	5.3	2	4	4	5	6	8	8	9
TOT. SINGLE DX	5	4.6	2	3	3	5	6	6	6	6
" MULTIPLE DX	35	5.3	2	4	4	5	6	8	8	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	40	5.3	2	3	4	5	6	8	8	9
GRAND TOTAL	40	5.3	2	3	4	5	6	8	8	9

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	153	2.3	4	<1	1	1	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS										
13-19 YRS	89	4.0	10	1	1	3	5	7	10	18
TOT. SINGLE DX	157	2.3	4	<1	1	1	3	5	6	9
" MULTIPLE DX	93	4.0	10	1	1	3	5	7	10	17
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	5	3.0	1	2	2	3	4	4	4	4
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	242	2.9	7	<1	1	2	4	6	8	15
GRAND TOTAL	250	2.9	7	<1	1	2	4	6	8	15

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	19	2	2	3	8	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	7.3	3	6	6	7	8	10	10	10
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
TOT. SINGLE DX	6	4.3	10	1	1	4	5	10	10	10
" MULTIPLE DX	7	6.4	6	3	3	6	8	10	10	10
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	6.3	10	2	2	6	9	10	10	10
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	4	3.3	3	1	1	3	4	5	5	5
GRAND TOTAL	13	5.5	9	1	2	5	7	10	10	10

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	16	1.9	3	<1	<1	1	2	5	6	7
6-12 YRS	31	2.5	5	1	1	1	4	6	8	9
13-19 YRS	122	3.1	9	<1	<1	2	4	7	10	15
2. MULTIPLE DX										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	4	4.0	3	2	2	4	5	6	6	6
1-5 YRS	21	5.5	31	<1	<1	4	6	16	18	20
6-12 YRS	36	5.2	49	1	1	2	7	11	18	38
13-19 YRS	102	4.6	18	1	1	3	6	11	13	19
TOT. SINGLE DX	173	2.9	8	<1	<1	2	4	7	9	14
" MULTIPLE DX	165	4.9	26	1	1	3	6	11	15	21
TOTAL 0-27 DYS	3	7.3	46	2	2	5	12	15	15	15
1-11 MOS	7	3.7	3	2	2	3	5	6	6	6
1-5 YRS	37	3.9	22	<1	<1	2	5	10	16	20
6-12 YRS	67	4.0	30	1	1	2	4	9	11	35
13-19 YRS	224	3.8	14	<1	1	2	5	10	12	17
GRAND TOTAL	338	3.9	18	<1	1	2	5	10	12	20

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.8	1	1	1	3	4	4	4	4
1-11 MOS	3	8.7	6	6	6	9	10	11	11	11
1-5 YRS	16	3.0	12	<1	<1	1	3	10	11	11
6-12 YRS	27	3.3	10	<1	<1	2	5	9	10	12
13-19 YRS	315	3.1	12	<1	<1	2	3	7	10	15
2. MULTIPLE DX										
0-27 DYS	29	5.0	125	1	2	3	4	5	10	63
1-11 MOS	3	6.3	24	3	3	4	10	12	12	12
1-5 YRS	7	1.9	5	<1	<1	1	4	72	99+	99+
6-12 YRS	24	4.0	17	1	1	3	5	9	16	17
13-19 YRS	333	4.0	25	<1	1	3	5	8	10	19
TOT. SINGLE DX	365	3.2	12	<1	<1	2	4	7	10	14
" MULTIPLE DX	396	4.1	31	<1	1	3	5	8	11	35
TOTAL 0-27 DYS	33	4.7	111	1	2	3	4	5	7	63
1-11 MOS	6	7.5	14	3	3	7	11	12	12	12
1-5 YRS	23	2.7	10	<1	<1	1	3	10	38	99+
6-12 YRS	51	3.6	13	<1	<1	2	5	9	12	17
13-19 YRS	648	3.6	19	<1	<1	2	5	7	10	17
GRAND TOTAL	761	3.6	22	<1	<1	2	5	8	10	18

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.5		2	2	2	3	3	3	3
1-11 MOS	10	3.2	6	<1	<1	2	5	7	7	7
1-5 YRS	53	2.7	7	<1	<1	1	3	7	8	15
6-12 YRS	50	2.1	2	<1	<1	2	3	4	6	7
13-19 YRS	425	2.0	1	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
0-27 DYS	5	3.0		2	2	3	3	4	4	4
1-11 MOS	9	3.8	3	1	1	3	5	6	7	7
1-5 YRS	34	3.5	13	<1	<1	2	4	9	11	16
6-12 YRS	28	6.8	76	<1	1	5	8	11	20	47
13-19 YRS	199	3.7	30	1	1	3	4	6	7	21
TOT. SINGLE DX	542	2.1	3	<1	<1	2	2	4	6	8
" MULTIPLE DX	275	4.0	32	1	1	3	5	7	10	23
TOTAL 0-27 DYS	9	2.8		2	2	3	3	4	4	4
1-11 MOS	19	3.5	5	<1	1	3	5	7	7	7
1-5 YRS	87	3.0	10	<1	<1	2	4	8	9	16
6-12 YRS	78	3.8	33	<1	<1	2	4	7	10	39
13-19 YRS	624	2.5	11	<1	1	2	3	5	6	11
GRAND TOTAL	817	2.7	13	<1	<1	2	3	5	7	12

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	7	2.7		1	1	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	3.0	1	2	2	3	4	4	4	4
TOT. SINGLE DX	9	2.4	1	<1	<1	3	3	3	3	3
" MULTIPLE DX	5	2.6	2	1	1	2	4	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	11	2.8	1	1	1	3	3	4	4	4
GRAND TOTAL	14	2.5	1	<1	1	3	3	4	4	4

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	45	1.4		<1	<1	1	1	2	3	6
6-12 YRS	78	1.3		<1	<1	1	1	2	3	5
13-19 YRS	31	3.0	10	<1	1	2	3	5	14	15
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	2.4	6	<1	<1	1	3	7	9	10
6-12 YRS	31	1.9	4	<1	<1	1	2	3	4	13
13-19 YRS	33	4.3	45	1	1	3	4	7	10	40
TOT. SINGLE DX	156	1.7	3	<1	<1	1	2	3	4	14
" MULTIPLE DX	89	3.0	21	<1	1	2	3	6	9	29
TOTAL 0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	68	1.7	3	<1	<1	1	2	3	6	10
6-12 YRS	109	1.5	2	<1	<1	1	2	3	3	8
13-19 YRS	64	3.7	29	<1	1	2	4	6	11	36
GRAND TOTAL	**245**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.0	4	2	2	4	5	6	6	6
1-5 YRS	12	2.2	8	<1	<1	1	2	5	10	11
6-12 YRS	7	1.9		<1	<1	2	3	3	3	3
13-19 YRS	10	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.3	1	<1	<1	3	3	4	4	4
6-12 YRS	9	3.3	17	<1	<1	2	3	10	14	14
13-19 YRS	9	5.1	22	<1	<1	3	9	12	13	13
TOT. SINGLE DX	32	2.0	4	<1	<1	1	2	3	6	11
" MULTIPLE DX	26	3.6	14	<1	<1	2	4	11	13	14
TOTAL 0-27 DYS										
1-11 MOS	4	3.5	4	2	2	3	5	6	6	6
1-5 YRS	19	2.2	5	<1	<1	1	3	4	8	11
6-12 YRS	16	2.7	10	<1	<1	2	3	4	11	14
13-19 YRS	19	3.1	14	<1	<1	1	3	10	12	13
GRAND TOTAL	**58**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**7**	**11**	**14**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	6351	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	5362	3.2	3	1	2	3	4	5	5	9
TOT. SINGLE DX	6354	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	5364	3.2	4	1	2	3	4	5	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.8	1	3	3	4	4	5	5	5
13-19 YRS	11713	3.0	2	1	2	3	3	4	5	8
GRAND TOTAL	**11718**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	78	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	204	2.7	2	1	1	2	3	5	6	9
TOT. SINGLE DX	78	2.6	1	1	1	3	3	4	4	6
" MULTIPLE DX	204	2.7	3	1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	282	2.7	2	1	1	2	3	4	5	8
GRAND TOTAL	**282**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1118	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	6	2	2	5	6	7	7	7
13-19 YRS	1874	3.1	3	1	2	3	4	4	5	9
TOT. SINGLE DX	1119	2.8	2	1	2	3	3	4	4	5
" MULTIPLE DX	1877	3.1	3	1	2	3	4	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.3	5	2	2	4	6	7	7	7
13-19 YRS	2992	3.0	3	1	2	3	3	4	5	7
GRAND TOTAL	2996	3.0	3	1	2	3	3	4	5	7

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	2.8	1	<1	1	3	3	4	5	7
13-19 YRS	44088	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	3.0		2	2	3	3	4	5	5
13-19 YRS	13486	3.0	3	1	1	3	3	4	6	9
TOT. SINGLE DX	44112	2.6	1	1	1	3	3	4	4	5
" MULTIPLE DX	13499	3.0	4	1	1	3	3	4	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	37	2.9	1	1	1	3	3	4	5	7
13-19 YRS	57574	2.7	2	1	1	3	3	4	4	6
GRAND TOTAL	57611	2.7	2	1	1	3	3	4	4	6

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.8	1	4	4	4	5	7	7	7
13-19 YRS	5302	5.1	2	3	4	5	6	7	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.6	7	3	3	4	8	10	10	10
13-19 YRS	11926	5.9	9	3	4	5	6	8	10	17
TOT. SINGLE DX	5307	5.1	2	3	4	5	6	7	7	10
" MULTIPLE DX	11933	5.9	9	3	4	5	6	8	10	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	5.3	5	3	3	4	6	9	10	10
13-19 YRS	17228	5.6	7	3	4	5	6	8	9	15
GRAND TOTAL	17240	5.6	7	3	4	5	6	8	9	15

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	409	5.0	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	586	6.0	14	3	4	5	7	9	10	21
TOT. SINGLE DX	411	5.0	2	3	3	5	6	6	7	9
" MULTIPLE DX	586	6.0	14	3	4	5	7	9	10	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	995	5.6	9	3	4	5	6	8	10	16
GRAND TOTAL	997	5.6	9	3	4	5	6	8	10	16

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	4.1	2	2	2	4	5	7	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	5.0	7	2	3	4	6	7	11	16
TOT. SINGLE DX	25	4.1	2	2	2	4	5	7	7	8
" MULTIPLE DX	22	5.0	8	2	3	4	6	7	11	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	4.5	5	2	3	4	5	7	7	16
GRAND TOTAL	47	4.5	5	2	3	4	5	7	7	16

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0		1	1	2	2	3	3	3
13-19 YRS	1362	1.7		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	248	1.9	1	<1	1	2	2	3	4	8
TOT. SINGLE DX	1369	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	251	1.9	2	<1	1	2	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	2.4	2	1	1	2	2	4	6	6
13-19 YRS	1610	1.7	1	1	1	2	2	2	3	5
GRAND TOTAL	1620	1.7	1	1	1	2	2	2	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	186	3.6	9	<1	1	3	5	8	9	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	128	5.4	47	1	1	3	6	11	18	33
TOT. SINGLE DX	186	3.6	9	<1	1	3	5	8	9	16
" MULTIPLE DX	128	5.4	48	1	1	3	6	11	18	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	314	4.3	26	<1	1	3	5	9	11	24
GRAND TOTAL	314	4.3	26	<1	1	3	5	9	11	24

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3743	2.2	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1563	2.8	6	<1	<1	3	3	4	5	10
TOT. SINGLE DX	3744	2.2	2	<1	<1	2	3	3	4	6
" MULTIPLE DX	1563	2.8	6	<1	<1	3	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5306	2.3	3	<1	<1	2	3	4	4	7
GRAND TOTAL	5307	2.3	3	<1	<1	2	3	4	4	7

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	1	2	2	3	4	4	4	4
13-19 YRS	6565	2.5		1	1	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.3	3	3	3	4	5	7	7	7
13-19 YRS	6054	2.9	3	1	1	3	3	4	5	8
TOT. SINGLE DX	6570	2.5	1	1	1	3	3	4	4	5
" MULTIPLE DX	6058	2.9	3	1	1	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	3.6	2	2	2	3	4	6	7	7
13-19 YRS	12619	2.7	2	1	1	3	3	4	4	7
GRAND TOTAL	12628	2.7	2	1	1	3	3	4	4	7

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	13	4.5	15	1	1	3	6	11	13	13
6-12 YRS	34	2.5	1	<1	1	2	3	4	5	6
13-19 YRS	73	3.0	3	<1	1	2	4	6	8	78
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	6.2	29	<1	1	4	9	15	18	18
6-12 YRS	22	3.3	7	<1	1	3	4	7	10	12
13-19 YRS	83	3.5	3	1	2	3	4	5	6	11
TOT. SINGLE DX	121	3.0	5	<1	1	2	4	6	8	37
" MULTIPLE DX	117	3.6	6	1	1	3	4	5	8	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	22	5.2	21	<1	1	4	8	12	15	18
6-12 YRS	56	2.8	4	<1	1	2	4	5	7	12
13-19 YRS	156	3.2	4	1	1	3	4	5	7	12
GRAND TOTAL	238	3.3	6	1	1	3	4	5	8	14

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	5.5	6	3	3	5	8	9	9	9
1-5 YRS	22	7.4	10	2	3	7	9	12	14	15
6-12 YRS	34	5.4	45	2	2	4	6	8	9	42
13-19 YRS	1329	3.4	1	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	10.0	84	3	3	8	10	23	35	36
1-5 YRS	20	8.4	57	2	3	7	10	13	25	37
6-12 YRS	43	7.1	50	2	3	5	8	12	16	45
13-19 YRS	1354	3.9	5	2	2	4	4	5	7	12
TOT. SINGLE DX	1396	3.5	3	1	2	3	4	5	6	9
" MULTIPLE DX	1429	4.1	8	2	2	4	4	6	8	14
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	7.9	50	3	3	7	9	12	24	36
1-5 YRS	42	7.9	32	2	3	7	9	12	14	37
6-12 YRS	77	6.4	48	2	2	5	7	11	13	44
13-19 YRS	2683	3.6	3	2	2	3	4	5	6	9
GRAND TOTAL	2825	3.8	6	2	2	3	4	5	7	12

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.3	24	1	1	2	8	10	10	10
1-5 YRS	31	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	92	2.1	1	1	1	2	3	4	4	6
13-19 YRS	403	2.7	4	1	1	[illegible]	3	4	6	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	49	4.2	21	1	1	3	5	7	12	26
6-12 YRS	152	3.8	14	1	1	3	4	7	9	27
13-19 YRS	575	4.8	61	1	1	3	5	8	11	45
TOT. SINGLE DX	529	2.5	4	1	1	2	3	4	5	10
" MULTIPLE DX	778	4.6	50	1	1	3	5	8	11	30
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.0	17	1	1	2	6	10	10	10
1-5 YRS	80	3.4	15	1	1	2	4	7	8	24
6-12 YRS	244	3.1	10	1	1	2	4	5	7	21
13-19 YRS	978	3.9	39	1	1	3	4	7	9	24
GRAND TOTAL	1307	3.8	32	1	1	3	4	7	9	23

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	15	2.6	3	1	1	2	4	5	7	7
6-12 YRS	58	2.9	13	1	1	2	3	5	7	25
13-19 YRS	425	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	35	7.6	93	1	1	3	9	18	22	52
6-12 YRS	103	4.4	10	1	1	3	6	10	12	53
13-19 YRS	800	5.9	45	1	2	4	7	11	16	41
TOT. SINGLE DX	501	2.9	6	1	1	2	4	5	7	12
" MULTIPLE DX	942	5.8	43	1	2	4	7	11	16	43
TOTAL 0-27 DYS	3	2.7		2	2	3	3	3	3	3
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	50	6.1	71	1	1	3	7	14	21	52
6-12 YRS	161	3.9	12	1	1	3	5	8	11	25
13-19 YRS	1225	4.9	33	1	1	3	5	9	13	31
GRAND TOTAL	**1443**	**4.8**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	2.5		2	2	2	3	3	3	3
1-5 YRS	11	4.4	8	2	2	3	5	10	11	11
6-12 YRS	39	3.3	2	1	2	3	4	5	7	10
13-19 YRS	54	3.1	5	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	9	3.9	9	1	1	3	5	9	10	10
6-12 YRS	43	3.6	11	1	2	3	4	5	10	20
13-19 YRS	66	4.5	13	1	2	4	6	8	10	23
TOT. SINGLE DX	115	3.2	5	1	1	3	4	5	8	12
" MULTIPLE DX	122	4.1	12	1	2	3	5	7	10	21
TOTAL 0-27 DYS										
1-11 MOS	15	2.3		2	2	2	3	3	3	3
1-5 YRS	20	4.2	8	1	2	3	4	9	10	11
6-12 YRS	82	3.5	8	1	2	3	4	5	7	19
13-19 YRS	120	3.9	10	1	1	3	5	7	9	18
GRAND TOTAL	**237**	**3.6**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.6	4	1	1	5	5	5	5	5
1-11 MOS	16	8.4	36	1	1	8	13	15	20	22
1-5 YRS	319	5.1	22	1	2	4	5	9	15	29
6-12 YRS	545	5.7	34	1	2	4	6	12	16	35
13-19 YRS	735	4.4	19	1	1	3	5	9	11	19
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	19	13.2	138	2	3	6	22	30	38	43
1-5 YRS	332	5.5	24	2	2	4	6	9	16	30
6-12 YRS	565	7.5	57	2	2	5	8	17	23	45
13-19 YRS	701	7.3	77	1	2	5	8	15	22	45
TOT. SINGLE DX	1620	5.0	26	1	1	4	6	10	14	25
" MULTIPLE DX	1618	7.1	61	2	2	5	7	15	22	43
TOTAL 0-27 DYS	6	4.2	5	1	1	5	5	7	7	7
1-11 MOS	35	11.0	95	1	2	8	15	25	31	43
1-5 YRS	651	5.3	23	2	2	4	6	9	15	29
6-12 YRS	1110	6.6	47	1	2	5	7	13	20	42
13-19 YRS	1436	5.8	50	1	1	4	6	11	17	39
GRAND TOTAL	**3238**	**6.0**	**45**	**1**	**2**	**4**	**6**	**12**	**18**	**38**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	2.8		2	2	3	3	3	3	3
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	71	3.2	2	1	1	3	4	5	7	8
13-19 YRS	722	2.9	1	1	1	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	3.2	2	2	2	3	4	6	6	6
1-5 YRS	11	2.8	1	1	1	2	4	5	5	5
6-12 YRS	103	3.5	4	1	2	3	4	5	7	12
13-19 YRS	927	3.3	2	1	1	3	4	5	6	8
TOT. SINGLE DX	802	3.0	2	1	1	3	4	5	5	7
" MULTIPLE DX	1046	3.3	3	1	1	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS	11	3.0	1	2	2	3	3	4	6	6
1-5 YRS	14	2.7	2	1	1	2	4	5	5	5
6-12 YRS	174	3.4	3	1	1	3	4	5	7	9
13-19 YRS	1649	3.1	2	1	1	3	4	5	6	8
GRAND TOTAL	**1848**	**3.2**	**2**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	8.2	28	2	2	11	12	14	14	14
1-11 MOS	30	3.5	11	<1	1	3	5	6	12	17
1-5 YRS	218	4.6	30	1	1	3	5	10	16	30
6-12 YRS	1138	3.5	11	1	1	3	4	6	9	17
13-19 YRS	2995	3.2	13	<1	1	2	4	5	8	19
2. MULTIPLE DX										
0-27 DYS	5	16.6	241	4	4	8	29	40	40	40
1-11 MOS	25	12.2	197	1	2	6	14	37	45	47
1-5 YRS	148	6.5	59	1	1	4	7	17	24	35
6-12 YRS	467	8.6	103	1	1	4	10	24	30	47
13-19 YRS	1686	6.8	109	1	1	3	7	17	29	58
TOT. SINGLE DX	4386	3.4	14	1	1	2	4	6	8	20
" MULTIPLE DX	2331	7.3	107	1	1	3	7	19	30	55
TOTAL 0-27 DYS	10	12.4	139	2	2	9	14	32	40	40
1-11 MOS	55	7.4	113	1	1	3	6	18	36	47
1-5 YRS	366	5.4	43	1	1	3	6	12	21	33
6-12 YRS	1605	5.0	44	1	1	3	5	10	18	36
13-19 YRS	4681	4.5	51	1	1	3	4	8	15	41
GRAND TOTAL	6717	4.7	50	1	1	3	4	9	17	39

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	12	6.3	69	<1	1	3	7	19	28	30
1-5 YRS	105	8.5	75	1	2	4	16	21	24	40
6-12 YRS	664	7.2	65	1	2	5	7	14	27	42
13-19 YRS	1034	5.0	25	1	1	4	6	10	12	25
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	5.6	11	1	1	6	8	10	11	11
1-5 YRS	92	9.6	132	1	2	4	13	25	33	54
6-12 YRS	387	9.9	174	1	2	5	9	27	40	71
13-19 YRS	629	9.2	158	1	2	5	9	21	36	69
TOT. SINGLE DX	1817	6.0	44	1	2	4	7	11	20	36
" MULTIPLE DX	1117	9.4	161	1	2	5	9	23	38	69
TOTAL 0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	20	6.1	44	<1	1	4	7	12	22	30
1-5 YRS	197	9.0	102	1	2	4	15	22	29	44
6-12 YRS	1051	8.2	107	1	2	5	8	21	31	57
13-19 YRS	1663	6.6	80	1	2	4	7	12	20	52
GRAND TOTAL	2934	7.3	91	1	2	4	7	16	26	52

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	18	1.6		<1	<1	1	2	3	4	4
1-5 YRS	183	2.7	22	<1	<1	1	2	4	7	27
6-12 YRS	467	3.0	22	<1	<1	2	3	5	8	28
13-19 YRS	2096	2.4	6	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	6.3	120	<1	<1	2	5	25	33	33
1-5 YRS	211	3.7	47	<1	<1	2	3	6	9	44
6-12 YRS	406	5.0	65	<1	1	3	4	9	21	53
13-19 YRS	838	5.3	81	1	1	3	5	9	18	53
TOT. SINGLE DX	2766	2.5	10	<1	<1	2	3	4	6	18
" MULTIPLE DX	1463	5.0	73	<1	1	3	4	9	18	51
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	26	3.0	39	<1	<1	1	3	4	11	33
1-5 YRS	394	3.2	36	<1	<1	2	3	5	8	36
6-12 YRS	873	3.9	43	<1	<1	2	3	6	17	39
13-19 YRS	2934	3.2	30	<1	<1	2	3	5	8	28
GRAND TOTAL	4229	3.4	33	<1	<1	2	3	5	9	33

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	55	17.6	75	2	4	18	23	29	32	35
6-12 YRS	139	19.8	182	2	4	21	28	36	46	57
13-19 YRS	166	14.2	187	3	4	9	17	33	46	57
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	4	9.0	20	4	4	8	12	15	15	15
1-5 YRS	28	18.9	84	3	3	20	26	29	30	34
6-12 YRS	95	26.1	189	5	8	25	34	47	49	60
13-19 YRS	222	19.1	245	5	7	13	22	41	48	84
TOT. SINGLE DX	361	16.8	174	3	4	13	24	33	44	55
" MULTIPLE DX	350	20.9	225	5	7	17	27	43	48	81
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	5	7.6	25	2	2	8	10	15	15	15
1-5 YRS	83	18.0	78	2	4	19	25	29	31	35
6-12 YRS	234	22.4	194	3	5	22	30	43	48	58
13-19 YRS	388	17.0	226	4	5	12	20	37	46	83
GRAND TOTAL	711	18.8	203	3	5	15	25	37	46	70

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	11.5	4	9	9	11	13	14	14	14
1-5 YRS	20	12.8	71	2	3	13	19	26	27	28
6-12 YRS	145	7.9	41	2	3	6	10	14	23	33
13-19 YRS	415	9.9	47	2	4	8	12	19	22	35
2. MULTIPLE DX										
0-27 DYS	3	17.3	64	9	9	18	23	25	25	25
1-11 MOS	23	17.0	53	7	9	16	20	29	30	31
1-5 YRS	38	12.7	98	2	3	10	17	25	32	47
6-12 YRS	105	13.7	137	3	4	10	16	28	44	78
13-19 YRS	687	17.2	177	4	6	14	21	31	47	77
TOT. SINGLE DX	584	9.5	48	2	3	8	12	18	23	33
" MULTIPLE DX	856	16.6	167	4	6	13	20	31	46	76
TOTAL 0-27 DYS	3	17.3	64	9	9	18	23	25	25	25
1-11 MOS	27	16.1	50	7	9	14	19	29	30	31
1-5 YRS	58	12.7	88	2	3	11	17	26	29	46
6-12 YRS	250	10.4	90	2	3	8	12	23	31	55
13-19 YRS	1102	14.5	141	3	5	12	18	26	37	70
GRAND TOTAL	**1440**	**13.7**	**130**	**3**	**4**	**11**	**17**	**26**	**34**	**66**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	77	5.1	40	<1	1	2	7	16	20	28
1-5 YRS	409	8.9	94	1	1	4	15	22	27	44
6-12 YRS	341	13.5	157	1	2	9	22	31	35	47
13-19 YRS	238	11.3	176	1	1	5	12	32	42	61
2. MULTIPLE DX										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	29	7.3	51	1	1	3	11	18	21	29
1-5 YRS	161	12.5	118	1	2	9	19	27	33	52
6-12 YRS	197	18.8	182	2	3	20	27	35	44	63
13-19 YRS	179	18.3	248	2	3	13	26	41	47	78
TOT. SINGLE DX	1067	10.6	135	1	1	5	17	27	33	49
" MULTIPLE DX	568	16.2	189	2	2	13	24	35	43	60
TOTAL 0-27 DYS	4	5.5	19	3	3	4	8	12	12	12
1-11 MOS	106	5.7	44	<1	1	2	9	16	20	29
1-5 YRS	570	9.9	104	1	1	5	17	24	29	50
6-12 YRS	538	15.4	173	1	2	12	25	33	40	51
13-19 YRS	417	14.3	219	1	2	8	21	36	44	63
GRAND TOTAL	**1635**	**12.6**	**161**	**1**	**1**	**8**	**20**	**30**	**37**	**52**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	296	4.6	29	1	1	2	5	14	18	22
6-12 YRS	571	4.5	37	1	1	2	4	14	18	28
13-19 YRS	534	3.4	27	<1	1	2	4	6	11	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	11.3	72	5	5	8	18	21	21	21
1-5 YRS	54	7.0	53	<1	1	5	10	15	20	41
6-12 YRS	163	9.5	108	1	1	4	16	24	32	55
13-19 YRS	260	7.3	87	1	1	4	8	16	23	53
TOT. SINGLE DX	1404	4.1	32	1	1	2	4	11	17	24
" MULTIPLE DX	480	8.0	91	1	1	4	11	20	26	52
TOTAL 0-27 DYS										
1-11 MOS	6	6.3	59	1	1	3	8	20	21	21
1-5 YRS	350	5.0	34	1	1	2	6	14	18	22
6-12 YRS	734	5.6	57	1	1	2	6	17	22	36
13-19 YRS	794	4.7	51	<1	1	2	5	11	17	45
GRAND TOTAL	**1884**	**5.1**	**50**	**1**	**1**	**2**	**5**	**14**	**20**	**35**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	6	2	2	5	6	7	7	7
1-11 MOS	18	2.4	3	1	1	2	3	5	7	7
1-5 YRS	486	2.6	4	1	1	2	3	5	7	11
6-12 YRS	1559	2.8	6	1	1	2	3	5	7	12
13-19 YRS	4742	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	6	7.7	25	2	2	6	12	15	15	15
1-11 MOS	12	8.7	235	2	2	4	7	66	94	99+
1-5 YRS	178	4.8	43	1	1	3	5	11	14	42
6-12 YRS	583	5.9	70	1	1	3	6	13	20	52
13-19 YRS	2319	6.8	68	1	1	4	7	15	22	49
TOT. SINGLE DX	6808	3.1	6	1	1	2	4	6	7	12
" MULTIPLE DX	3098	6.5	68	1	1	4	7	14	21	50
TOTAL 0-27 DYS	9	6.7	20	2	2	5	9	14	15	15
1-11 MOS	30	4.9	101	1	1	3	5	8	55	99+
1-5 YRS	664	3.2	16	1	1	2	4	6	9	18
6-12 YRS	2142	3.7	26	1	1	2	4	6	10	29
13-19 YRS	7061	4.4	30	1	1	3	5	8	12	29
GRAND TOTAL	**9906**	**4.2**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**29**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	3.0	8	1	1	2	5	7	7	7
1-11 MOS	42	2.1	7	<1	<1	1	2	3	4	18
1-5 YRS	2074	2.0	6	<1	1	1	2	3	6	16
6-12 YRS	6402	2.0	5	<1	1	1	2	3	5	14
13-19 YRS	3915	2.5	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	7	5.0	8	3	3	4	6	10	11	11
1-11 MOS	18	6.2	31	<1	1	4	9	14	19	21
1-5 YRS	387	3.9	23	1	1	2	4	9	16	22
6-12 YRS	1357	4.1	36	1	1	2	4	9	14	30
13-19 YRS	1724	5.7	65	1	1	3	6	12	20	48
TOT. SINGLE DX	12437	2.1	6	<1	1	1	2	4	6	14
" MULTIPLE DX	3493	4.8	50	1	1	2	5	11	17	39
TOTAL 0-27 DYS	11	4.3	8	1	1	3	6	9	11	11
1-11 MOS	60	3.3	17	<1	<1	2	3	8	14	21
1-5 YRS	2461	2.3	10	<1	1	1	2	4	8	18
6-12 YRS	7759	2.3	12	<1	1	1	2	4	7	19
13-19 YRS	5639	3.5	27	1	1	2	4	7	10	26
GRAND TOTAL	**15930**	**2.7**	**17**	**<1**	**1**	**1**	**3**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	150	7.3	43	<1	<1	5	11	17	20	24
1-5 YRS	148	5.8	60	<1	<1	2	7	18	22	28
6-12 YRS	223	2.4	12	<1	1	1	2	4	9	18
13-19 YRS	414	2.8	20	<1	<1	1	2	6	10	25
2. MULTIPLE DX										
0-27 DYS	32	4.9	31	1	2	4	5	6	17	31
1-11 MOS	29	10.4	133	<1	1	5	16	25	35	48
1-5 YRS	38	7.4	101	<1	<1	3	10	21	25	51
6-12 YRS	65	5.4	49	<1	1	2	6	14	23	32
13-19 YRS	267	7.8	99	1	1	4	9	20	30	45
TOT. SINGLE DX	937	3.9	32	<1	<1	2	4	11	17	24
" MULTIPLE DX	431	7.4	91	1	1	4	9	19	29	47
TOTAL 0-27 DYS	34	5.1	33	1	1	4	5	8	17	31
1-11 MOS	179	7.8	59	<1	<1	5	14	17	22	33
1-5 YRS	186	6.1	69	<1	<1	2	8	19	22	42
6-12 YRS	288	3.1	23	<1	1	1	3	6	13	29
13-19 YRS	681	4.7	57	<1	1	2	5	11	20	35
GRAND TOTAL	**1368**	**5.0**	**53**	**<1**	**1**	**2**	**5**	**14**	**20**	**33**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	48	6.1	38	1	1	3	8	17	19	26
1-5 YRS	143	5.5	21	1	2	4	6	12	17	23
6-12 YRS	95	2.6	6	<1	<1	1	3	6	9	13
13-19 YRS	301	2.8	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	31	7.0	41	2	2	4	9	17	21	27
1-5 YRS	52	9.2	153	1	2	5	9	23	28	75
6-12 YRS	56	4.8	11	1	2	4	6	9	11	21
13-19 YRS	129	7.2	103	1	2	4	7	14	25	59
TOT. SINGLE DX	588	3.7	13	1	1	3	4	7	11	19
" MULTIPLE DX	268	7.1	88	1	2	4	7	15	23	57
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	79	6.5	39	1	2	4	8	17	20	27
1-5 YRS	195	6.5	59	1	2	4	7	15	20	36
6-12 YRS	151	3.4	10	<1	1	2	5	7	10	14
13-19 YRS	430	4.1	37	1	1	3	4	7	12	37
GRAND TOTAL	**856**	**4.8**	**39**	**1**	**1**	**3**	**5**	**9**	**15**	**27**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	229	4.2	21	1	1	3	4	8	13	24
1-5 YRS	315	5.0	23	1	1	3	5	11	15	25
6-12 YRS	324	5.3	41	<1	1	3	6	13	21	32
13-19 YRS	1618	2.8	8	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	6	33.2	1318	2	2	22	83	97	99+	99+
1-11 MOS	102	9.5	89	1	2	6	13	21	30	46
1-5 YRS	263	7.6	51	1	2	4	10	19	23	31
6-12 YRS	254	9.7	112	1	2	5	14	25	31	54
13-19 YRS	1137	3.8	25	1	1	2	4	7	14	32
TOT. SINGLE DX	2487	3.5	17	<1	1	2	4	7	11	22
" MULTIPLE DX	1762	5.7	58	1	1	3	6	15	22	41
TOTAL 0-27 DYS	7	29.1	1212	2	2	18	78	96	99+	99+
1-11 MOS	331	5.8	48	1	1	3	6	13	21	38
1-5 YRS	578	6.2	38	1	1	4	8	15	20	29
6-12 YRS	578	7.2	77	1	1	4	9	19	27	45
13-19 YRS	2755	3.2	16	<1	1	2	3	6	9	22
GRAND TOTAL	**4249**	**4.4**	**35**	**1**	**1**	**3**	**4**	**10**	**16**	**31**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	7.8	45	2	2	5	11	19	19	19
1-11 MOS	20	9.4	28	2	3	9	12	17	20	22
1-5 YRS	3	4.3	5	3	3	3	6	7	7	7
6-12 YRS	8	8.1	32	3	3	7	9	18	21	21
13-19 YRS	385	6.9	21	2	2	6	8	13	17	23
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	16.7	276	3	3	12	17	46	49	49
1-5 YRS	7	9.4	5	6	6	10	11	12	12	12
6-12 YRS	10	15.7	260	3	5	10	31	72	98	99+
13-19 YRS	128	11.2	150	2	3	8	13	23	37	91
TOT. SINGLE DX	421	7.0	23	2	2	6	9	13	17	23
" MULTIPLE DX	152	11.6	154	2	3	8	13	24	47	99
TOTAL 0-27 DYS	6	8.0	37	2	2	7	9	18	19	19
1-11 MOS	26	11.0	86	3	3	9	13	19	27	49
1-5 YRS	10	7.9	11	3	3	8	11	12	12	12
6-12 YRS	18	12.3	166	3	4	8	12	47	79	99+
13-19 YRS	513	8.0	57	2	3	6	9	16	19	45
GRAND TOTAL	**573**	**8.2**	**61**	**2**	**3**	**6**	**10**	**16**	**20**	**52**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.6	130	1	1	2	8	27	27	27
1-11 MOS	14	3.3	25	<1	<1	2	2	7	17	20
1-5 YRS	83	4.1	24	<1	<1	2	4	11	17	22
6-12 YRS	310	3.3	22	<1	<1	2	3	6	13	27
13-19 YRS	3007	2.0	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	7	2.9		2	2	3	3	4	4	4
1-11 MOS	15	9.9	92	1	1	6	18	22	29	32
1-5 YRS	50	9.7	65	1	2	8	14	21	25	34
6-12 YRS	175	5.7	92	<1	1	2	5	15	22	44
13-19 YRS	1955	2.6	10	<1	<1	2	3	5	7	18
TOT. SINGLE DX	3419	2.2	7	<1	<1	2	2	4	5	15
" MULTIPLE DX	2202	3.1	21	<1	1	2	3	5	9	23
TOTAL 0-27 DYS	12	4.4	51	1	1	2	3	11	25	27
1-11 MOS	29	6.7	69	<1	1	2	7	21	22	32
1-5 YRS	133	6.2	47	<1	1	3	9	18	21	28
6-12 YRS	485	4.2	49	<1	1	2	4	9	17	31
13-19 YRS	4962	2.3	7	<1	<1	2	2	4	5	13
GRAND TOTAL	**5621**	**2.6**	**12**	**<1**	**<1**	**2**	**3**	**4**	**6**	**21**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	5	1.8		<1	<1	2	2	3	3	3
1-5 YRS	7	3.4	4	2	2	3	3	7	8	8
6-12 YRS	60	2.8	2	<1	1	3	4	5	6	7
13-19 YRS	1889	2.2	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	4	2.5	3	1	1	2	4	5	5	5
1-11 MOS	8	2.4	2	<1	<1	2	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	36	2.6	2	<1	<1	2	3	5	6	8
13-19 YRS	1737	2.7	5	<1	1	2	4	5	6	9
TOT. SINGLE DX	1963	2.2	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	1786	2.7	6	<1	1	2	4	5	6	9
TOTAL 0-27 DYS	6	2.0	3	<1	<1	1	3	5	5	5
1-11 MOS	13	2.2	2	<1	<1	2	3	5	5	5
1-5 YRS	8	3.8	5	2	2	3	5	7	8	8
6-12 YRS	96	2.7	2	<1	1	2	3	5	6	8
13-19 YRS	3626	2.4	4	<1	1	2	3	4	5	8
GRAND TOTAL	**3749**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**5**	**5**	**8**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.5	41	4	4	8	13	13	13	13
1-5 YRS	23	7.5	23	2	3	7	10	12	18	24
6-12 YRS	219	10.2	19	5	6	9	11	16	20	26
13-19 YRS	726	10.4	18	6	6	9	12	15	19	26
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	7.8	5	5	5	8	9	11	11	11
1-5 YRS	71	12.1	78	4	5	9	13	27	36	40
6-12 YRS	231	14.2	116	6	7	11	16	26	41	99+
13-19 YRS	607	15.6	142	6	7	12	17	29	43	71
TOT. SINGLE DX	970	10.3	19	5	6	9	11	15	19	26
" MULTIPLE DX	916	14.9	131	6	7	11	16	28	40	73
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	8	8.0	10	4	4	8	10	12	13	13
1-5 YRS	94	11.0	69	4	4	9	12	24	31	39
6-12 YRS	450	12.3	73	5	7	10	13	20	27	64
13-19 YRS	1333	12.7	81	6	7	10	14	21	29	57
GRAND TOTAL	**1886**	**12.5**	**79**	**5**	**7**	**10**	**14**	**21**	**29**	**57**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	23	2.7	1	<1	1	2	3	5	5	5
6-12 YRS	70	4.1	5	1	1	4	5	7	8	12
13-19 YRS	333	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	30	3.4	1	1	1	3	4	5	6	6
6-12 YRS	162	4.8	6	2	2	4	6	8	10	14
13-19 YRS	364	5.9	38	1	2	5	7	10	14	44
TOT. SINGLE DX	429	3.9	9	1	1	3	5	7	8	13
" MULTIPLE DX	559	5.5	28	1	2	4	6	9	12	32
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	5	3.0	2	<1	<1	4	4	4	4	4
1-5 YRS	53	3.1	2	1	1	3	4	5	5	6
6-12 YRS	232	4.6	6	1	2	4	5	8	9	13
13-19 YRS	697	5.0	26	1	2	4	6	9	12	31
GRAND TOTAL	988	4.8	20	1	2	4	6	8	11	22

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	10.0	8	8	8	10	12	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	15	12.3	18	6	6	13	15	18	21	22
2. MULTIPLE DX										
0-27 DYS	2	26.0	162	17	17	26	35	35	35	35
1-11 MOS	8	13.1	16	9	9	12	16	19	20	20
1-5 YRS	4	12.3	1	11	11	12	13	13	13	13
6-12 YRS	2	10.5	13	8	8	10	13	13	13	13
13-19 YRS	26	18.7	265	6	7	12	22	53	58	64
TOT. SINGLE DX	18	12.3	17	6	7	12	15	17	20	22
" MULTIPLE DX	42	17.0	182	7	8	12	17	34	56	64
TOTAL 0-27 DYS	3	22.7	114	16	16	17	30	35	35	35
1-11 MOS	10	12.5	15	8	8	11	16	18	20	20
1-5 YRS	4	12.3	1	11	11	12	13	13	13	13
6-12 YRS	2	10.5	13	8	8	10	13	13	13	13
13-19 YRS	41	16.4	182	6	7	12	17	31	56	64
GRAND TOTAL	60	15.6	136	6	8	12	16	26	45	63

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	13.3	40	6	6	13	18	21	21	21
1-5 YRS	6	13.5	106	5	5	10	12	32	34	34
6-12 YRS	9	8.2	32	3	3	7	9	18	22	22
13-19 YRS	24	7.2	33	1	2	5	10	15	22	22
2. MULTIPLE DX										
0-27 DYS	2	21.0	72	15	15	21	27	27	27	27
1-11 MOS	5	17.2	4	15	15	18	19	19	19	19
1-5 YRS	8	9.8	52	2	2	7	15	21	22	22
6-12 YRS	18	6.3	6	3	4	6	9	10	11	12
13-19 YRS	14	12.5	263	1	3	9	12	20	57	67
TOT. SINGLE DX	43	8.8	47	2	3	7	11	21	22	34
" MULTIPLE DX	47	10.5	105	3	3	8	14	19	23	67
TOTAL 0-27 DYS	2	21.0	72	15	15	21	27	27	27	27
1-11 MOS	9	15.4	22	6	8	15	19	20	21	21
1-5 YRS	14	11.4	73	2	3	9	13	23	32	34
6-12 YRS	27	6.9	15	3	4	6	9	11	13	22
13-19 YRS	38	9.1	120	1	2	6	11	15	22	67
GRAND TOTAL	90	9.7	77	2	3	7	12	19	22	54

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	4.4	10	<1	<1	3	7	9	10	10
1-5 YRS	8	4.3	3	3	3	4	5	7	8	8
6-12 YRS	75	3.9	5	1	1	4	5	7	9	78
13-19 YRS	1900	3.8	3	1	1	4	5	6	7	9
2. MULTIPLE DX										
0-27 DYS	5	8.2	47	1	1	10	14	16	16	16
1-11 MOS	10	9.3	32	2	2	11	14	52	96	99+
1-5 YRS	7	4.1	3	1	1	4	6	7	7	7
6-12 YRS	52	5.3	29	1	1	4	5	12	15	30
13-19 YRS	1821	4.5	9	1	2	4	5	7	8	17
TOT. SINGLE DX	1994	3.8	4	1	1	4	5	6	7	10
" MULTIPLE DX	1895	4.6	11	1	2	4	5	7	9	18
TOTAL 0-27 DYS	6	7.3	43	1	1	6	13	16	16	16
1-11 MOS	20	6.9	26	1	1	6	11	16	56	99+
1-5 YRS	15	4.2	3	1	3	4	5	7	8	8
6-12 YRS	127	4.4	15	1	1	4	5	8	13	45
13-19 YRS	3721	4.1	7	1	2	4	5	6	8	13
GRAND TOTAL	3889	4.2	7	1	2	4	5	6	8	14

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	3.5	1	2	2	3	4	6	7	7
1-5 YRS	63	2.9	7	1	1	2	3	5	8	16
6-12 YRS	86	2.9	2	1	1	3	4	5	6	9
13-19 YRS	2102	2.9	2	1	1	3	4	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	6	4.7	9	1	1	4	6	10	10	10
1-5 YRS	30	3.5	32	<1	<1	2	4	5	9	32
6-12 YRS	58	5.3	46	1	1	3	5	12	24	31
13-19 YRS	636	3.4	7	1	1	3	4	6	7	14
TOT. SINGLE DX	2262	2.9	3	1	1	3	4	4	5	8
" MULTIPLE DX	732	3.6	12	1	1	3	4	6	8	26
TOTAL 0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	17	3.9	4	1	2	3	4	7	9	10
1-5 YRS	93	3.1	15	<1	1	2	3	5	9	26
6-12 YRS	144	3.9	21	1	1	3	4	6	10	31
13-19 YRS	2738	3.0	4	1	1	3	4	5	5	8
GRAND TOTAL	**2994**	**3.0**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	106	4.8	29	<1	1	3	5	13	17	26
1-5 YRS	341	3.0	10	<1	<1	2	3	5	9	18
6-12 YRS	297	4.0	18	<1	1	2	5	10	13	21
13-19 YRS	475	3.4	14	<1	1	2	4	7	9	22
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	47	8.2	133	1	1	3	13	20	23	66
1-5 YRS	415	4.6	19	1	2	3	5	8	12	26
6-12 YRS	425	5.4	24	1	2	4	6	11	14	28
13-19 YRS	421	7.1	91	1	1	4	8	16	25	56
TOT. SINGLE DX	1219	3.5	16	<1	<1	2	4	8	11	21
" MULTIPLE DX	1309	5.8	50	1	2	4	6	11	18	36
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	153	5.9	64	<1	1	3	6	17	20	36
1-5 YRS	756	3.9	16	<1	<1	3	4	7	12	22
6-12 YRS	722	4.8	22	1	1	4	6	10	14	26
13-19 YRS	896	5.1	54	<1	1	3	6	10	17	39
GRAND TOTAL	**2528**	**4.7**	**35**	**<1**	**1**	**3**	**5**	**10**	**15**	**30**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS	4	1.5		<1	<1	1	2	2	2	2
1-11 MOS	68	2.6	7	<1	<1	2	3	6	8	16
1-5 YRS	312	2.1	4	<1	<1	2	2	4	5	12
6-12 YRS	507	1.9	2	<1	<1	2	2	3	4	11
13-19 YRS	866	1.9	3	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	6	13.7	128	2	2	12	22	29	30	30
1-11 MOS	42	8.5	69	1	2	6	11	23	26	37
1-5 YRS	91	5.2	76	1	1	3	6	10	12	58
6-12 YRS	91	4.3	38	<1	<1	2	5	9	12	39
13-19 YRS	200	3.9	31	<1	1	2	4	8	12	27
TOT. SINGLE DX	1757	2.0	4	<1	<1	2	2	3	5	11
" MULTIPLE DX	430	4.8	50	<1	1	2	5	10	16	39
TOTAL 0-27 DYS	10	8.8	111	<1	<1	3	18	26	30	30
1-11 MOS	110	4.9	39	<1	<1	2	6	11	18	32
1-5 YRS	403	2.8	22	<1	<1	2	3	5	8	20
6-12 YRS	598	2.3	9	<1	<1	2	2	4	6	14
13-19 YRS	1066	2.3	9	<1	<1	2	2	4	6	14
GRAND TOTAL	**2187**	**2.6**	**14**	**<1**	**<1**	**2**	**2**	**4**	**8**	**17**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.5		<1	<1	1	2	2	3	3
6-12 YRS	15	1.5		<1	<1	1	2	2	3	3
13-19 YRS	38	2.4	3	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
0-27 DYS	12	4.2	26	1	1	3	4	10	19	20
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	16	3.3	14	<1	<1	2	3	7	13	16
6-12 YRS	15	4.3	48	1	1	2	3	7	23	29
13-19 YRS	41	4.8	61	1	1	2	4	10	21	44
TOT. SINGLE DX	81	1.9	2	<1	<1	2	2	3	6	8
" MULTIPLE DX	85	4.3	44	1	1	2	4	7	20	39
TOTAL 0-27 DYS	12	4.2	27	1	1	3	4	10	19	20
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	42	2.2	6	[illegible]	<1	2	2	3	6	16
6-12 YRS	30	2.9	26	[illegible]	<1	2	3	4	7	29
13-19 YRS	79	3.6	35	<1	1	2	4	6	12	38
GRAND TOTAL	**166**	**3.2**	**25**	**<1**	**1**	**2**	**3**	**5**	**7**	**28**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	18	1.9	1	<1	1	2	2	4	4	4
1-5 YRS	218	1.7	1	<1	<1	1	2	3	4	7
6-12 YRS	277	1.9	2	<1	<1	2	2	3	4	9
13-19 YRS	799	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	4	2.3	3	1	1	2	3	5	5	5
1-11 MOS	12	2.4		1	1	2	3	3	3	3
1-5 YRS	158	2.1	2	<1	1	2	2	4	5	9
6-12 YRS	229	2.1	2	1	1	2	3	4	5	7
13-19 YRS	733	2.3	3	<1	1	2	3	4	5	11
TOT. SINGLE DX	1313	1.9	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	1136	2.2	3	<1	1	2	3	4	5	10
TOTAL 0-27 DYS	5	2.0	3	1	1	1	3	5	5	5
1-11 MOS	30	2.1	1	1	1	2	3	3	4	4
1-5 YRS	376	1.9	2	<1	1	2	2	3	4	8
6-12 YRS	506	2.0	2	<1	1	2	2	4	5	7
13-19 YRS	1532	2.1	3	<1	1	2	2	4	5	9
GRAND TOTAL	2449	2.0	3	<1	1	2	2	4	5	8

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	2.1	1	<1	<1	2	3	4	5	5
1-5 YRS	95	2.3	4	<1	1	2	3	5	6	12
6-12 YRS	189	2.7	14	<1	1	2	3	5	8	26
13-19 YRS	502	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	43	3.3	14	1	1	2	4	7	12	18
6-12 YRS	121	5.0	130	<1	1	3	5	6	11	95
13-19 YRS	368	4.0	34	1	1	2	4	7	12	35
TOT. SINGLE DX	798	2.5	6	<1	1	2	3	4	6	13
" MULTIPLE DX	538	4.2	54	1	1	2	4	7	11	43
TOTAL 0-27 DYS	4	3.0	1	2	2	3	4	4	4	4
1-11 MOS	14	2.0	1	<1	<1	2	2	3	5	5
1-5 YRS	138	2.7	8	<1	1	2	3	5	8	17
6-12 YRS	310	3.6	61	<1	1	2	3	6	9	55
13-19 YRS	870	3.1	17	<1	1	2	3	5	7	22
GRAND TOTAL	1336	3.1	26	<1	1	2	3	6	8	24

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.7	8	2	2	2	6	7	7	7
1-11 MOS	392	3.2	4	1	1	3	4	5	7	12
1-5 YRS	487	3.1	5	1	1	3	4	5	6	10
6-12 YRS	340	3.2	4	1	1	3	4	5	7	11
13-19 YRS	544	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	111	4.0	7	1	1	3	5	7	10	14
1-5 YRS	705	3.5	21	1	1	3	4	5	7	14
6-12 YRS	715	4.0	19	1	1	3	4	7	9	21
13-19 YRS	559	6.1	109	1	2	4	6	9	20	80
TOT. SINGLE DX	1766	3.2	5	1	1	3	4	5	6	11
" MULTIPLE DX	2091	4.4	44	1	1	3	5	7	10	29
TOTAL 0-27 DYS	4	3.3	6	2	2	2	5	7	7	7
1-11 MOS	503	3.4	5	1	1	3	4	6	7	13
1-5 YRS	1192	3.3	15	1	1	3	4	5	7	12
6-12 YRS	1055	3.8	15	1	1	3	4	6	8	18
13-19 YRS	1103	4.6	59	1	1	3	5	7	10	38
GRAND TOTAL	3857	3.8	27	1	1	3	4	6	8	22

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	2.0	1	<1	1	2	2	4	5	5
1-5 YRS	69	1.7	1	<1	1	2	2	2	3	7
6-12 YRS	51	2.0	3	<1	1	1	2	4	5	11
13-19 YRS	130	2.6	5	1	1	2	3	5	8	13
2. MULTIPLE DX										
0-27 DYS	14	4.7	9	1	2	4	6	8	13	14
1-11 MOS	10	2.1	3	1	1	2	2	5	7	7
1-5 YRS	32	3.8	17	<1	<1	2	5	10	12	19
6-12 YRS	27	3.4	7	<1	1	3	5	8	9	11
13-19 YRS	114	4.0	38	1	1	2	5	9	12	33
TOT. SINGLE DX	268	2.2	4	<1	1	2	2	4	6	11
" MULTIPLE DX	197	3.8	27	1	1	2	5	9	11	19
TOTAL 0-27 DYS	14	4.7	10	1	2	4	6	8	13	14
1-11 MOS	28	2.0	2	<1	1	2	2	4	5	7
1-5 YRS	101	2.4	7	<1	1	2	2	4	8	15
6-12 YRS	78	2.5	5	<1	1	2	3	5	8	11
13-19 YRS	244	3.2	22	1	1	2	4	7	11	16
GRAND TOTAL	465	2.9	14	1	1	2	3	6	9	15

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	5.8	57	<1	<1	2	9	19	21	21
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	15	5.4	25	1	2	4	8	11	17	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	14.6	328	<1	<1	6	26	44	44	44
6-12 YRS	2	27.0	128	19	19	27	35	35	35	35
13-19 YRS	12	16.2	704	<1	1	5	16	58	86	91
TOT. SINGLE DX	27	4.9	31	<1	1	2	5	13	19	21
" MULTIPLE DX	20	16.2	506	<1	<1	6	20	44	68	91
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	13	9.2	163	<1	<1	2	15	26	41	44
6-12 YRS	6	10.0	199	1	1	2	19	33	35	35
13-19 YRS	27	10.2	341	1	1	4	10	20	51	91
GRAND TOTAL	**47**	**9.7**	**258**	**<1**	**1**	**4**	**11**	**21**	**44**	**91**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	1.8		1	1	2	2	3	3	3
1-5 YRS	32	2.3	2	<1	1	2	3	4	4	8
6-12 YRS	23	4.5	20	<1	<1	3	6	10	14	19
13-19 YRS	70	4.5	16	<1	1	3	5	10	14	18
2. MULTIPLE DX										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	6	2.5	1	1	1	2	3	4	4	4
1-5 YRS	22	5.6	52	1	1	4	6	12	24	34
6-12 YRS	20	7.6	41	1	1	6	9	16	21	26
13-19 YRS	59	7.3	93	1	1	4	7	18	28	54
TOT. SINGLE DX	137	3.7	13	<1	1	3	4	9	12	18
" MULTIPLE DX	108	6.9	72	1	1	4	7	17	24	43
TOTAL 0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	18	2.0	1	1	1	2	2	3	4	4
1-5 YRS	54	3.6	25	1	1	3	4	6	10	33
6-12 YRS	43	5.9	32	<1	1	4	8	15	18	26
13-19 YRS	129	5.8	53	1	1	3	7	14	18	38
GRAND TOTAL	**245**	**5.1**	**42**	**1**	**1**	**3**	**5**	**12**	**17**	**33**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	3	27.3	352	16	16	17	41	49	49	49
13-19 YRS	4	15.0	162	7	7	9	22	34	34	34
2. MULTIPLE DX										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	3	12.3	66	3	3	16	17	18	18	18
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	5	20.0	362	4	4	10	36	47	47	47
13-19 YRS	14	20.7	263	3	5	18	30	61	90	99+
TOT. SINGLE DX	9	18.9	205	6	6	16	25	43	49	49
" MULTIPLE DX	25	18.3	235	3	3	16	28	47	69	99+
TOTAL 0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS	4	10.8	54	3	3	11	17	18	18	18
1-5 YRS	3	10.0	109	3	3	5	18	22	22	22
6-12 YRS	8	22.8	322	4	5	16	40	48	49	49
13-19 YRS	18	19.4	236	4	6	16	30	54	82	99+
GRAND TOTAL	**34**	**18.5**	**221**	**3**	**4**	**16**	**27**	**47**	**58**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	7.7	40	4	4	4	12	15	15	15
6-12 YRS	9	8.4	9	5	5	7	11	13	13	13
13-19 YRS	6	9.8	24	4	4	9	12	17	18	18
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	15.5	184	4	4	12	18	39	41	41
1-5 YRS	10	16.9	375	3	3	10	20	49	66	66
6-12 YRS	10	17.3	85	4	6	18	23	29	32	32
13-19 YRS	12	19.5	137	3	6	18	27	38	40	40
TOT. SINGLE DX	18	8.8	17	4	4	8	12	14	17	18
" MULTIPLE DX	38	17.6	180	3	4	14	23	36	41	66
TOTAL 0-27 DYS										
1-11 MOS	6	15.5	184	4	4	12	18	39	41	41
1-5 YRS	13	14.8	304	3	4	10	16	39	61	66
6-12 YRS	19	13.1	67	4	5	10	19	25	30	32
13-19 YRS	18	16.3	118	3	5	14	21	35	39	40
GRAND TOTAL	**56**	**14.8**	**143**	**4**	**4**	**11**	**19**	**32**	**39**	**64**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	11	3.7	1	2	2	4	5	5	5	5
6-12 YRS	5	5.0	4	2	2	6	6	7	7	7
13-19 YRS	9	9.7	41	2	2	7	15	19	20	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	4.3	1	3	3	5	5	5	5	5
1-5 YRS	13	9.4	98	<1	2	5	13	21	35	38
6-12 YRS	6	16.8	107	6	6	16	23	31	32	32
13-19 YRS	13	17.2	290	<1	2	11	31	38	55	59
TOT. SINGLE DX	28	5.7	22	2	2	4	6	13	18	20
" MULTIPLE DX	35	13.1	174	1	3	7	18	33	37	59
TOTAL 0-27 DYS										
1-11 MOS	6	3.3	3	1	1	3	5	5	5	5
1-5 YRS	24	6.8	60	1	2	4	5	16	23	38
6-12 YRS	11	11.5	93	2	3	7	19	27	32	32
13-19 YRS	22	14.1	197	1	3	9	19	33	44	59
GRAND TOTAL	63	9.8	119	1	2	5	12	24	33	56

738: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	46	2.8	14	<1	<1	2	3	7	10	20
6-12 YRS	22	4.6	27	1	1	2	7	11	17	22
13-19 YRS	30	6.9	70	1	1	4	8	11	29	41
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	2.6	4	<1	<1	2	3	6	7	7
6-12 YRS	14	7.8	157	<1	1	4	8	14	42	50
13-19 YRS	24	5.5	17	1	1	5	8	11	13	17
TOT. SINGLE DX	101	4.4	36	<1	1	2	6	9	14	35
" MULTIPLE DX	49	5.6	55	1	1	4	7	10	12	50
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.8	5	1	1	2	4	6	6	6
1-5 YRS	55	2.8	13	<1	<1	2	3	7	9	20
6-12 YRS	36	5.9	77	1	1	3	8	10	19	50
13-19 YRS	54	6.3	46	1	1	5	8	11	16	41
GRAND TOTAL	150	4.8	42	1	1	2	7	10	13	41

739: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	1.4		<1	1	1	2	2	3	3
6-12 YRS	18	1.8	1	<1	1	1	2	4	4	4
13-19 YRS	47	3.0	9	<1	<1	2	3	7	11	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	8	4.9	43	1	1	3	4	16	21	21
6-12 YRS	17	4.4	67	<1	<1	1	3	14	27	33
13-19 YRS	33	3.2	4	1	1	2	4	7	8	9
TOT. SINGLE DX	81	2.4	6	<1	1	2	2	5	7	13
" MULTIPLE DX	61	3.7	26	<1	1	2	4	7	12	32
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.3	1	1	1	2	3	3	3	3
1-5 YRS	22	2.7	18	<1	1	2	3	4	11	21
6-12 YRS	35	3.0	34	<1	<1	1	3	4	13	33
13-19 YRS	80	3.1	7	<1	1	2	4	7	9	13
GRAND TOTAL	142	3.0	15	<1	1	2	3	6	9	22

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	52.0		52	52	52	52	52	52	52
TOT. SINGLE DX	4	5.3	35	1	1	3	9	14	14	14
" MULTIPLE DX	3	19.7	786	2	2	5	40	52	52	52
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	2	33.0	722	14	14	33	52	52	52	52
GRAND TOTAL	7	11.4	339	1	1	3	12	44	52	52

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4	4	1	1	2	3	6	6	6
1-11 MOS	10	2.4	4	<1	<1	2	2	6	7	7
1-5 YRS	7	1.9	3	<1	<1	1	2	5	6	6
6-12 YRS	40	1.9		<1	<1	2	2	3	4	5
13-19 YRS	925	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	4	5.8	39	2	2	3	9	15	15	15
1-11 MOS	11	6.3	55	<1	1	3	8	16	26	27
1-5 YRS	3	5.0	28	1	1	3	9	11	11	11
6-12 YRS	11	2.5	5	<1	<1	2	4	6	8	8
13-19 YRS	213	3.4	30	<1	1	2	3	5	8	39
TOT. SINGLE DX	987	1.8	2	<1	<1	2	2	3	3	5
" MULTIPLE DX	242	3.5	30	<1	1	2	3	6	9	38
TOTAL 0-27 DYS	9	3.9	20	1	1	2	4	11	15	15
1-11 MOS	21	4.4	34	<1	<1	2	6	9	17	27
1-5 YRS	10	2.8	11	<1	<1	1	3	8	11	11
6-12 YRS	51	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	1138	2.1	7	<1	<1	2	2	3	4	8
GRAND TOTAL	**1229**	**2.1**	**8**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	2.5	3	<1	<1	2	3	5	7	7
13-19 YRS	158	2.4	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	33	2.7	2	<1	1	2	3	5	6	7
TOT. SINGLE DX	169	2.4	2	<1	1	2	3	4	5	7
" MULTIPLE DX	36	2.7	2	<1	1	2	3	4	6	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	13	2.5	3	<1	1	2	3	5	7	7
13-19 YRS	191	2.5	2	<1	1	2	3	4	5	7
GRAND TOTAL	**205**	**2.5**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.5	2	3	3	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.6	1	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	4	23.0	734	3	3	13	38	63	63	63
1-11 MOS	6	12.2	84	4	4	10	12	28	30	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	5	4.2	5	2	2	4	6	7	7	7
TOT. SINGLE DX	13	3.9	4	1	2	4	6	7	7	7
" MULTIPLE DX	17	11.4	223	1	2	7	12	27	51	63
TOTAL 0-27 DYS	4	23.0	734	3	3	13	38	63	63	63
1-11 MOS	12	8.8	52	3	4	7	10	17	28	30
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	12	3.3	3	1	1	3	4	6	7	7
GRAND TOTAL	**30**	**8.2**	**139**	**1**	**2**	**5**	**7**	**13**	**30**	**63**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.0	8	3	3	6	8	9	9	9
1-11 MOS	8	2.6		2	2	3	3	4	4	4
1-5 YRS	8	4.3	13	1	1	3	5	10	12	12
6-12 YRS	48	2.5		1	1	2	3	4	4	5
13-19 YRS	1047	2.8		1	1	3	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	8	5.9	9	1	2	6	7	10	11	11
1-11 MOS	7	4.0	2	1	1	4	5	6	6	6
1-5 YRS	5	3.2	2	1	1	3	4	5	5	5
6-12 YRS	7	3.7	6	1	1	3	4	8	9	9
13-19 YRS	345	3.4	14	1	1	3	4	5	6	14
TOT. SINGLE DX	1115	2.8	2	1	1	3	3	4	5	8
" MULTIPLE DX	372	3.5	14	1	1	3	4	5	7	14
TOTAL 0-27 DYS	12	5.9	8	1	2	6	8	10	11	11
1-11 MOS	15	3.3	2	1	2	3	4	5	6	6
1-5 YRS	13	3.8	9	1	1	3	4	8	11	12
6-12 YRS	55	2.7	2	1	1	3	3	4	5	9
13-19 YRS	1392	2.9	5	1	1	3	4	4	5	8
GRAND TOTAL	1487	2.9	5	1	1	3	4	5	5	9

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	3.7	12	1	1	3	5	9	10	10
1-11 MOS	19	2.4	1	<1	<1	2	3	5	6	6
1-5 YRS	20	1.7		<1	<1	1	2	2	4	5
6-12 YRS	39	3.6	5	<1	1	3	4	7	9	12
13-19 YRS	2698	3.1	6	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	12.2	184	2	2	4	21	34	34	34
1-5 YRS	5	3.0	2	1	1	3	4	5	5	5
6-12 YRS	5	2.4	3	1	1	2	3	5	5	5
13-19 YRS	368	4.3	22	1	2	4	5	8	10	16
TOT. SINGLE DX	2782	3.1	6	1	1	3	4	5	6	9
" MULTIPLE DX	383	4.4	25	1	2	4	5	8	10	22
TOTAL 0-27 DYS	6	3.7	13	1	1	3	5	9	10	10
1-11 MOS	24	4.4	50	<1	1	2	4	7	22	34
1-5 YRS	25	1.9	1	<1	<1	2	2	3	5	5
6-12 YRS	44	3.4	6	<1	1	3	4	7	8	12
13-19 YRS	3066	3.3	8	1	1	3	4	5	7	10
GRAND TOTAL	3165	3.3	8	1	1	3	4	5	7	10

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	3.9	7	<1	1	3	5	9	10	10
1-11 MOS	224	2.5	7	<1	<1	2	3	5	7	19
1-5 YRS	973	1.9	3	<1	<1	1	2	3	6	11
6-12 YRS	854	2.1	5	<1	<1	1	2	4	6	12
13-19 YRS	1222	2.5	8	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	178	5.1	69	1	1	3	5	7	16	42
1-11 MOS	112	6.2	39	<1	1	4	9	13	22	60
1-5 YRS	355	4.7	46	<1	<1	2	5	10	19	42
6-12 YRS	376	4.3	44	<1	<1	2	4	10	16	38
13-19 YRS	713	7.5	159	<1	1	3	6	20	39	65
TOT. SINGLE DX	3292	2.2	6	<1	<1	1	2	4	6	13
" MULTIPLE DX	1734	5.9	96	<1	1	3	6	12	25	59
TOTAL 0-27 DYS	197	5.0	64	1	1	3	5	7	13	41
1-11 MOS	336	3.7	21	<1	<1	2	4	10	13	30
1-5 YRS	1328	2.7	17	<1	<1	1	2	6	9	20
6-12 YRS	1230	2.8	18	<1	<1	2	3	5	8	25
13-19 YRS	1935	4.4	70	<1	<1	2	4	8	14	53
GRAND TOTAL	5026	3.5	40	<1	<1	2	3	7	11	38

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	3.2	3	1	1	3	4	6	7	7
1-11 MOS	162	4.4	17	<1	1	3	5	9	12	22
1-5 YRS	1367	3.5	19	<1	<1	2	4	8	11	25
6-12 YRS	1501	3.8	26	<1	1	2	4	8	12	26
13-19 YRS	2373	4.2	27	<1	1	3	5	9	13	27
2. MULTIPLE DX										
0-27 DYS	175	6.9	52	2	2	5	7	15	22	39
1-11 MOS	279	6.3	48	1	1	4	8	13	21	39
1-5 YRS	1699	5.7	53	1	1	3	7	13	20	38
6-12 YRS	1872	5.9	79	1	1	3	6	14	23	46
13-19 YRS	5283	5.5	82	<1	1	3	6	11	20	54
TOT. SINGLE DX	5415	3.9	25	<1	1	2	5	8	12	26
" MULTIPLE DX	9308	5.7	75	1	1	3	6	12	21	49
TOTAL 0-27 DYS	187	6.7	50	1	2	5	6	12	21	39
1-11 MOS	441	5.6	37	1	1	4	7	12	17	29
1-5 YRS	3066	4.7	39	<1	1	3	6	10	16	32
6-12 YRS	3373	4.9	57	1	1	3	5	11	18	41
13-19 YRS	7656	5.1	66	<1	1	3	5	10	17	47
GRAND TOTAL	14723	5.0	57	<1	1	3	5	11	17	42

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	27	10.3	157	<1	<1	6	13	33	39	48
1-5 YRS	239	7.5	84	1	1	4	9	19	27	46
6-12 YRS	260	6.3	45	1	1	4	8	14	20	38
13-19 YRS	373	6.0	60	<1	1	3	8	13	18	39
2. MULTIPLE DX										
0-27 DYS	3	50.3	706	25	25	48	70	78	78	78
1-11 MOS	52	14.9	150	<1	2	12	22	35	38	57
1-5 YRS	294	14.5	171	1	2	11	21	34	43	87
6-12 YRS	256	13.6	181	1	2	9	20	30	41	57
13-19 YRS	387	12.3	157	1	2	8	16	28	41	66
TOT. SINGLE DX	901	6.6	66	1	1	4	8	15	22	41
" MULTIPLE DX	992	13.6	173	1	2	9	19	31	42	71
TOTAL 0-27 DYS	5	36.2	730	13	13	25	55	78	78	78
1-11 MOS	79	13.4	155	<1	1	10	18	35	38	54
1-5 YRS	533	11.4	145	1	1	7	17	28	39	66
6-12 YRS	516	10.0	126	1	1	7	13	24	32	55
13-19 YRS	760	9.2	120	1	1	6	12	22	31	63
GRAND TOTAL	1893	10.3	134	1	1	7	14	24	35	60

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.3	14	1	1	4	7	9	9	9
1-5 YRS	71	3.3	27	<1	<1	2	3	7	11	32
6-12 YRS	74	2.7	8	<1	1	2	3	5	7	19
13-19 YRS	159	3.7	50	<1	1	2	3	8	11	29
2. MULTIPLE DX										
0-27 DYS	2	31.5	1301	6	6	31	57	57	57	57
1-11 MOS	4	6.3	22	2	2	5	9	13	13	13
1-5 YRS	39	8.9	237	1	1	3	6	29	49	67
6-12 YRS	60	6.2	156	<1	<1	2	8	13	17	86
13-19 YRS	145	7.9	108	1	1	3	8	23	29	52
TOT. SINGLE DX	311	3.4	34	<1	<1	2	3	7	10	26
" MULTIPLE DX	250	7.8	147	1	1	3	8	21	29	63
TOTAL 0-27 DYS	3	21.7	940	2	2	6	44	57	57	57
1-11 MOS	10	5.1	16	1	1	5	7	11	13	13
1-5 YRS	110	5.3	108	<1	<1	2	4	12	28	65
6-12 YRS	134	4.3	77	<1	<1	2	4	10	13	36
13-19 YRS	304	5.7	82	<1	1	2	5	15	25	47
GRAND TOTAL	561	5.4	89	<1	1	2	5	12	23	55

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.5	61	<1	<1	6	12	12	12	12
1-11 MOS	83	1.7		<1	1	2	2	2	3	4
1-5 YRS	415	2.6	10	<1	1	2	2	4	7	14
6-12 YRS	335	2.3	4	<1	<1	2	2	4	6	12
13-19 YRS	576	2.3	6	<1	<1	2	2	4	5	13
2. MULTIPLE DX										
0-27 DYS	9	4.6	8	3	3	3	5	10	12	12
1-11 MOS	53	2.6	8	<1	1	2	3	4	5	21
1-5 YRS	280	3.8	25	<1	1	2	4	7	10	33
6-12 YRS	242	4.1	17	<1	1	2	5	9	14	23
13-19 YRS	417	4.7	63	<1	1	3	5	9	16	49
TOT. SINGLE DX	1411	2.3	7	<1	<1	2	2	4	6	13
" MULTIPLE DX	1001	4.2	39	<1	1	2	4	9	13	34
TOTAL 0-27 DYS	11	4.9	14	<1	2	3	6	12	12	12
1-11 MOS	136	2.1	4	<1	1	2	2	3	4	11
1-5 YRS	695	3.0	17	<1	1	2	3	6	9	25
6-12 YRS	577	3.1	11	<1	<1	2	3	7	9	18
13-19 YRS	993	3.3	32	<1	<1	2	3	6	9	31
GRAND TOTAL	2412	3.1	21	<1	<1	2	3	6	9	25

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.7	4	6	6	7	9	10	10	10
1-11 MOS	14	3.6	15	<1	1	2	5	6	14	16
1-5 YRS	28	5.0	42	1	1	3	4	15	18	30
6-12 YRS	24	2.8	4	1	1	2	4	6	7	8
13-19 YRS	40	3.5	7	1	1	3	5	9	10	11
2. MULTIPLE DX										
0-27 DYS	44	24.9	435	5	6	16	37	57	67	80
1-11 MOS	23	8.7	55	2	3	5	13	17	25	37
1-5 YRS	50	5.0	20	1	1	4	6	10	16	22
6-12 YRS	39	4.9	28	1	1	3	6	9	14	30
13-19 YRS	78	5.3	18	1	2	4	7	9	12	25
TOT. SINGLE DX	109	3.9	17	1	1	2	5	8	11	22
" MULTIPLE DX	234	9.2	160	1	2	5	9	22	37	66
TOTAL 0-27 DYS	47	23.8	425	5	6	14	35	56	65	80
1-11 MOS	37	6.8	51	1	1	4	8	16	18	37
1-5 YRS	78	5.0	28	1	1	3	5	13	17	28
6-12 YRS	63	4.1	20	1	1	3	5	8	9	28
13-19 YRS	118	4.7	15	1	1	4	6	9	11	25
GRAND TOTAL	343	7.5	120	1	1	4	7	16	27	62

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	2.5	3	1	1	2	4	6	6	6
1-11 MOS	29	3.8	24	1	1	2	4	7	11	27
1-5 YRS	85	2.8	9	1	1	2	3	4	4	21
6-12 YRS	132	2.8	7	1	1	2	3	5	7	14
13-19 YRS	613	3.4	13	1	1	2	4	7	11	19
2. MULTIPLE DX										
0-27 DYS	8	8.5	121	2	2	5	8	27	35	35
1-11 MOS	47	5.1	31	1	2	3	5	13	18	29
1-5 YRS	122	5.0	72	1	1	3	5	11	16	40
6-12 YRS	155	4.0	53	1	1	2	4	6	9	44
13-19 YRS	433	4.8	22	1	1	3	6	11	14	25
TOT. SINGLE DX	867	3.2	13	1	1	2	3	6	10	20
" MULTIPLE DX	765	4.7	38	1	1	3	5	10	15	27
TOTAL 0-27 DYS	16	5.5	68	1	1	3	6	8	27	35
1-11 MOS	76	4.6	29	1	2	3	4	10	17	28
1-5 YRS	207	4.0	48	1	1	2	3	8	14	23
6-12 YRS	287	3.4	32	1	1	2	3	6	8	23
13-19 YRS	1046	4.0	18	1	1	2	5	9	12	23
GRAND TOTAL	1632	3.9	25	1	1	2	4	8	12	23

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	14	5.5	17	1	2	4	10	11	13	14
1-5 YRS	41	3.5	6	1	1	2	4	9	9	12
6-12 YRS	67	3.1	8	1	1	2	3	7	10	17
13-19 YRS	173	3.9	25	1	1	2	4	8	13	21
2. MULTIPLE DX										
0-27 DYS	6	8.5	32	1	1	9	13	16	16	16
1-11 MOS	24	9.3	125	1	2	5	12	27	39	41
1-5 YRS	62	6.1	35	1	1	4	9	14	16	31
6-12 YRS	83	5.9	40	1	1	4	7	12	21	34
13-19 YRS	196	6.8	73	1	1	4	8	17	24	38
TOT. SINGLE DX	297	3.8	19	1	1	2	4	9	11	19
" MULTIPLE DX	371	6.7	63	1	1	4	8	16	24	38
TOTAL 0-27 DYS	8	7.1	30	1	1	6	11	15	16	16
1-11 MOS	38	7.9	88	1	2	5	10	18	33	41
1-5 YRS	103	5.0	26	1	1	3	7	11	14	28
6-12 YRS	150	4.7	28	1	1	2	6	10	13	26
13-19 YRS	369	5.4	53	1	1	3	6	12	20	36
GRAND TOTAL	668	5.4	45	1	1	3	6	12	18	37

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	10	5.8	18	1	1	5	10	11	12	12
TOT. SINGLE DX	4	2.0	4	<1	<1	1	3	5	5	5
" MULTIPLE DX	17	4.1	15	1	1	2	7	11	12	12
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.3		<1	<1	1	2	2	2	2
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	11	5.7	17	1	1	5	9	11	12	12
GRAND TOTAL	21	3.7	13	<1	1	2	5	10	11	12

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	5.4	8	3	3	4	8	9	9	9
1-11 MOS	20	4.0	10	<1	<1	3	6	9	11	11
1-5 YRS	45	2.8	6	<1	1	2	3	6	8	13
6-12 YRS	67	3.1	8	<1	1	2	3	7	10	16
13-19 YRS	388	4.3	16	1	1	3	6	10	11	18
2. MULTIPLE DX										
0-27 DYS	5	15.0	222	4	4	6	27	37	37	37
1-11 MOS	58	6.9	52	1	2	4	9	16	22	35
1-5 YRS	103	4.8	31	1	1	2	5	12	14	30
6-12 YRS	80	5.0	22	1	1	3	7	10	12	28
13-19 YRS	385	6.7	49	1	1	4	9	14	18	41
TOT. SINGLE DX	525	4.0	14	1	1	2	5	9	11	17
" MULTIPLE DX	631	6.3	45	1	1	4	8	13	18	37
TOTAL 0-27 DYS	10	10.2	128	3	3	5	9	30	37	37
1-11 MOS	78	6.2	43	1	1	3	8	14	20	34
1-5 YRS	148	4.2	24	1	1	2	5	11	13	17
6-12 YRS	147	4.1	17	1	1	2	5	10	11	22
13-19 YRS	773	5.5	34	1	1	3	7	11	15	28
GRAND TOTAL	**1156**	**5.2**	**32**	**1**	**1**	**3**	**7**	**11**	**15**	**30**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1367	3.6	5	1	2	3	4	6	8	12
1-11 MOS	3554	3.7	10	1	1	3	5	7	9	17
1-5 YRS	6916	3.1	9	1	1	2	4	6	8	14
6-12 YRS	7814	3.2	12	1	1	2	4	6	8	15
13-19 YRS	17303	3.8	31	1	1	3	4	7	9	29
2. MULTIPLE DX										
0-27 DYS	5037	9.5	146	2	2	5	10	24	36	64
1-11 MOS	6771	5.4	29	1	2	4	7	10	14	27
1-5 YRS	11392	4.4	22	1	1	3	5	8	11	24
6-12 YRS	9911	4.4	34	1	1	3	5	8	12	32
13-19 YRS	22817	5.2	54	1	1	3	5	9	14	45
TOT. SINGLE DX	36954	3.6	20	1	1	3	4	6	8	20
" MULTIPLE DX	55928	5.3	51	1	1	3	6	10	15	43
TOTAL 0-27 DYS	6404	8.2	122	2	2	4	8	19	31	62
1-11 MOS	10325	4.8	23	1	1	4	6	9	12	23
1-5 YRS	18308	3.9	18	1	1	3	5	7	10	21
6-12 YRS	17725	3.9	25	1	1	3	4	7	10	24
13-19 YRS	40120	4.6	45	1	1	3	5	8	12	39
GRAND TOTAL	**92882**	**4.6**	**40**	**1**	**1**	**3**	**5**	**8**	**12**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1113	3.1	2	1	1	3	4	5	6	8
1-11 MOS	2253	4.3	11	1	2	3	5	7	10	19
1-5 YRS	5693	4.6	29	1	1	3	5	10	19	27
6-12 YRS	3656	6.4	87	1	1	3	5	19	27	44
13-19 YRS	3693	9.2	206	1	1	4	8	29	43	75
2. MULTIPLE DX										
0-27 DYS	3946	7.6	120	1	2	4	7	17	29	60
1-11 MOS	3560	5.3	32	1	2	4	6	9	12	25
1-5 YRS	6474	4.7	23	1	2	3	5	8	13	26
6-12 YRS	2841	7.3	111	1	1	4	7	19	29	65
13-19 YRS	4574	10.9	221	1	2	5	11	31	46	85
TOT. SINGLE DX	16408	5.9	82	1	1	3	5	13	23	46
" MULTIPLE DX	21395	7.0	102	1	2	4	7	15	27	61
TOTAL 0-27 DYS	5059	6.6	98	1	2	4	6	14	25	57
1-11 MOS	5813	4.9	24	1	2	4	6	9	12	22
1-5 YRS	12167	4.6	26	1	1	3	5	9	16	26
6-12 YRS	6497	6.8	98	1	1	3	6	19	28	49
13-19 YRS	8267	10.1	215	1	1	4	10	30	44	80
GRAND TOTAL	**37803**	**6.5**	**94**	**1**	**1**	**4**	**6**	**14**	**25**	**56**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2981	3.3	4	1	1	3	4	5	6	11
1-11 MOS	3156	3.8	10	1	1	3	5	7	9	15
1-5 YRS	5517	3.2	8	1	1	3	4	6	7	12
6-12 YRS	3204	3.8	27	1	1	3	4	6	8	28
13-19 YRS	5183	4.2	48	<1	1	3	4	7	12	39
2. MULTIPLE DX										
0-27 DYS	8294	7.9	121	1	2	4	7	17	29	70
1-11 MOS	6777	4.8	21	1	2	4	6	8	11	22
1-5 YRS	11129	4.1	16	1	1	3	5	7	9	20
6-12 YRS	4870	5.2	65	1	1	3	5	9	15	51
13-19 YRS	8360	6.3	99	1	1	3	6	12	24	62
TOT. SINGLE DX	20041	3.7	22	1	1	3	4	6	8	23
" MULTIPLE DX	39430	5.6	65	1	1	4	6	10	17	50
TOTAL 0-27 DYS	11275	6.7	94	1	2	4	6	14	23	61
1-11 MOS	9933	4.5	18	1	1	4	5	8	10	20
1-5 YRS	16646	3.8	14	1	1	3	4	6	9	18
6-12 YRS	8074	4.7	51	1	1	3	5	8	11	43
13-19 YRS	13543	5.5	81	1	1	3	5	10	20	56
GRAND TOTAL	59471	5.0	51	1	1	3	5	8	14	43

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the ***International Classification of Diseases, 9th Revision, Clinical Modification,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number **Title**

- 562 Laryngotomy, except permanent
  - 561 Permanent
- 706 Lengthening of bone
- 526 Lens extraction, except intracapsular
  - 525 Intracapsular
- Ligation
  - 665 Fallopian tubes (bilateral), except endoscopic approach
    - 664 Endoscopic approach
  - 612 Hemorrhoids
  - 577 Varicose veins
  - 655 Vas deferens
- 577 Ligation and stripping, varicose veins
- Lobectomy
  - 501 Brain
  - 615 Liver
  - 566 Lung, except partial
    - 565 Partial
- 687 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 630 Abdominal
  - 741 Hand
  - 524 Iris
  - 716 Joint
  - 731 Muscle, except of hand
    - 741 Hand
  - 630 Pelvis
  - 630 Peritoneum
  - 731 Tendon, except of hand
    - 741 Hand

- 745 Mammary augmentation
- 745 Mammectomy
- 758 Mammography
- 745 Mammoplasty, reduction
- 699 Mandibulectomy, except partial
  - 698 Partial
- 699 Mandibulotomy
- Mastectomy
  - 743 Complete
  - 743 Simple, except extended
    - 744 Extended

OPERATION INDEX (continued)

Group Number **Title**

- Mastectomy (continued)
  - 742 Subtotal
  - 744 Radical
  - 743 Partial
- 538 Mastoidectomy, except revision
  - 539 Revision
- 745 Mastotomy
- Meatotomy
  - 635 Ureteral
  - 639 Urethral
- 690 Medical induction of labor
- 718 Meniscectomy, knee
- 686 Menstrual extraction or regulation
- 699 Mentoplasty
- 764 Monitoring, circulatory (CVP) (PCW)
- 754 Myelography
- 670 Myomectomy, uterus
- 537 Myringotomy

- 631 Nephrectomy (complete)
- 632 Nephropexy

- 682 Obliteration, vagina or vaginal vault
- 751 Onychectomy
- 751 Onychoplasty
- Oophorectomy
  - 662 Bilateral
  - 661 Unilateral
- 533 Ophthalmoscopy
- 652 Orchiectomy
- 653 Orchiopexy
- 654 Orchioplasty, except suspension
  - 653 Suspension
- 705 Ostectomy, except facial bone
  - 699 Facial bone, except partial
    - 698 Partial
- 706 Osteoplasty, except facial bone
  - 699 Facial bone
- 703 Osteotomy, except facial bone
  - 699 Facial bone
- 540 Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number **Title**

- Reduction (continued)
    - Femur
      - 710 Closed, except with internal fixation
        - 708 With internal fixation
      - 710 Open, except with internal fixation
        - 709 With internal fixation
    - 701 Mandible, except closed reduction
      - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
      - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

OPERATION INDEX (continued)

Group Number **Title**

- Removal (continued)
    - 524 Iris
    - 527 Lens
  - Prosthesis
    - 745 Breast
    - 716 Joint
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula — *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin